

ISO/IEC 19798 Yield Test Report

MC2535 Toner Cartridge

Printer: MC2535adw

Part Numbers of Cartridges:

Cyan (C) C2310C0, C2320C0, C2330C0,
C2340C0, C2350C0, C2360C0

Magenta (M) C2310M0, C2320M0, C2330M0,
C2340M0, C2350M0, C2360M0

Yellow (Y) C2310Y0, C2320Y0, C2330Y0,
C2340Y0, C2350Y0, C2360Y0

Black (K) C2310K0, C2320K0, C2330K0,
C2340K0, C2350K0, C2360K0

Lexmark Toner Cartridge Yield Claim:

Average Continuous Composite Color (CMY) Cartridge Yield	1,000	standard pages
Average Continuous Black (K) Cartridge Yield	1,000	standard pages
Declared yield in accordance with ISO/IEC 19798		

Tested Cartridge Summary:

90% Lower Confidence

Composite Color (CMY) = **1,324** pages

Black = **1,267** pages

For questions concerning testing contact:

Lexmark International Inc.

740 West New Circle Rd.

Lexington, Ky. 40550 USA

Attn: Laser Supplies Product Manager

Date Tested

19-Dec-2017

20-Dec-2017

Number of cartridges in testing	C= 9	M= 9	Y= 9	K= 9
Qty. of cartridges used in calculation	C= 9	M= 9	Y= 9	K= 9
Type of cartridge	Replenishment			
Shake Procedure	No Shake			
1st shake	No Shake			
2nd shake	Continuous			
Print mode	3			
Number of printers tested	Hammermill Tidal MP - 20# - Letter			
Media used	Short Edge Feed (SEF)			
Paper feed orientation	B2			
Driver version	Windows 7 Professional			
Operating system	Adobe Reader 94			
Application software	ISO-IEC_24712_2007.pdf			
Test page version	ON			
Power (off/on) everyday	Y			
Pre-generated file used	Y			
Header / Footer used	Intel(R) Core™ i7-4770 CPU @ 3.40 GHz			
Computer Model	16.0 GB			
Computer RAM and CPU type	Network			
PC / Printer connection				

ISO/IEC 19798 Yield Test Report

Printer	Color	Cartridge SN	Temperature C / F			Humidity			Cartridge Yield	Cartridge used in Calculation
			Avg	Max	Min	Avg	Max	Min		
7529PTBJUP089	C	SCAH173390018	23 / 73	24 / 75	22 / 72	51	53	49	1400	Y
7529PTBJUP089	C	SCAH173390021	23 / 73	24 / 75	22 / 72	51	53	49	1190	Y
5029PTBZEU213	C	SCAH17339001F	23 / 73	24 / 75	22 / 72	51	53	49	1465	Y
5029PTBZEU213	C	SCAH17339001B	23 / 73	24 / 75	22 / 72	51	53	49	1015	Y
5029PTBZEU202	C	SCAH17339001E	23 / 73	24 / 75	22 / 72	51	53	49	1370	Y
5029PTBZEU202	C	SCAH173390024	23 / 73	24 / 75	22 / 72	51	53	49	1450	Y
7529PTBJUP089	C	SCAH173390013	23 / 73	24 / 75	22 / 72	51	53	49	1545	Y
5029PTBZEU213	C	SCAH173390016	23 / 73	24 / 75	22 / 72	51	53	49	1675	Y
5029PTBZEU202	C	SCAH17339000E	23 / 73	24 / 75	22 / 72	51	53	49	1415	Y
7529PTBJUP089	K	SCAH1733901E8	23 / 73	24 / 75	22 / 72	51	53	49	1325	Y
7529PTBJUP089	K	SCAH1733901F1	23 / 73	24 / 75	22 / 72	51	53	49	1210	Y
5029PTBZEU213	K	SCAH1733901F2	23 / 73	24 / 75	22 / 72	51	53	49	1270	Y
5029PTBZEU213	K	SCAH1733901DC	23 / 73	24 / 75	22 / 72	51	53	49	1400	Y
5029PTBZEU202	K	SCAH1733901E6	23 / 73	24 / 75	22 / 72	51	53	49	1170	Y
5029PTBZEU202	K	SCAH1733901EA	23 / 73	24 / 75	22 / 72	51	53	49	1380	Y
5029PTBZEU202	K	SCAH1733901EB	23 / 73	24 / 75	22 / 72	51	53	49	1555	Y
7529PTBJUP089	K	SCAH1733901DF	23 / 73	24 / 75	22 / 72	51	53	49	1625	Y
5029PTBZEU213	K	SCAH1733901E0	23 / 73	24 / 75	22 / 72	51	53	49	1310	Y
7529PTBJUP089	M	SCAH1733900ED	23 / 73	24 / 75	22 / 72	51	53	49	1330	Y
7529PTBJUP089	M	SCAH1733900E1	23 / 73	24 / 75	22 / 72	51	53	49	1095	Y
7529PTBJUP089	M	SCAH1733900E4	23 / 73	24 / 75	22 / 72	51	53	49	1295	Y
5029PTBZEU213	M	SCAH1733900DE	23 / 73	24 / 75	22 / 72	51	53	49	1430	Y
5029PTBZEU213	M	SCAH1733900D0	23 / 73	24 / 75	22 / 72	51	53	49	1430	Y
5029PTBZEU202	M	SCAH1733900DD	23 / 73	24 / 75	22 / 72	51	53	49	1405	Y
5029PTBZEU202	M	SCAH1733900E6	23 / 73	24 / 75	22 / 72	51	53	49	1305	Y
5029PTBZEU213	M	SCAH1733900E3	23 / 73	24 / 75	22 / 72	51	53	49	1505	Y
5029PTBZEU202	M	SCAH1733900E7	23 / 73	24 / 75	22 / 72	51	53	49	1515	Y
7529PTBJUP089	Y	SCAH173390037	23 / 73	24 / 75	22 / 72	51	53	49	1625	Y
7529PTBJUP089	Y	SCAH17339003E	23 / 73	24 / 75	22 / 72	51	53	49	1380	Y
5029PTBZEU213	Y	SCAH173390048	23 / 73	24 / 75	22 / 72	51	53	49	1245	Y
5029PTBZEU213	Y	SCAH173390049	23 / 73	24 / 75	22 / 72	51	53	49	1805	Y
5029PTBZEU202	Y	SCAH173390040	23 / 73	24 / 75	22 / 72	51	53	49	1330	Y
5029PTBZEU202	Y	SCAH173390034	23 / 73	24 / 75	22 / 72	51	53	49	1700	Y
7529PTBJUP089	Y	SCAH173390039	23 / 73	24 / 75	22 / 72	51	53	49	1750	Y
5029PTBZEU213	Y	SCAH173390045	23 / 73	24 / 75	22 / 72	51	53	49	1615	Y
5029PTBZEU202	Y	SCAH17339003F	23 / 73	24 / 75	22 / 72	51	53	49	1455	Y

	Average	Std Dev. Of Sample	90% Lower Confidence
Cyan Cartridge	1392	192	1272
Magenta Cartridge	1368	130	1287
Yellow Cartridge	1545	199	1422
CMY Composite			1324
Black Cartridge	1361	150	1267

Comments and or exceptions:

*The print file was generated with number of copies set equal to 2.