



Product environmental attributes – THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information *	Nadia Martin (USA)	LEXMARK
		тм
Internet site *	www.lexmark.se /	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * Single Function Color Laser Printer			
Commercial name *	Lexmark C540n			
Model number *	C540n			
Issue date *	9/12/2008			
Intended market *	Global Europe Japan U.S. Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality (Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes	

Model number *	C540n		
Issue date *	9/12/2008	Logo	LEXMARK

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (<i>EU</i> : <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (<i>EU 76/769/EEC</i>)			\square
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>EU 76/769/EEC</i>)			\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			\square
P2	Batteries			
P2.1*	If hazardous batteries (as defined in <i>91/157/EEC</i>) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in <i>91/157/EEC</i> , <i>93/86/EEC</i>)			\square
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			\square
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			\square
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	\boxtimes		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	\boxtimes		
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	\square		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.	\square		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	C540n		
Issue date *	9/12/2008	Logo	LEXMARK

Product	t environmental a		requirements - Environmental conscious design				
Itom	*-mandatory to f		rement met	Yes	No	n 0	
Item P7	Design Disassembly, re		imation regarding each ten may be found under F 14.		NU	n.a.	
P7.1*			tely are easily separable	\square			
P7.2*	Plastic materials	in covers/housing h	nave no surface coating.		Ħ		
P7.3*			naterial or of easily separable materials.		Ħ		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.						
P7.5	•	-	ays or have inlays that can be removed with commonly available tools.		⊢⊢		
P7.6*	•		equirement does not apply to safety/regulatory labels).		⊢⊢		
17.0	Product lifetime		equirement does not apply to safety/regulatory labels).				
P7.7*			ocessor, memory, cards or drives				
P7.8*			nonly available tools		⊢⊢		
P7.9.		-				<u> </u>	
			of production for: 5 years			<u> </u>	
P7.10		ble after end of proc					
P7.11*		bstance requirements ousing material type					
F7.11	Material type: A	0 11	Material type: HIPS Material type: PC/ABS				
P7.12*			f power cables are halogen free (including PVC)		\boxtimes		
P7.13*			f signal cables are halogen free (including PVC)				
P7.14		g plastic parts >25g					
P7.15			mponents) >25g are halogen free				
P7.16	FR(40)		ardants in cover / housing plastic parts >25g according ISO 1043-4:				
P7.17	ISO 1043-4: FR	(16)	ardants in printed circuit boards (without components) >25g according				
P7.18		ed material in plastic					
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)						
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg						
P8	Batteries						
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC						
P8.2*	Battery chemical composition:						
P8.3			he following voluntary program/s:				
P9	Energy consum						
9.1			levels or energy consumptions have been measured:	Deferen	~~/		
Mode	Power level at * 230 Volts	Time (s) to <mode< td=""><td>Mode description</td><td>Referent Standard</td><td></td><td>n.a.</td></mode<>	Mode description	Referent Standard		n.a.	
On-max	W						
On-	* 480 W	to	* Printing	*Compa Standar			
normal On-idle	34 W	to	* Ready Mode	*Energy			
		10	neury more	STAR T			
Save 1	* 18 W	to	* Power Saver Mode (Sleep)	*Energy STAR T	1		
Save 2	W	to	*	*			
Off 1	* 0 W	to	* Plugged in Off Mode	*Energy STAR T			
Off 2	W	to	*	*		\square	
No load	* W		External power supplies/charger plugged in but disconnected from the product	*			
TEC	* 204 kWh/y Ty	I pical Energy Consu		*Energy STAR T	, FC		
P9.2*	Information abov	It the energy save f	unction is provided with the product.				
P9.3		ets the energy requi	rements of the following voluntary program/s:				

Model number *	C540n		
Issue date *	9/12/2008	Logo	EXMARK

Product	environmental a	ttributes - Market requirements (contin	ued) Requirement n	not		
Item		fill in. Additional information regarding each			Yes No	n.a.
P10	Emissions	In In. Additional Information regularing eac	on non may be round		100 110	n.u.
	Noise emissio	n – Declared according to ISO 9296				
P10.1	Mode	Mode description	Declared A-weighted sound power level L _{WAd} (B)			
					nly if product is n operator attende	
	Idle	* Idle/Ready	* Inaudible	Inaudib	ble	
	Operation	* Simplex Monochrome Printing	* 6.2	47		
	Other mode					
	Measured acco	ording to: ISO 7779 ECMA-74	ered by ECMA-74 wit	h L _{pAm} measurement distar	nce m)	
P10.2	The product me	eets the acoustic noise requirements of the				
	Chemical emis	ssions from printing products		-		
P10.3*	Test performed	l according to ECMA-328 standard 🗌, oth				
	The test covers		ne 🔀 🛛 Benzene			
P10.4	The product meets the chemical emission requirements of the following voluntary program/s:					
	Electromagnetic emissions					
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:					
P11		naterials for printing products				
P11.1*	(see P4.3).	ety Data Sheet (MSDS) is available for the				
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.					
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					
P12		or computing products				
P12.1*		system meets the ergonomic requirements 406-2 for flat panel displays.	s of EN 29241-3, -7, -	8 for CRT displays		\square
P12.2*	The product ke	yboard meets the requirements of ISO 999	95 and EN 29241-4.			\boxtimes
P12.3*	The computer i	nput device meets the requirements of ISC	O 9241-9.			\bowtie
P13		d documentation				
P13.1*	Product package	ging material type(s): Corrugated ging material type(s): Polyethylene Foam ging material type(s): High Density Polyei		.400		
P13.2*	Product packaging material type(s): High Density Polyethylene weight (kg): 0.277 Product plastic packaging is halogen free (including PVC)					
P13.3*	User and product documentation do not contain chlorine bleached paper					Ē
P13.4*	User and product documentation contain recycled paper					<u> </u>
P14	Additional information					
	Additional cor	mpany information and company enviro				.com
	Specific printer and supply item recycling information for your area may be found at http://lexmark.com/recycle					
	Lexmark Swee	den is connected to REPA and El-kretse	en			

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.