



## Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	ITSTATABLE
Contact information *	Nadia Martin (USA)	LEXMARK
		TM TM
Internet site *	www.lexmark.se/	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product * Single Function Color Laser Printer				
Commercial name *	Lexmark C544dn, C544dw			
Model number *	C544dn, C544dtw			
Issue date *	9/12/2008			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	C544dn, C544dtn, C544dw		
Issue date *	9/12/2008	Logo	LEXMARK

Product environmental attributes - Legal requirements Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P1	Hazardous substances and preparations							
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>							
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	$\boxtimes$						
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide ( <i>EU : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i> )							
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\boxtimes$						
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002							
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)							
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in <i>EU 76/769/EEC</i> , amendment 2003/3/EC							
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			$\boxtimes$				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC							
P2	Batteries							
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)							
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			$\boxtimes$				
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			$\boxtimes$				
P3	Electrical safety, EMC and connection to the telephone network							
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	$\boxtimes$						
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 <sup>th</sup> 2007							
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)							
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$						
P4	Consumable materials							
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)							
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)							
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.							
P5	Product packaging							
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).							
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	$\boxtimes$						
P5.3*	The product packaging material is free from CFC/HCFC.	$\boxtimes$						
P6	Treatment information							
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$						

Model number *	C544dn, C544dtn, C544dw		
Issue date *	9/12/2008	Logo	LEXMARK

Product environmental attributes - Market requirements - Environmental conscious design  Requirement met								
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design Disassembly, re		,			_		
P7.1*		o be treated separately	/ are easily separable	$\square$	$\overline{\Box}$			
P7.2*	Plastic materials in covers/housing have no surface coating.			X	Ħ			
P7.3*	Plastic parts >10	0g consist of one mate	erial or of easily separable materials.		Ħ	Ħ		
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.		市			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				Ħ			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				一一	Ħ		
	Product lifetime							
P7.7*			ssor, memory, cards or drives	$\boxtimes$				
P7.8*	Upgrading can be	e done using commonl	ly available tools					
P7.9.	Spare parts are a	available after end of p	roduction for: 5 years					
P7.10	Service is availab	ole after end of produc	tion for: 5 years					
		bstance requirements	S	·				
P7.11*		ousing material type:						
P7.12*	Material type: AE	aculation motorial of no	Material type: HIPS Material type: PC/ABS ower cables are halogen free (including PVC)		<u> </u>			
P7.13*			gnal cables are halogen free (including PVC)					
P7.14		plastic parts >25g are	-		Ц			
P7.15			onents) >25g are halogen free		$\underline{\times}$			
P7.16	FR(40)		ants in cover / housing plastic parts >25g according ISO 1043-4:		<u> </u>			
P7.17	ISO 1043-4: FR(		ants in printed circuit boards (without components) >25g according		Ш	Ш		
P7.18		ed material in plastic pa	arts is					
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46,							
P7.20	R50/51/53 and R60/61 (67/548/EEC)  Light sources are free from mercury							
	If mercury is use	d specify: Number of la	amps: and max. mercury content per lamp: mg					
P8.1*	Batteries Product does not	t contain hatteries defir	ned as hazardous according to 91/157/EEC					
P8.2*	1 10000 000 1101	contain battorioo doiii	Battery chemical composition:					
P8.3	Ratteries meet th	a requirements of the	· · · · · · · · · · · · · · · · · · ·					
P9	Batteries meet the requirements of the following voluntary program/s:  Energy consumption							
9.1			els or energy consumptions have been measured:					
Mode	Power level at	Time (s) to <mode></mode>	Mode description	Referen	ce/	n.a.		
	* 230 Volts			Standar	b			
On-max	W		×	*				
On-	* <b>500</b> W	to	* Printing	*Compa	iny			
normal On-idle	<b>36</b> W	to	* Ready Mode	*Energy Star TE	/			
Save 1	* 18 W	to	* Power Saver Mode (Sleep)	*Energy Star TE	/			
Save 2	W	to	*	*	=			
Off 1	* <b>0</b> W	to	* Plugged in Off Mode	*Energy				
Off 2	W	to	*	Star TE	<u> </u>			
No load	* W		External power supplies/charger plugged in but disconnected	*				
TEC	* <b>216</b> kWh/v Tvr	l pical Energy Consump	from the product from the product	*Energy	,			
	, ,,		, ,	Star TE				
P9.2*			tion is provided with the product.	$\boxtimes$				
P9.3	ENERGY STARGOthers specify:	0, ,	nents of the following voluntary program/s:					

Model number *	C544dn, C544dtn, C544dw		
Issue date *	9/12/2008	Logo	LEXMARK

Product environmental attributes - Market requirements (continued) Requirement met							
Item		fill in. Additional information regarding each			Yes No	n.a.	
P10	Emissions						
	Maria a aminala a	5 - I I I I I I I I I I I					
	Noise emission	n – Declared according to ISO 9296					
P10.1	Mode	Mode description	Declared	Declared A			
			A-weighted sound power	sound pressure Operator position	level L <sub>pAm</sub> (dB)  Bystander positions		
			level L <sub>WAd</sub> (B)	Operator position	Dystatiue: positions		
				Desktop	(only if product is not		
				or Deskside	operator attended)		
	Idle	* Idle/Ready	* Inaudible		ıdible		
	Operation	* Duplex Monochrome Printing	* 6.6	5	51	$  \sqcup  $	
	Other mode	Simplex Monochrome Printing	6.4	4	49		
	Measured accor	rding to: X ISO 7779 ECMA-74					
			ed by ECMA-74 with	h L <sub>pAm</sub> measurement dis	stance m)		
P10.2	•	ets the acoustic noise requirements of the fo					
	Chemical emiss	sions from printing products					
P10.3*	Test performed a		r specify: RAL-UZ-				
	The test covers:						
P10.4	The product meets the chemical emission requirements of the following voluntary program/s:						
	Electromagnetic emissions  Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary						
P10.5	Computer displate program/s:	ly meets the requirement for low frequency	electromagnetic tie	elds of the following volu	untary	$\boxtimes$	
P11	Consumable materials for printing products						
P11.1*		y Data Sheet (MSDS) is available for the inl	k/toner preparation	, even if not legally requ	uired 🔲 🗌		
P11.2*	Paper containing	g recycled fibres that meets the requirement	ts of EN12281 can	be used.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.						
P12		r computing products					
P12.1*	and EN-ISO13406-2 for flat panel displays.						
P12.2*		board meets the requirements of ISO 9995					
P12.3*		put device meets the requirements of ISO 9	9241-9.			$\boxtimes$	
P13		documentation	: .h.t (1) . 0				
P13.1*	Product packagii	ing material type(s): Corrugated ing material type(s): Polyethylene Foam	weight (kg): 2 weight (kg): 0	.400			
P13.2*		ing material type(s): <i>High Density Polyeth</i> backaging is halogen free (including PVC)	ylene weight (kg):	0.277		$\overline{}$	
P13.3*		ct documentation do not contain chlorine ble	eached paper			H	
P13.4*	User and product documentation contain recycled paper					Ħ	
P14	Additional infor	rmation					
•		pany information and company environ				om	
		r and supply item recycling information		be found at http://lex	mark.com/recycle		
	Lexmark Sweden is connected to REPA and El-kretsen						

## NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.