

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	I DAZBA A DIZ
Contact information *	Nadia Martin (USA)	LEXM \ ARK _™
Internet site *	www.lexmark.se / www.lexmark.com	· · · · · · · · · · · · · · · · · · ·
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Single Function Color Laser Printer					
Commercial name *	Lexmark C748e					
Model number *	C748e					
Issue date *	01-09-2012					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality controls such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	C748e		
Issue date *	01-09-2012	Logo	LEXMARK

Product	Product environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum				
	concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as	\Box		X	
	pentachlorophenol and derivatives (see legal reference).				
	Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).		Ш	Ш	
P1.10*	Comment: Max limit in legal reference when tested according to EN1811:1998. REACH Article 33 information about substances in articles is available at (add URL or mail contact):		$\overline{}$		
P1.10	REACH Program Manager, HOD9237, 740 W. New Circle Rd., Lexington, KY 40550		Ш		
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)				
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	\boxtimes			
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).				
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		+		
			₩		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).		Щ		
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).		Ш		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	C748e		
Issue date *	01-09-2012	Logo	LEXMARK

Product	environmental attributes - Market requirements - Environmental conscious design Re	quiren	nent	met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				
P7	Design					
D7.4*	Disassembly, recycling Parts that have to be treated consistely are assily accorded.					
P7.1*	Parts that have to be treated separately are easily separable		井			
P7.2*	Plastic materials in covers/housing have no surface coating.		ᆜ			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		ᆜ			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		<u>Ш</u>			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		Щ			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes				
P7.9.	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 5 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
P7.12	Material type: ABS Material type: HIPS Material type: PC/ABS Electrical cable insulation materials of power cables are PVC free.	$\overline{}$				
	· · · · · · · · · · · · · · · · · · ·	 		<u> </u>		
P7.13	Electrical cable insulation materials of signal cables are PVC free					
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.					
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17	•					
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>FR(16)</i>					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:					
	Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: , CAS #:					
	2. Chemical name: , CAS #:					
	3. Chemical name: , CAS #: Alt. 2					
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
	FR(40), FR(17), FR(50)	\boxtimes				
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20	Of total plastic parts' weight >25g, recycled material content is %.					
P7.21	Of total plastic parts' weight >25g, biobased material content is %.					
P7.22	Light sources are free from mercury	\boxtimes				
Do	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8 P8.1*	Batteries Battery chemical composition: Lithium Manganese Dioxide, LiMnO2					
P8 2	Batteries meet the requirements of the following voluntary program/s:			+		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	C748e		
Issue date *	01-09-2012	Logo	EXMARK.

Product env	oduct environmental attributes - Market requirements (continued) Requirement met					met			
Item				-			Yes	No No	n.a.
P9 En	nergy consumpt	ion							
9.1 Fo	or the product the	following power levels	or energy consump	otions are report	ed:				
Energy mode 3	*	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard modes and test method *	for	energy	
Printing		531.5 W	517.6 W	496.8 W		Corporate Standard			
Ready Mode		46.4 W	43.6 W	44.6 W		Energy Star I E V1.2			
Sleep Mode		7.2 W	7.17 W	7.13 W		Energy Star I E V1.2			
Hibernate Mo	ode	0.48 W	0.49 W	0.51 W		IEC 62301			
Off Mode		0.00 W	0.00 W	0.00 W		IEC 62301			
		W	W	W					
EPS No-load		W	W	W					\boxtimes
(External power charger plugger outlet but discount the product.)	ed in the wall								
PTEC * Typical Energy	y Consumption	W	W	W					
TEC * Typical Energy	y Consumption	3.687 kWh/week	3.639 kWh/week	3.656 kWh/we	ek	Energy Star I E V1.2			
ETEC * Annual Energy	/ Consumption	kWh/year	kWh/year	kWh/ye	ar				
Display resolut	tion* : Me	egapixels	1	•					
Print Speed *	: 35 Image:	s per minute				Corporate Standard			
Default time to	enter energy sav	ve mode: 30 minutes				Energy Star I E V1.2			
P9.2* Inf	formation about th	he energy save function	n is provided with th	ne product.		•	\boxtimes		
EN	ne product meets NERGY STAR® v thers specify:	the energy requirement version: Tier:	nts of the following v Product category		n/s:				
P10 En	missions								
		Declared according to	ISO 9296						
P10.1 Mo	ode M	Mode description		Declared A-weighted sound power		Declared A-weighte sound pressure level L_{ph}	_{Am} (dE		
				level $L_{W m Ad}$ (B)	Ope	Desktop (only if	produc	ositions ot is not tended)	
Idl	le *	Ready		* 4.8		32			
Op	oeration *	Simplex Monochrom Default Mode	e Printing,	* 6.8		54			
Ot	ther mode]
Me	easured accordin	· <u> </u>	ECMA-74 (only if not covered	by ECMA-74 wit	h Lnan	n measurement distance	m))	
P10.2 Th	ne product meets	the acoustic noise requ	uirements of the foll	lowing voluntary	progra	am/s: RAL-UZ-122	∇		\Box

Model number *	C748e				
Issue date *	01-09-2012	Logo	LE	EXMARK.	
	<u> </u>				

Product 6	environmental attributes - Market requirements (continued)	equire	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: RAL-UZ-122	\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust <0.7 Ozone <0.06 Styrene 0.87 Benzene <0.03 TVOC 8.0			
P10.5	Chemical emission requirements of the following voluntary program/s RAL-UZ-122 are met for :	\boxtimes		
	Dust ☑ Ozone ☑ Styrene ☑ Benzene ☑ TVOC ☑			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products	<u></u> _		
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.		\boxtimes	
P12	Ergonomics for computing products	•	•	
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			X
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			X
P13	Packaging and documentation	<u> </u>		
P13.1*	Product packaging material type(s): Corrugated weight (kg): 3.601 kg			
	Product packaging material type(s): <i>Polyethylene Foam</i> weight (kg): <i>0.673 kg</i>			
D40.0*	Product packaging material type(s): <i>High Density Polyethylene (HDPE)</i> weight (kg): <i>0.165 kg</i>	<u> </u>		
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		Щ
P13.3*	Specify media for user and product documentation (tick box): Electronic ☑, Paper ☑, Other ☑			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
Rev. P13.5	User and product documentation do not contain chlorine bleached paper			
P14	Additional information (See Note B4)			
P1. 1	This product uses RoHS exemptions for lead and mercury used in small amounts for sp	ecific		
	applications.			
P2. 1	The battery contained within this product should be disposed of properly with the product should be disposed of the prod	duct 1	The	
	product is properly labeled with the WEEE disposal symbol and instructions for such di	sposai	IS IIS	ea
P. 2. 3	in the product User's Guide.			
	The battery contained within this product meets the exception listed. The battery is n	ot inte	ndea	to
	be removed by the customer; however, is designed for easy removal by recyclers and s			
		ervice		
	providers.			
P. 10. 4	BQL = Below Quantifiable Limits - Note: The data reported is for the color print test.			
	Mono print test results: Ozone - <0.06; Styrene - 0.14 mg/hr; Benzene -<0.03; Dust -<	0.7; ar	nd TV	oc
	- 0.80 mg/hr	•		
	5155 mg/ m			
	Additional company information and company environmental policy may be found at			
	http://lexmark.com/environment			
	Specific printer and supply item recycling information for your area may be found at			
	http://lexmark.com/recycle			
	Lexmark Sweden is connected to REPA and El-kretsen			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) $$	P7.19