

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

| Brand * | Lexmark | Logo |
|------------------------|----------------------------------|------------|
| Company name * | Lexmark International, Inc. | ITSZNIADIZ |
| Contact information * | Nadia Martin (USA) | LEXMARK, |
| Internet site * | www.lexmark.se / www.lexmark.com | |
| Additional information | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|--|--|--|--|
| Type of product * | ngle Function Color Laser Printer | | | | |
| Commercial name * | Lexmark C792dhe | | | | |
| Model number * | C792dhe | | | | |
| Issue date * | 10/13/2010 | | | | |
| Intended market * | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other | | | | |
| Additional information | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality | Quality Control | | Requirement met | |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------|--|
| Item | | Yes | No | |
| QC1 * | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration | \boxtimes | | |
| QC2 * | The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org). | ol 🔀 | | |

| Model number * | C792dhe | | |
|----------------|------------|------|---------|
| Issue date * | 10/13/2010 | Logo | EXMARK. |

| Product | oduct environmental attributes - Legal requirements | | | t met |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------------|--------|
| Item | | Yes | No | n.a. |
| P1 | Hazardous substances and preparations | | | |
| P1.1* | Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1) | | | |
| P1.2* | Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. | | | |
| P1.3* | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. | | | |
| P1.4* | Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). | \boxtimes | | |
| P1.5* | Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). | \boxtimes | | |
| P1.6* | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. | | | |
| P1.7* | Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) | | | |
| P1.8* | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. | | | |
| P1.9* | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. | | | |
| P1.10* | REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager, H0D9237, 740 W. New Circle Rd., Lexington, KY 40550 | | | |
| P2 | Batteries | | | |
| P2.1* | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) | | | |
| P2.2* | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) | | | |
| P2.3* | Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference) | | | |
| P3 | Safety, EMC connection to the telephone network and labeling | | | |
| P3.1* | The product complies with legally required safety standards as specified (see legal reference). | X | $\overline{}$ | \neg |
| P3.2* | The product complies with legally required standards for electromagnetic compatibility (see legal reference). | | | |
| P3.3* | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). | | | |
| P3.4* | The product is labeled to show conformance with applicable legal requirements (see legal reference). | | $\overline{\Box}$ | |
| P4 | Consumable materials | | | |
| P4.1* | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). | | | |
| P4.2* | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). | \boxtimes | | |
| P4.3* | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). | | | |
| P5 | Product packaging | | | |
| P5.1* | Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. | d | | |
| P5.2* | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). | \boxtimes | | |
| P5.3* | The product packaging material is free from ozone depleting substances as specified in the Montrea | | 币 | Ī |
| | Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. | _ | _ | _ |

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

| Model nu | ımber * | C792dhe | | | | | |
|---------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|------------------|----------------------------|-------------------|----------------|--|
| Issue date * | | 10/13/2010 | Logo | LEXM | ARK | | |
| | | | | | 11 11 7 | M | |
| Product | environ | mental attributes - Market requirements - Environmental conscious | design | Require | ment | met | |
| Item | *=manda | atory to fill in. Additional information regarding each item may be found under P14. | | Yes | No | n.a. | |
| P6 | | nt information | | | | | |
| P6.1* | · · · · · · · · · · · · · · · · · · · | | | | | | |
| P7 | Design | and the second Property | | | | | |
| P7.1* | Disasse Parte tha | mbly, recycling at have to be treated separately are easily separable | | | | | |
| P7.2* | | | | | | | |
| P7.3* | | arts >100g consist of one material or of easily separable materials. | | | + | \blacksquare | |
| P7.4* | <u> </u> | <u> </u> | | | | <u> </u> | |
| | | arts >25g have material codes according to ISO 11469 referring ISO 1043. | ovojlabla taola | | <u> </u> | | |
| P7.5 | | arts are free from metal inlays or have inlays that can be removed with commonly | avaliable tools. | | <u> </u> | | |
| P7.6* | | re easily separable. (This requirement does not apply to safety/regulatory labels). | | | | | |
| P7.7* | Product | ng can be done e.g. with processor, memory, cards or drives | | | | | |
| P7.8* | | | | | + | \blacksquare | |
| P7.9. | | ng can be done using commonly available tools | | | | <u> </u> | |
| P7.9. | | arts are available after end of production for: 5 years | | | | | |
| P7.10 | | s available after end of production for: 5 years | | | | | |
| P7.11* | | and substance requirements cover/housing material type: | | | | | |
| 1 7.11 | | · · · · · · · · · · · · · · · · · · · | al type: PC/ABS | ; | | | |
| P7.12 | | I cable insulation materials of power cables are PVC free. | | | \boxtimes | | |
| P7.13 | Electrica | I cable insulation materials of signal cables are PVC free | | | | Ħ | |
| P7.14 | | /housing plastic parts >25g are free from chlorine and bromine. | | | $\overline{\Box}$ | Ī | |
| P7.15 | All printe | ed circuit boards (without components) >25g are halogen free, as defined in IEC6 | 61249-2-21. (Se | | X | Ħ | |
| | Note B2 | | ` | | | | |
| P7.16 | Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: | | | | | | |
| D7 47 | Marking: | FR(40) | | | | | |
| P7.17 | Alt. 1 Chemics | al specifications of flame retardants in printed circuit boards >25g (without compone | ante). | | | | |
| | | additive) , TBBPA (reactive) , Other; chemical name: , CAS #: | inoj. | | Ш | | |
| | | , | | | | | |
| | Alt. 2 | | " | | | | |
| | | Il specifications of flame retardants in printed circuit boards (without components) > 3-4: <i>FR(16)</i> | >25g according | \boxtimes | Ш | | |
| P7.18 | Alt. 1 | 5-4. FN(10) | | | | | |
| 1 7.10 | | etarded plastic parts >25g contain the following flame retardant substances | s/preparations i | n \square | | | |
| | | ations above 0.1%: | | | | | |
| | | ent: No legal limits exist, this is a market requirement. | | | | | |
| | | ical name: , CAS #: | | | | | |
| | | ical name: , CAS #: ical name: , CAS #: | | | | | |
| | Alt. 2 | iodi namo. , Cho π . | | | | | |
| | Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: | | | | | | |
| D = 10 | FR(40), | FR(17), FR(16), FR(50) | 10. 1. 5.4- | $\underline{\hspace{1cm}}$ | <u>Ц</u> | Щ. | |
| P7.19 | Plastic p | arts >25g are free from flame retardant substances/ preparations above 0.1% clas | sified as R45, | 1.1 | | | |

%.

and max. mercury content per lamp:

mg

R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)

Of total plastic parts' weight >25g, recycled material content is

Of total plastic parts' weight >25g, biobased material content is

Battery chemical composition: Lithium Manganese Dioxide, LiMnO2

Batteries meet the requirements of the following voluntary program/s:

Light sources are free from mercury If mercury is used specify: Number of lamps:

P7.20

P7.21

P7.22

Batteries

P8

P8.1

P8.2

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

| Model number * | C792dhe | | |
|----------------|------------|------|---------|
| Issue date * | 10/13/2010 | Logo | LEXMARK |

| Product environmental at | t environmental attributes - Market requirements (continued) Requirement me | | | | | met | | |
|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------------|---------------------|-----------------------------------|-------------------------------------------------------|-------|-------------|
| Item | Yes No | | | No | n.a. | | | |
| P9 Energy consumpt | ion | | | | | | | |
| 9.1 For the product the following power levels or energy consumptions are reported: | | | | | | | | |
| Energy mode * | Power level at 100 V AC | Power level at 115 V AC | Power level 230 V AC | at | Reference / S modes and test n | tandard for en | ergy | |
| Printing | 847.7 W | 825.2 W | 826.8 W | | Corporate Stand | lard | | |
| Ready Mode | 45.9 W | 46.1 W | 45.5 W | | Energy Star OM | Test Procedure | | |
| Sleep Mode | 9.26 W | 9.27 W | 9.66 W | | Energy Star OM | Test Procedure | | |
| Hibernate Mode | 0.35 W | 0.36 W | 0.52 W | | IEC 62301 | | | |
| Off Mode | 0.0 W | 0.0 W | 0.0 W | | IEC 62301 | | | |
| | W | W | W | | | | | X |
| EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.) | W | W | W | | | | | \boxtimes |
| PTEC * Typical Energy Consumption | W | W | W | | | | | \boxtimes |
| TEC * Typical Energy Consumption | 5.015 kWh/week | 5.018 kWh/week | 4.974 kWh/wee | ek | Energy Star Typ Consumption Te | | | |
| ETEC * Annual Energy Consumption | kWh/year | kWh/year | kWh/ye | ar | | | | |
| Display resolution* : Me | egapixels | | • | | | | | \boxtimes |
| Print Speed * : 48 Image | s per minute | | | | Corporate Stand | lard | | |
| Default time to enter energy sa | ve mode: 30 minutes | | | | | | | |
| P9.2* Information about t | he energy save functio | n is provided with th | ne product. | | | \boxtimes | | |
| ENERGY STAR® Others specify: <i>Blu</i> | the energy requirement version: 1.1 Tier: ue Angel (RAL UZ 122 | Product category: | | n/s: | | \boxtimes | | |
| P10 Emissions | Declared seconding to | 100 0000 | | | | | | |
| | Declared according to lode description | 150 9296 | Declared A-weighted sound power | | Declared A sound pressure le | evel $L_{p{\sf Am}}$ (dB) | | |
| | | | level L_{WAd} (B) | | Desktop or Desk side | Bystander position (only if product is operator atten | s not | |
| | Ready | | 4.1 | | 2 | | | |
| Operation * | Duplex Mono Printin | | * 6.9 | | 52 | | | |
| Other mode | Simplex Mono Printi | _ | 6.8 | | 52 | 2 | | |
| Measured according | · _ | ECMA-74 (only if not covered | by ECMA-74 wit | h L _D An | n measurement dis | stance m) | | |
| P10.2 The product meets | The product meets the acoustic noise requirements of the following voluntary program/s: RAL-UZ 122 | | | | | | | |

| Model number * | C792dhe | | |
|----------------|------------|------|---------|
| Issue date * | 10/13/2010 | Logo | EXMARK. |

| Product environmental attributes - Market requirements (continued) | | | ment | met |
|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------|-------------|
| Item | | Yes | No | n.a. |
| | Chemical emissions from printing products | | | |
| P10.3* | Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: RAL-UZ-122 | \boxtimes | | |
| P10.4 | Typical emission rate (print phase) is (mg/h): | | | |
| | Dust 0.9 Ozone <0.05 Styrene 0.37 Benzene <0.02 TVOC 17.9 | | | |
| P10.5 | Chemical emission requirements of the following voluntary program/s RAL-UZ-122 are met for : | \boxtimes | | |
| | Dust ☑ Ozone ☑ Styrene ☑ Benzene ☑ TVOC ☑ | | | |
| | Electromagnetic emissions | | | |
| P10.6 | Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: | | | |
| P11 | Consumable materials for printing products | | | |
| P11.1* | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). | \boxtimes | | |
| P11.2* | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. | | | |
| P11.3* | 2-sided (duplex) printing/copying is an integrated product function. | \boxtimes | | |
| P12 | Ergonomics for computing products | | | |
| P12.1* | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. | | | \boxtimes |
| P12.2* | The physical input device meets the requirements of ISO 9995 and ISO 9241-410. | | | |
| P13 | Packaging and documentation | | | |
| P13.1* | Product packaging material type(s): Wood weight (kg): 15.752 Product packaging material type(s): Corrugated weight (kg): 8.549 Product packaging material type(s): Low Density Polyethylene (LDPE) weight (kg): 0.777 Paper = 0.604 High Density Polyethylene (HDPE) = 0.335 Polypropylene (PP) = 0.049 | | | |
| P13.2* | Product plastic packaging is free from PVC. | \boxtimes | | |
| P13.3* | Specify media for user and product documentation (tick box): | | | Ħ |
| | Electronic , Paper , Other | | | ш |
| P13.4* | For paper user and product documentation, please specify contained percentage of post-consumer recycled | | | |
| | fiber: 0% | | | |
| P14 | Additional information (See Note B4) | | | |
| P1.1 | This product uses RoHS exemptions for lead used in small amounts for specific applications. | | | |
| P2.1 | The battery contained within this product should be disposed of properly with the product. The product labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's | | | |
| P2.3 | The battery contained within this product meets the exception listed. The battery is not intended to be customer; however, is designed for easy removal by recyclers and service providers. | remov | ed by | the |
| P10.4 | Note: The data reported in P10.4 is for the color print test. Mono print test results: Ozone – <0.05 mg/h; Styrene - 0.09 mg/h; Benzene – <0.02 mg/h; Dust – 0.4 mg/h 8.13 mg/h | h ; and | TVO | 9 - |
| | Additional company information and company environmental policy may be found at http://lexmark.com Specific printer and supply item recycling information for your area may be found at http://lexmark.com Lexmark Sweden is connected to REPA and El-kretsen | | | nt |

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

| Reference | Declaration item |
|----------------------------------------------------------------------------------------------------|------------------------------|
| 2002/95/EC (ROHS Directive) | P1.1, P4.1 |
| REACH, Annex XVII | P1.6, P1.8, P4.2 |
| REACH, Annex XVII | P1.4 |
| REACH, Annex XVII | P1.2 |
| REACH, Annex XVII | P1.7 |
| REACH, Annex XVII | P1.9 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000 | P1.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| 2006/66/EC (Battery and accumulators Directive) | P2.1, P2.2, P2,3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive) | P3.1, 3.4 |
| 2004/108/EEC (New EMC Directive) | P3.2, 3.4 |
| 1999/5/EC (R&TTE Directive) | P3.3, 3.4 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P4.3 |
| REACH article 31, annex II | P4.3 |
| 2004/12/EC (Directive on packaging and packaging waste) | P5.1 |
| (97/129/EC) (Commission Decision on Identification System for Packaging Materials | P5.2 |
| 2037/2000/EC Regulation on Substances that Deplete the Ozone Layer | P5.3 |
| 2002/96/EC (WEEE directive) | P3.4, P6.1 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P7.19 |