



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information * e-mail address	Drew Zande Lexmark International 740 West New Circle Road, Bldg. 1 Lexington, KY 40550 dzande@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED and csr.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product * Multifunction color laser device				
Commercial name *	Lexmark CX820de, Lexmark CX820dtfe, Lexmark XC6152, Lexmark CX827de			
Model number *	CX820de, CX820dtfe, XC6152, CX827de			
Issue date *	January 28, 2016 (Revised June 1, 2017)			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	CX820de, CX820dtfe, XC6152, CX827de	Logo	
Issue date *	January 28, 2016, (Revised June 1, 2017)		Lexmark

Product	Product environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	< 🔀			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager, HOD9237, 740 West New Circle Rd., Lexington, KY 40550	\boxtimes			
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	I 🔀			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square			
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).				
	Required information is; given in item P15 or added to this document, available at (add URL): http://csr.lexmark.com/eu_requiations.shtml				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	\boxtimes			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(used (see legal reference).	3)			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montres Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀			
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	CX820de, CX820dtfe, XC6152, CX827de	Logo	179
Issue date *	January 28, 2016 (Revised June 1, 2017)		Lexmark

	environmental attributes - Market requirements (See General NOTE GN below) Environmental conscious design	Require	ement	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes No n.a.		
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: <i>PC/ABS, PC/ABS GF20</i> Material type: <i>Steel</i>			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	1		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	<i>'</i>	\boxtimes	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR16			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	ı		
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR17, FR40, FR30			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <i>Up to 34</i> %. or	_	_	_
	b) The weight of recycled material is a.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

wodei nui	mber *	CX820de, CX820dffe, XC6152, CX82/de							
Issue date	e *	January 2	uary 28, 2016 (Revised June 1, 2017)				Lex	ma	rk
Product	Product environmental attributes - Market requirements (continued) Requirement me							met	
Item							Yes	No	n.a.
	Material and substance requirements (continued)								
P7.21*			aterial content is used		NOTE B7):				
	If YES: a	t least one	of the two alternatives	s below shall be an	swered:		_	_	
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or 								
		weight of t	ght of the biobased plastic material is g.						
P7.22*			ee from mercury, i.e. lepecify: Number of lam		mp. kimum mercury content per l	amp: m	ng		
P8	Batteries	3							
P8.1*	Battery c	hemical co	mposition: Lithium M	anganese Dioxide	e (LiMnO2)				
P9	Energy of	consumpti	on (See NOTE B8)						
P9.1	For the p	roduct the	following power levels	or energy consum	ptions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level a		Reference/Sta modes and tes		energy	
Sleep mod	le for ENE	RGY	W	W	W				
STAR® O ₁ (OM) prod		Mode							
Standby/of		•	W	W	W				
ENERGY									
Mode (OM TEC value			2 02 1/1/1/2	2.0713///5/	2.021/1////////	Enguery Otan I	I F 1/0 0		
TEC produ	ıcts		3.03 kWh/week	3.07 kWh/week	3.03 kWh/week	Energy Star I	E V2.0		Ш
(TEC= Typ	oical Energ	y							
Printing			699 W	706 W		Corporate Sta			
Copying			807 W	825 W		Corporate Sta			Ш
Ready Mo			79 W	75 W		Energy Star I			
Ready Mo	de 2		70 W	68 W		Energy Star I			
Sleep			3.0 W	3.1 W	3.1 W	Energy Star I	E V2.0		
Hibernate	!		0.16 W	0.16 W	0.23 W	IEC 62301			
Off			0.06 W	0.08 W	0.19 W	IEC 62301			
External P	ower Supp	ly Efficiend	y Level (International	Efficiency Marking	Protocol) *:				\boxtimes
Print/Scan	Speed *	:	52 images per minute	,		ISO 24734			
Default tim	e to enter	energy sav	ve mode: 1 minutes			Energy Star I	E V2.0		
P9.2*	P9.2* Information about the energy save function is provided with the product.								
P10 Emissions									
5.0.4	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1	Mode	M	lode description		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)		ower level,		
	Idle	*	Idle / Ready		* 3.2			-	
	Operatio	n *	Duplex Monochrome	Printing	* 7.1				
	Other mo		Simple Monochrome	Printing	6.9				
	Measure		g to: 🔀 ISO 7779 🔀	_					
			Other	(only if not covered	d by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	CX820de, CX820d	tfe, XC6152, CX827de			Logo			# To
Issue date	*	January 28, 2016 (Revised June 1, 2017)				Lex	ma	rk
Product	environ	mental attributes	- Market requirements (co	ntinued)		F	Require	ment	met
Item			,	,			Yes	No	n.a.
	Chemic	cal emissions from	printing products (See NOTE	B10)					
P10.2*		_	ECMA-328 Determination of Cl		tes from Ele	ectronic	\boxtimes		
P10.3			tion phase) is (mg/h):						
P10.3	турісаі	emission rate (opera	tion phase) is (mg/h):						Ш
	Electrop Ink dev	0 1	,		e 0.030 TV nzene	OC 17 TVOC			
	Note: compliance with maximum emission rates in eco labels to be declared in P14.								
P11		mable materials for							
P11.1*			is available for the ink/toner prep	paration, even if not le	egally requi	red (see P4.3).		\Box	\Box
P11.2*	•		umer recycled fibers can be u	used, provided that i	t meets the	e requirements of			
P11.3*	EN 122 2-sided		bying is an integrated product ful	nction.					\Box
P11.4*			end-user with default auto-duple:					Ħ	Ħ
P13	Packag	ing and documenta	ation						
P13.1*	Product Product Product Metal O Plastic Plastic	t packaging material t packaging material t packaging material	type(s): Corrugated weight (k type(s): Wood weight (k type(s): Paper weight (k	g): 6.712 g): 9.155 g): 0.485					
P13.2*			aging is free from PVC.					\Box	
P13.3*	For pro		ated fiberboard packaging, spe		ercentage	of minimum post-			
P13.4*		media for user and p	product documentation (tick box)):					
P13.5	Ùser ar		em if paper documentation used ation on paper media is chlorine						
	Totally	chlorine-free					\boxtimes		
	Elemen	ital chlorine-free							
	Process	sed chlorine-free							
P14	Volunta	ary programs:							
P14.1	The pro	duct meets the requi	rements of the following volunta	ry program(s):					
		SY STAR® pel: <i>Blue Angel</i>	Criteria version: 2.0 Criteria version: RAL-UZ 171	Date: <i>Oct.</i> 2014 Date: <i>Jul.</i> 2012		ategory: <i>Imaging</i> ategory: <i>Office Ed</i>			
	Eco-lab	el:	Criteria version:	Date:	Product ca				
P15		nal information (Se							
	proper P2.3 - 1 the cus	ly labeled with the lattery containe stomer; however, is	ed within this product should NEEE disposal symbol and in ed within this product meets to designed for easy removal by	structions for such he exception listed. / recyclers and serv	disposal is The batte rice provide	s listed in the pro ry is not intended ers.	duct Use d to be re	er's Gu emove	ed by
	P5.2 - The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used when						n		
	they are >25g								
	P7.14 - A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was					/as			
	intentionally added in the processing of these parts.								
	P7.20 -	Per IEEE 1680.2 PC	CR calculation						

P13.1 - Weights listed for model CX820de

P10.3 - Color values above, monochrome values are: Ozone 0.41, Dust 1.92, Styrene 0.066, Benzene 0.019, TVOC 10

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1