



Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	ITSTATABLE
Contact information *	Nadia Martin (USA)	LEXMARK
		TM TM
Internet site *	www.lexmark.se/	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product * Single Function Mono Laser Printer				
Commercial name *	Lexmark E260d, Lexmark E260dn			
Model number *	E260d, E260dn			
Issue date *	7/30/2008			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	E260d, E260dn		
Issue date *	7/30/2008	Logo	LEXMARK

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in <i>EU 76/769/EEC</i> , amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			\boxtimes
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			\boxtimes
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			\boxtimes
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\square		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	\boxtimes		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	E260d, E260dn		
Issue date *	7/30/2008	Logo	LEXMARK

Product environmental attributes - Market requirements - Environmental conscious design Requirement met								
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design		,					
D7.4*	Disassembly, re			<u> </u>				
P7.1*		be treated separately			Щ.			
P7.2*	Plastic materials in covers/housing have no surface coating.				Щ.			
P7.3*	·	<u> </u>	erial or of easily separable materials.		Щ.			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.							
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.							
P7.6*		· · · · · ·	rement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime							
P7.7*			ssor, memory, cards or drives		Щ.			
P7.8*		e done using commonl		\boxtimes				
P7.9.		available after end of pr						
P7.10		ole after end of product						
D7.44*		ostance requirements	5					
P7.11*	Material type: AE	using material type:	Material type: HIPS Material type: PC/ABS					
P7.12*			ower cables are halogen free (including PVC)		\boxtimes			
P7.13*			gnal cables are halogen free (including PVC)			\blacksquare		
P7.14		plastic parts >25g are	· · · · · · · · · · · · · · · · · · ·		$\frac{\square}{\square}$			
P7.15			onents) >25g are halogen free					
P7.16			ants in cover / housing plastic parts >25g according ISO 1043-4:		$\stackrel{\square}{\vdash}$	-		
	FR(40)				<u> </u>			
P7.17	Chemical specific ISO 1043-4: FR(ants in printed circuit boards (without components) >25g according	\boxtimes				
P7.18		ed material in plastic pa						
P7.19			etardant substances/preparations above 0.1% classified as R45/46,					
P7.20	R50/51/53 and R60/61 (67/548/EEC) Light sources are free from mercury							
	If mercury is use	d specify: Number of la	amps: and max. mercury content per lamp: mg					
P8.1*	Broduct does not	contain batteries defin	ned as hazardous according to 91/157/EEC					
P8.2*	1 Todact does not	Contain batteries delli	Battery chemical composition:	\boxtimes				
P8.3	Battery chemical composition: Batteries meet the requirements of the following voluntary program/s:							
	Energy consum		iollowing voluntary program/s.					
P9 9.1			els or energy consumptions have been measured:					
Mode	Power level at	Time (s) to <mode></mode>	Mode description	Referen	ce/	n.a.		
	* 230 Volts		·	Standard	d			
On-max	W		*	*				
On- normal	* 470 W	to	* Printing	*Compa Standar	-			
On-idle	12 W	to	* Ready Mode	*Energy STAR T	/			
Save 1	* 11 W	to	* Power Saver Mode (Sleep)	*Energy	/			
Save 2	W	to	*	*	EC			
Off 1	* 0 W	to	* Plugged in Off Mode	*Energy				
Off 2	W	to	*	*	EC			
No load	* W		External power supplies/charger plugged in but disconnected	*				
TEC	* 145 kWh/y Typ	pical Energy Consumpt	from the product tion per year	*Energy	,			
P9.2*	Information about	t the energy save func	tion is provided with the product.	STAR T	EC			
P9.3			nents of the following voluntary program/s:					
1 3.5	ENERGY STARGOthers specify:		ionio oi ino ionowing voidiliary program/s.					

Model number *	E260d, E260dn		
Issue date *	7/30/2008	Logo	LEXMARK.

Product 6	Product environmental attributes - Market requirements (continued) Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a							
P10	Emissions							
	Noise emission	- Declared according to ISO 9296						
P10.1	Mode Mode description Declared Declared A-weighted							
	A-weighted sound pressure level L _{pAm} (dB)							
		sound power Operator position Bystander positio level L _{WAd} (B)			tander positions			
			ICVCI EWAd (D)	(only	if product is not			
				Desktop	perator attended)			
	Idle	* <i>Idl</i> e	* Inaudible	or Deskside Op				
	lule	lale	maudible	maudible	,	ш		
	Operation	* Simplex Monochrome Printing	* 6.7	53				
	Other mode	Duplex monochrome Printing	6.7	52				
	Measured accord	ding to: 🔀 ISO 7779 🔲 ECMA-74			ļ			
D	<u> </u>			L _{pAm} measurement distance		Щ.		
P10.2		ets the acoustic noise requirements of the fo	ollowing voluntary p	orogram/s: RAL-UZ 122				
P10.3*		sions from printing products						
F 10.3		according to ECMA-328 standard, other		_		ш		
D	The test covers:							
P10.4	The product meets the chemical emission requirements of the following voluntary program/s: RAL-UZ-122							
D40.5	Electromagnetic emissions							
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:							
P11	Consumable materials for printing products							
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).							
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.					Ш		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					Ш		
P12		computing products	=11.00011.0	0.4 ODT 11 1				
P12.1*	and EN-ISO1340	rstem meets the ergonomic requirements of 06-2 for flat panel displays.		8 for CRT displays				
P12.2*	· · · · · · · · · · · · · · · · · · ·	board meets the requirements of ISO 9995				\boxtimes		
P12.3*		put device meets the requirements of ISO 9	241-9.			\boxtimes		
P13	Packaging and							
P13.1*	Product packagir	ng material type(s): Corrugated ng material type(s): Polyurethane Foam	weight (kg): 1 weight (kg): 0		\boxtimes \sqcup			
		ng material type(s): <i>High Density Polyethy</i>						
	Expanded Polys	styrene = 0.227 kg	3 (3)					
P13.2*		ackaging is halogen free (including PVC)						
P13.3*	User and product documentation do not contain chlorine bleached paper							
P13.4*	User and product documentation contain recycled paper							
P14	Additional infor					_		
		pany information and company environn				om		
		and supply item recycling information to en is connected to REPA and El-kretsen	or your area may	be found at http://lexmark	.com/recycle			
	Lexiliark Swede	en is connected to REPA and El-Kretsen						

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.