



## Product environmental attributes - THE ECO DECLARATION

| Brand *                | Lexmark                     | Logo       |
|------------------------|-----------------------------|------------|
| Company name *         | Lexmark International, Inc. | ITSTATABLE |
| Contact information *  | Nadia Martin (USA)          | LEXMARK    |
|                        |                             | TM TM      |
| Internet site *        | www.lexmark.se/             |            |
|                        | www.lexmark.com             |            |
| Additional information |                             |            |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. |  |  |  |  |
|--|--|--|--|--|
| Type of product *  | Single Function Mono Laser Printer       |  |  |  |
| Commercial name *  | Lexmark E360d, Lexmark E360dn            |  |  |  |
| Model number *   | E360d, E360dn                            |  |  |  |
| Issue date *   | 7/30/2008                                |  |  |  |
| Intended market *  | ☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other |  |  |  |
| Additional information   |  |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

| Quality C | Control Requirement met  |             |    |
|-----------|--|-------------|----|
| Item      | Additional information regarding each item may be found under P14.   | Yes         | No |
| QC1 *     | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration  | $\boxtimes$ |    |
| QC2 *     | The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org). |             |    |

| Model number * | E360d, E360dn |      |         |
|----------------|---------------|------|---------|
| Issue date *   | 7/30/2008     | Logo | LEXMARK |

| Product e | environmental attributes - Legal requirements Requirement met   |             |    |             |
|-----------|---|-------------|----|-------------|
| Item      | *=mandatory to fill in. Additional information regarding each item may be found under P14.  | Yes         | No | n.a.        |
| P1        | Hazardous substances and preparations   |             |    |             |
| P1.1*     | Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>   |             |    |             |
| P1.2*     | Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)  | $\boxtimes$ |    |             |
| P1.3*     | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide ( <i>EU : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i> ) |             |    |             |
| P1.4*     | Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)  | $\boxtimes$ |    |             |
| P1.5*     | Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002    |             |    |             |
| P1.6*     | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)   |             |    |             |
| P1.7*     | Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC  |             |    |             |
| P1.8*     | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)  |             |    |             |
| P1.9*     | Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC   |             |    |             |
| P2        | Batteries   |             |    |             |
| P2.1*     | If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)   |             |    |             |
| P2.2*     | If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC  |             |    | $\boxtimes$ |
| P2.3*     | If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)  |             |    | $\boxtimes$ |
| P3        | Electrical safety, EMC and connection to the telephone network  |             |    |             |
| P3.1*     | The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)   | $\boxtimes$ |    |             |
| P3.2*     | The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 <sup>th</sup> 2007  |             |    |             |
| P3.3*     | If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)  |             |    |             |
| P3.4*     | The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)   | $\boxtimes$ |    |             |
| P4        | Consumable materials  |             |    |             |
| P4.1*     | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)   |             |    |             |
| P4.2*     | If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)   |             |    |             |
| P4.3*     | If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.                          |             |    |             |
| P5        | Product packaging   |             |    |             |
| P5.1*     | The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).   |             |    |             |
| P5.2*     | Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)   | $\boxtimes$ |    |             |
| P5.3*     | The product packaging material is free from CFC/HCFC.   |             |    |             |
| P6        | Treatment information   |             |    |             |
| P6.1*     | Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.  | $\boxtimes$ |    |             |

| Model number * | E360d, E360dn |      |         |
|----------------|---------------|------|---------|
| Issue date *   | 7/30/2008     | Logo | EXMARK. |

| Product environmental attributes - Market requirements - Environmental conscious design  Requirement met |  |                           |  |                    |                                |             |  |  |
|--|--|---------------------------|--|--------------------|--------------------------------|-------------|--|--|
| Item   | *=mandatory to f   |                           | ation regarding each item may be found under P14.                            | Yes                | No                             | n.a.        |  |  |
| P7   | Design   |                           | ,  |                    |                                |             |  |  |
| D7.4*  | Disassembly, re  |                           |  | <u> </u>           |                                |             |  |  |
| P7.1*  |  | o be treated separately   | · ·  |                    | Щ                              |             |  |  |
| P7.2*  | Plastic materials in covers/housing have no surface coating.   |                           |  |                    | Щ.                             |             |  |  |
| P7.3*  | ·  | <u> </u>                  | rial or of easily separable materials.                                       |                    | Щ.                             |             |  |  |
| P7.4*  | Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.                          |                           |  |                    |                                |             |  |  |
| P7.5   | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. |                           |  |                    |                                |             |  |  |
| P7.6*  |  |                           | rement does not apply to safety/regulatory labels).                          | $\boxtimes$        |                                |             |  |  |
|  | Product lifetime   |                           |  |                    |                                |             |  |  |
| P7.7*  |  |                           | ssor, memory, cards or drives  |                    | Щ.                             | Щ.          |  |  |
| P7.8*  |  | e done using commonl      |  |                    |                                | _ <u></u> _ |  |  |
| P7.9.  |  | available after end of p  |  |                    |                                |             |  |  |
| P7.10  |  | ole after end of product  | <u> </u>   |                    |                                |             |  |  |
| D7.44*   |  | bstance requirements      |  |                    |                                |             |  |  |
| P7.11*   | Material type: AE  | ousing material type:     | Material type: HIPS Material type: PC/ABS                                    |                    |                                |             |  |  |
| P7.12*   |  |                           | ower cables are halogen free (including PVC)                                 |                    | $\boxtimes$                    |             |  |  |
| P7.13*   |  |                           | gnal cables are halogen free (including PVC)                                 | -                  |                                | +           |  |  |
| P7.14  |  | plastic parts >25g are    | •                                      |                    | $\frac{\square}{\square}$      | +           |  |  |
| P7.15  |  |                           | onents) >25g are halogen free  |                    |                                | ╫           |  |  |
| P7.16  |  |                           | ants in cover / housing plastic parts >25g according ISO 1043-4:             |                    | $\stackrel{\triangle}{\vdash}$ | _           |  |  |
|  | FR(40)   |                           |  |                    | <u> </u>                       |             |  |  |
| P7.17  | Chemical specific ISO 1043-4: FR(  |                           | ants in printed circuit boards (without components) >25g according           |                    |                                |             |  |  |
| P7.18  |  | ed material in plastic pa |  |                    |                                |             |  |  |
| P7.19  | Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46,  |                           |  |                    |                                |             |  |  |
| P7.20  | R50/51/53 and R60/61 (67/548/EEC)  Light sources are free from mercury                                     |                           |  |                    |                                |             |  |  |
|  | If mercury is use  | d specify: Number of la   | mps: and max. mercury content per lamp: mg                                   |                    |                                |             |  |  |
| P8.1*  | Batteries  Product does not contain batteries defined as hazardous according to 91/157/EEC                 |                           |  |                    |                                |             |  |  |
| P8.2*  | 1 Todact does not  | Contain batteries delli   | Battery chemical composition:  |                    |                                |             |  |  |
| P8.3   | Battery chemical composition:  Batteries meet the requirements of the following voluntary program/s:       |                           |  |                    |                                |             |  |  |
|  | Energy consum  | •                         | lollowing voluntary program/s.   |                    |                                |             |  |  |
| <b>P9</b> 9.1  |  |                           | els or energy consumptions have been measured:                               |                    |                                |             |  |  |
| Mode   | Power level at   | Time (s) to <mode></mode> | Mode description   | Referen            | ce/                            | n.a.        |  |  |
|  | * 230 Volts  | ,                         | ·  | Standard           | d                              |             |  |  |
| On-max   | W  |                           | *  | *                  |                                |             |  |  |
| On-<br>normal  | * <b>500</b> W   | to                        | * Printing   | *Compa<br>Standar  | -                              |             |  |  |
| On-idle  | <b>12</b> W  | to                        | * Ready Mode   | *Energy<br>Star TE | /                              |             |  |  |
| Save 1   | * 11 W   | to                        | * Power Saver Mode (Sleep)   | *Energy            | /                              |             |  |  |
| Save 2   | W  | to                        | *  | Star TE            | C                              |             |  |  |
| Off 1  | * <b>0</b> W   | to                        | * Plugged in Off Mode  | *Energy<br>Star TE |                                |             |  |  |
| Off 2  | W  | to                        | *  | *                  | _                              |             |  |  |
| No load  | * W  |                           | External power supplies/charger plugged in but disconnected from the product | *                  |                                |             |  |  |
| TEC  | * <b>157.6</b> kWh/y T   | ypical Energy Consum      |  | *Energy<br>Star TE |                                |             |  |  |
| P9.2*  | Information abou   | t the energy save func    | tion is provided with the product.   | Star TE            |                                |             |  |  |
| P9.3   | The product mee<br>ENERGY STAR<br>Others specify:  |                           | nents of the following voluntary program/s:                                  |                    |                                |             |  |  |

| Model number * | E360d, E360dn |      |         |
|----------------|---------------|------|---------|
| Issue date *   | 7/30/2008     | Logo | LEXMARK |

| Product 6 | Product environmental attributes - Market requirements (continued) Requirement met  |  |                               |  |                      |             |  |  |
|-----------|---|--|-------------------------------|--|----------------------|-------------|--|--|
| Item      | *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a                                 |  |                               |  |                      |             |  |  |
| P10       | Emissions   |  |                               |  |                      |             |  |  |
|           |   | D  |                               |  |                      |             |  |  |
|           | Noise emission  | - Declared according to ISO 9296   |                               |  |                      |             |  |  |
| P10.1     | Mode Mode description Declared Declared A-weighted  |  |                               |  |                      |             |  |  |
|           | A-weighted sound pressure level L <sub>pAm</sub> (dB) sound power Operator position Bystander positio                                 |  |                               | L <sub>pAm</sub> (dB)<br>stander positions |                      |             |  |  |
|           |   |  | level L <sub>WAd</sub> (B)    | Operator position Bys                      | tander positions     |             |  |  |
|           |   |  |                               | Desktop (only                              | if product is not    |             |  |  |
|           |   |  |                               |  | perator attended)    |             |  |  |
|           | Idle  | * Idle   | * Inaudible                   | Inaudible                                  |                      |             |  |  |
|           | laic  | idic   | madable                       | madalore                                   | •                    | ш           |  |  |
|           | Operation   | * Simplex Monochrome Printing  | * 6.8                         | 53   |                      |             |  |  |
|           | Other mode  | Duplex monochrome Printing   | 6.6                           | 52   |                      |             |  |  |
|           |   |  |                               |  |                      |             |  |  |
|           | Measured accord   | ding to: SO 7779 ECMA-74   |                               |  |                      |             |  |  |
| D40.0     | Th  |  |                               | n L <sub>pAm</sub> measurement distanc     |                      |             |  |  |
| P10.2     |   | ets the acoustic noise requirements of the fo  | ollowing voluntary p          | orogram/s: RAL-UZ 122                      |                      |             |  |  |
| P10.3*    |   | sions from printing products   |                               | 400  |                      |             |  |  |
| F 10.3    |   | according to ECMA-328 standard, other  |                               | _  |                      | Ш           |  |  |
| D40.4     | The test covers:  |  |                               |  |                      |             |  |  |
| P10.4     | The product meets the chemical emission requirements of the following voluntary program/s: RAL-UZ-122                                 |  |                               |  |                      |             |  |  |
| P10.5     | Electromagnetic emissions  Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary |  |                               |  |                      |             |  |  |
|           | program/s:  |  |                               |  |                      |             |  |  |
| P11       | Consumable materials for printing products  |  |                               |  |                      |             |  |  |
| P11.1*    | A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).              |  |                               |  |                      |             |  |  |
| P11.2*    | Paper containing recycled fibres that meets the requirements of EN12281 can be used.  |  |                               |  |                      | Ш           |  |  |
| P11.3*    | 2-sided (duplex) printing/copying is an integrated product function.  |  |                               |  |                      |             |  |  |
| P12       |   | computing products   |                               | 0 ( ODT !' I                               |                      |             |  |  |
| P12.1*    | and EN-ISO1340  | rstem meets the ergonomic requirements of<br>06-2 for flat panel displays.           |                               | 8 for CRT displays                         |                      |             |  |  |
| P12.2*    | · · · · · · · · · · · · · · · · · · ·   | board meets the requirements of ISO 9995   |                               |  |                      |             |  |  |
| P12.3*    |   | put device meets the requirements of ISO 9   | 241-9.                        |  |                      | $\boxtimes$ |  |  |
| P13       | Packaging and   |  |                               |  |                      |             |  |  |
| P13.1*    | Product packagir  | ng material type(s): <b>Corrugated</b> ng material type(s): <b>Polyurethane Foam</b> | weight (kg): 1 weight (kg): 0 |  | $\boxtimes$ $\sqcup$ |             |  |  |
|           |   | ng material type(s): <i>High Density Polyeth</i>                                     |                               |  |                      |             |  |  |
|           | Expanded Polys  | styrene = 0.227 kg   | 3 ( 3)                        |  |                      |             |  |  |
| P13.2*    |   | ackaging is halogen free (including PVC)   |                               |  |                      |             |  |  |
| P13.3*    | User and product documentation do not contain chlorine bleached paper   |  |                               |  |                      |             |  |  |
| P13.4*    | User and produc   | t documentation contain recycled paper   |                               |  |                      |             |  |  |
| P14       | Additional infor  |  |                               |  |                      | _           |  |  |
|           |   | pany information and company environm  |                               |  |                      | om          |  |  |
|           |   | and supply item recycling information to<br>en is connected to REPA and El-kretsen   | or your area may              | be found at http://lexmark                 | .com/recycle         |             |  |  |
|           | Lexiliark Swede   | en is connected to REPA and El-Kretsen   |                               |  |                      |             |  |  |

## NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.