



Product environmental attributes – THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information *	Nadia Martin (USA)	LEXMARK
		тм
Internet site *	www.lexmark.se /	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product * Single Function Mono Laser Printer				
Commercial name *	Lexmark E460dn			
Model number *	E460dn			
Issue date *	7/30/2008			
Intended market *	Global Europe Japan U.S. Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality (Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes	

Model number *	E460dn		
Issue date *	7/30/2008	Logo	LEXMARK

Product environmental attributes - Legal requirements Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>	\square					
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (<i>EU</i> : <i>Regulation (EC) No.</i> 2037/2000, 2038/2000, 2039/2000)						
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes					
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002						
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (<i>EU</i> 76/769/ <i>EEC</i>)			\square			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in <i>EU 76/769/EEC, amendment 2003/3/EC</i>			\boxtimes			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>EU 76/769/EEC</i>)						
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC						
P2	Batteries						
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			\boxtimes			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC	\square					
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)		\boxtimes				
P3	Electrical safety, EMC and connection to the telephone network						
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes					
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007						
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	\boxtimes					
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\bowtie					
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	\boxtimes					
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	\boxtimes					
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.						
P5	Product packaging						
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	\square					
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes					
P5.3*	The product packaging material is free from CFC/HCFC.						
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes					

Model number *	E460dn		
Issue date *	7/30/2008	Logo	LEXMARK

Produc	t environmental a		requirements - Environmental conscious design			
Item	*-mandatory to f		rement met prmation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, re					11.0.
P7.1*			tely are easily separable	\square		
P7.2*	Plastic materials	in covers/housing l	nave no surface coating.		Ē	Ē
P7.3*	Plastic parts >10	Og consist of one m	naterial or of easily separable materials.		Ħ	Ħ
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	•		equirement does not apply to safety/regulatory labels).		H	⊢⊢
	Product lifetime					
P7.7*			ocessor, memory, cards or drives	\square		
P7.8*	Upgrading can b	e done using comm	nonly available tools		Ħ	Ħ
P7.9.		-	of production for: 5 years			Ħ
P7.10		ble after end of proc				Ħ
	-	bstance requireme	-			
P7.11*		ousing material type				
	Material type: A	BS	Material type: HIPS Material type: PC/ABS			
P7.12*	Electrical cable i	nsulation material o	f power cables are halogen free (including PVC)		\boxtimes	
P7.13*	Electrical cable i	nsulation material o	f signal cables are halogen free (including PVC)		\boxtimes	
P7.14	All cover/housing	g plastic parts >25g	are halogen free	\square		
P7.15	All printed circuit	boards (without co	mponents) >25g are halogen free			
P7.16	Chemical specifi FR(40)	cations of flame retain	ardants in cover / housing plastic parts >25g according ISO 1043-4:			
P7.17	Chemical specifi ISO 1043-4: FR		ardants in printed circuit boards (without components) >25g according	\boxtimes		
P7.18		ed material in plasti				
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46,					
P7.20	R50/51/53 and R60/61 (67/548/EEC) Image: Comparison of the second se					
P8	Batteries		and max motodry contain por tamp. Ing	•		
P8.1*	Product does no	t contain batteries c	lefined as hazardous according to 91/157/EEC	\square		
P8.2*	Dioxide)		Battery chemical composition: LiMnO2 (Lithium Manganese			
P8.3	Batteries meet th	ne requirements of t	he following voluntary program/s:			
P9	Energy consum					
9.1			levels or energy consumptions have been measured:			i
Mode	Power level at * 230 Volts	Time (s) to <mode< td=""><td>e> Mode description</td><td>Referen Standar</td><td></td><td>n.a.</td></mode<>	e> Mode description	Referen Standar		n.a.
On-max	W		*	*	-	\square
On-	* 500 W	to	* Printing	*Compa		
normal On-idle	12\\/	to	* Roady Mode	Standar		
On-Idle	12 W	to	* Ready Mode	*Energy Star TE	c	
Save 1	* 11 W	to	* Power Saver Mode (Sleep)	*Energy Star TE	1	
Save 2	W	to	*	*		\square
Off 1	* 0 W	to	* Plugged in Off Mode	*Energy Star TE		
Off 2	W	to	*	*		\square
No load	* W		External power supplies/charger plugged in but disconnected from the product	*		
TEC	* 157.6 kWh/y T	Typical Energy Cons	sumption per year	*Energy Star TE		
P9.2*	Information abou	it the energy save f	unction is provided with the product.			
P9.3		ets the energy requi	rements of the following voluntary program/s:			

Model number *	E460dn		
Issue date *	7/30/2008	Logo	LEXMARK

Droduct	anvironmontal at	tributes Market requirements (continu	ad) Dequirement n	not			
Item		tributes - Market requirements (continu fill in. Additional information regarding eacl			Yes	No	n.a.
P10	Emissions				100	110	n.a.
	Noise emission	n – Declared according to ISO 9296					
P10.1	Mode Mode description Declared Declared A-weighted						
			A-weighted	sound pressure level			_
	sound power Operator position Bystar level L _{WAd} (B)				stander po	sitions	
					perator atte		
					511404)		
	Idle	* Idle	* Inaudible	Inaudible	9		
	Operation	* Simplex Monochrome Printing	* 6.7	53			
	oporation						
	Other mode	Duplex monochrome Printing	6.6	52			1
							<u> </u>
	Measured accor	ding to: 🔀 ISO 7779 🔝 ECMA-74					
				h L _{pAm} measurement distanc	e n	ר)	
P10.2		ets the acoustic noise requirements of the	following voluntary	program/s: RAL-UZ-122	\square		
		sions from printing products					
P10.3*	Test performed	according to ECMA-328 standard 📃, othe	er specify: RAL-UZ-	-122	\bowtie		
	The test covers:	Dust 🔀 Ozone 🔀 Styren	e 🔀 🛛 Benzene	e 🔀 🛛 TVOC 🔀			
P10.4	The product me	ets the chemical emission requirements of	the following volunt	tary program/s: RAL-UZ-122			
	Electromagnetic emissions						
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary					\square	
D44	program/s:						
P11 P11.1*	Consumable materials for printing products A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required						
Г I I. I	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).						
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.						
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					Ħ	
P12	Ergonomics for computing products						
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays						\square
		06-2 for flat panel displays.					
P12.2*		board meets the requirements of ISO 9999					\square
P12.3*	The computer in	put device meets the requirements of ISO	9241-9.				\square
P13		documentation					
P13.1*		ing material type(s): Corrugated	weight (kg): 1		\boxtimes		
		ing material type(s): <i>Polyurethane Foam</i> ing material type(s): <i>High Density Polyeth</i>	weight (kg): 0				
	Expanded Poly	styrene = 0.227 kg	iyiene weight (kg).	0.000			
P13.2*	Product plastic packaging is halogen free (including PVC)						
P13.3*	User and product documentation do not contain chlorine bleached paper					Ē	
P13.4*	User and produc	ct documentation contain recycled paper					Ħ
P14	Additional information						
		pany information and company enviror	mental policy may	y be found at http://enviroi	nment.lex	mark.c	;om
	Specific printe	r and supply item recycling information	for your area may				
		en is connected to REPA and El-kretser					
	*P.2.3 - Batteries used within this product are non-hazardous and are exempted from including removal instructions user's manuals per Article 11 of the 2006/66/EC Battery Directive.					is in	
	user's manuals	per Article 11 of the 2000/00/EC Batter	y Directive.				

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.