



## Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	ITSTATABLE
Contact information *	Nadia Martin (USA)	LEXMARK
		TM TM
Internet site *	www.lexmark.se/	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Single Function Mono Laser Printer			
Commercial name *	Lexmark E462dtn			
Model number *	E462dtn			
Issue date *	8-3-2009			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	E462dtn		
Issue date *	8-3-2009	Logo	EXMARK

Product of	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide ( <i>EU</i> : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\boxtimes$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	$\boxtimes$		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 <sup>th</sup> 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	$\boxtimes$		
P5.3*	The product packaging material is free from CFC/HCFC.	$\boxtimes$		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$		

Model number *	E462dtn		
Issue date *	8-3-2009	Logo	EXMARK.

Product environmental attributes - Market requirements - Environmental conscious design  Requirement met									
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design								
	Disassembly, re								
P7.1*		o be treated separately			Щ				
P7.2*	Plastic materials in covers/housing have no surface coating.								
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.								
P7.4*			according to ISO 11469 referring ISO 1043.						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.								
P7.6*		· · · · · · · · · · · · · · · · · · ·	rement does not apply to safety/regulatory labels).	$\boxtimes$					
	Product lifetime								
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives								
P7.8*		e done using commonl	-	$\boxtimes$					
P7.9.		available after end of pr							
P7.10		ble after end of product	<del>-</del>						
P7.11*		bstance requirements	3						
P7.11"	Material type: At	ousing material type:	Material type: HIPS Material type: PC/ABS						
P7.12*			ower cables are halogen free (including PVC)						
P7.13*			gnal cables are halogen free (including PVC)						
P7.14		plastic parts >25g are				Ħ			
P7.15			onents) >25g are halogen free		X				
P7.16			ants in cover / housing plastic parts >25g according ISO 1043-4:						
	FR(40)				<u> </u>				
P7.17	ISO 1043-4: FR(	<b>16)</b>	ants in printed circuit boards (without components) >25g according		Ш	Ш			
P7.18		ed material in plastic pa							
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, S50/51/53 and R60/61 (67/548/EEC)								
P7.20	Light sources are free from mercury								
0		d specify: Number of la	amps: and max. mercury content per lamp: mg		ш				
P8	Batteries								
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC								
P8.2*	Battery chemical composition: LiMnO2 (Lithium Manganese  Dioxide)								
P8.3	Batteries meet the requirements of the following voluntary program/s:								
P9	Energy consum		3 71 3	•					
9.1			els or energy consumptions have been measured:						
Mode	Power level at	Time (s) to <mode></mode>	Mode description	Referen		n.a.			
On-max	* 230 Volts W		*	Standard	d				
On-max	* <b>500</b> W	to	* Printing	*Compr					
normal	300 W	ιο	Finding	*Compa Standar		Ш			
On-idle	12 W	to	* Ready Mode	*Energy Star TE					
Save 1	* 11 W	to	* Power Saver Mode (Sleep)	*Energy Star TE	/				
Save 2	W	to	*	*					
Off 1	* <b>0</b> W	to	* Plugged in Off Mode	*Energy Star TE					
Off 2	W	to	*	*					
No load	* W		External power supplies/charger plugged in but disconnected from the product	*					
TEC	* <b>157.6</b> kWh/y T	ypical Energy Consum		*Energy Star TE					
P9.2*	Information abou	it the energy save func	tion is provided with the product.	Star TE					
P9.3	•	• • • •	nents of the following voluntary program/s:						
	ENERGY STARO Others specify:	® MOU							

Model number *	E462dtn		
Issue date *	8-3-2009	Logo	LEXMARK.

Product e	Product environmental attributes - Market requirements (continued) Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.  Yes No n.s								
P10	Emissions								
	Noise emission	- Declared according to ISO 9296							
	Noise emission	- Declared according to 150 9296							
P10.1	Mode	Mode description	Declared	Declared A-we	ighted				
		·	A-weighted	sound pressure leve					
			sound power	Operator position By	ystander positions				
			level L <sub>WAd</sub> (B)						
					lly if product is not operator attended)				
				or Deskside	<u>'</u>				
	Idle	* Idle	* Inaudible	Inaudib	le				
	Operation	* Simplex Monochrome Printing	* 6.7	53					
	Other mode	Duplex monochrome Printing	6.6	52					
	Measured accord	ding to: 🔀 ISO 7779 🔲 ECMA-74							
				h L <sub>pAm</sub> measurement distan	ce m)				
P10.2		ets the acoustic noise requirements of the fo	llowing voluntary	program/s: RAL-UZ-122					
	Chemical emiss	sions from printing products							
P10.3*	Test performed a	according to ECMA-328 standard, other		122					
	The test covers:								
P10.4	The product mee	ets the chemical emission requirements of the	ne following volunt	ary program/s: RAL-UZ-12	2 🔲				
	Electromagnetic emissions								
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:								
P11	Consumable materials for printing products								
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).								
P11.2*	Paper containing	g recycled fibres that meets the requirements	s of EN12281 can	be used.					
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.						
P12	Ergonomics for computing products								
P12.1*	and EN-ISO1340	ystem meets the ergonomic requirements of 06-2 for flat panel displays.		8 for CRT displays					
P12.2*	· · · · · · · · · · · · · · · · · · ·	board meets the requirements of ISO 9995 a				$\boxtimes$			
P12.3*		put device meets the requirements of ISO 9.	241-9.			$\boxtimes$			
P13	Packaging and								
P13.1*	Product packagir Product packagir	ng material type(s): Corrugated ng material type(s): Polyurethane Foam ng material type(s): High Density Polyethy	weight (kg): 1 weight (kg): 0 lene weight (kg):	0.010					
D40.0*		styrene = 0.227 kg				_			
P13.2*		packaging is halogen free (including PVC)				Ц.			
P13.3*		et documentation do not contain chlorine blea	acned paper			<u>Ц</u>			
P13.4*	User and product documentation contain recycled paper								
P14	Additional infor			the formal of letter//emilia					
		pany information and company environn and supply item recycling information f				om			
		en is connected to REPA and El-kretsen	or your area illay	be round at http://iexillar	n.com/recycle				
		es used within this product are non-hazar	dous and are exe	empted from including rei	moval instruction	s in			
		per Article 11 of the 2006/66/EC Battery		_					

## NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.