



## Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	ITSTATABLE
Contact information *	Nadia Martin (USA)	LEXMARK
Internet site *	www.lexmark.se/	•
Additional information	www.lexmark.com	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Single Function Mono Laser Printer		
Commercial name *	Lexmark ES360dn		
Model number *	ES360dn		
Issue date *	12/16/2011		
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control	$\square$	
	such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ES360dn		
Issue date *	12/16/2011	Logo	EXMARK

Product	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide ( <i>EU</i> : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\boxtimes$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			$\boxtimes$
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			$\boxtimes$
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			$\boxtimes$
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	$\boxtimes$		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20th 2007	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	$\boxtimes$		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	$\boxtimes$		
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	X		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.			

Model number *	ES360dn		
Issue date *	12/16/2011	Logo	EXMARK

Product	t environmental a	nttributes - Market req Requirem	uirements - Environmental conscious design			
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, re					
P7.1*		o be treated separately	are easily senarable		$\overline{}$	
P7.2*		in covers/housing have	•	$\square$	₩	$\vdash$
P7.3*			rial or of easily separable materials.		₩	$\vdash$
P7.4*	·		according to ISO 11469 referring ISO 1043.		₩	
P7.5	·	•			╬	
	•		or have inlays that can be removed with commonly available tools.		井	
P7.6*	Product lifetime	<u> </u>	rement does not apply to safety/regulatory labels).		<u>Ш</u>	
P7.7*			ssor, memory, cards or drives		$\Box$	
P7.8*		e done using commonly		X	$\overline{H}$	
P7.9.		available after end of pr	-			$\vdash$
P7.10		ole after end of product				
		bstance requirements				
P7.11*		ousing material type:	,			
	Material type: A	• • • • • • • • • • • • • • • • • • • •	Material type: HIPS Material type: PC/ABS			
P7.12*	Electrical cable in	nsulation material of po	wer cables are halogen free (including PVC)		$\boxtimes$	
P7.13*	Electrical cable in	nsulation material of sig	gnal cables are halogen free (including PVC)		$\boxtimes$	
P7.14	All cover/housing	plastic parts >25g are	halogen free		$\Box$	
P7.15	All printed circuit	boards (without compo	onents) >25g are halogen free			
P7.16	Chemical specific	cations of flame retarda	ants in cover / housing plastic parts >25g according ISO 1043-4:			
P7.17	Chemical specific ISO 1043-4: FR(		ants in printed circuit boards (without components) >25g according			
P7.18		ed material in plastic pa				
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)					
P7.20	If mercury is use	e free from mercury d specify: Number of la	imps: and max. mercury content per lamp: mg			
P8	Batteries					
P8.1*	Product does not	t contain batteries defin	ned as hazardous according to 91/157/EEC			
P8.2*			Battery chemical composition:			$\boxtimes$
P8.3		•	following voluntary program/s:			
P9	Energy consum					
9.1 Mode	Power level at	Time (s) to <mode></mode>	els or energy consumptions have been measured:  Mode description	Reference	20/	n o
wode	* 230 Volts	Time (s) to <mode></mode>	Mode description	Standard		n.a.
On-max	W		*	*		$\boxtimes$
On- normal	* 500 W	to	* Printing	*Compa Standar	ď	
On-idle	<b>12</b> W	to	* Ready Mode	*Energy Star TE	C	
Save 1	* 11 W	to	* Power Saver Mode (Sleep)	*Energy Star TE		
Save 2	W	to	*	*		$\boxtimes$
Off 1	* <b>0</b> W	to	* Plugged in Off Mode	*Energy Star TE		
Off 2	W	to	*	*		$\boxtimes$
No load	* W		External power supplies/charger plugged in but disconnected from the product	*		
TEC	•	ypical Energy Consum	,	*Energy Star TE		
P9.2*	Information abou	t the energy save func	tion is provided with the product.	$\boxtimes$		
P9.3	The product mee ENERGY STARO Others specify:		ents of the following voluntary program/s:			

Model number *	ES360dn		
Issue date *	12/16/2011	Logo	LEXMARK

Product	environmental a	ttributes - Market requirements (continu	ued) Requirement r	net		
Item	*=mandatory to	fill in. Additional information regarding each	ch item may be found	d under P14.	Yes No	n.a.
P10	Emissions					
	Noise emission	n – Declared according to ISO 9296				
P10.1	Mode	Mode description	Declared A-weighted sound power level L <sub>WAd</sub> (B)  Declared A-weighted sound pressure level L <sub>pAm</sub> (dB)  Operator position Desktop or Deskside  Declared A-weighted sound pressure level L <sub>pAm</sub> (dB)  (only if product operator atterval)			] t
	Idle	* Idle	* Inaudible	Inaudible		Ш
	Operation	* Simplex Monochrome Printing	* 6.8	53		
	Other mode	Duplex monochrome Printing	6.6	52		
	Measured acco	ording to: ISO 7779 ECMA-74 Other (only if not cove	ered by ECMA-74 wit	h L <sub>pAm</sub> measurement distance	m)	
P10.2	The product me	eets the acoustic noise requirements of the			$\square$	
	Chemical emis	ssions from printing products		-		
P10.3*	Test performed according to ECMA-328 standard, other specify: RAL-UZ-122					
	The test covers	: Dust Ozone Styre	ne 🔀 💮 Benzene	e X TVOC X		
P10.4	The product meets the chemical emission requirements of the following voluntary program/s: RAL-UZ-122					
	Electromagnetic emissions					
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:					
P11		naterials for printing products				
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
P11.2*	Paper containin	Paper containing recycled fibres that meets the requirements of EN12281 can be used.				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					
P12		or computing products				
P12.1*	and EN-ISO134	system meets the ergonomic requirements 406-2 for flat panel displays.		·8 for CRT displays		
P12.2*	<u> </u>	yboard meets the requirements of ISO 999				
P12.3*		nput device meets the requirements of ISC	O 9241-9.			$\boxtimes$
P13		documentation				
P13.1*	Product packaging material type(s): Corrugated weight (kg): 1.361  Product packaging material type(s): Polyurethane Foam weight (kg): 0.010  Product packaging material type(s): High Density Polyethylene weight (kg): 0.086  Expanded Polystyrene = 0.227 kg					
P13.2*	Product plastic	packaging is halogen free (including PVC)	)			
P13.3*	User and product documentation do not contain chlorine bleached paper					
P13.4*	User and produ	ct documentation contain recycled paper				
P14	Additional info					
		npany information and company enviro				com
	•	er and supply item recycling informatio		y be found at http://lexmark.o	com/recycle	
1	Lexmark Sweden is connected to REPA and El-kretsen					

## NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.