

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	ТМ
Contact information *	Nadia Martin (USA)	Lexmark
Internet site *	www.lexmark.se / www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	ngle Function Mono Laser Printer				
Commercial name *	exmark MS312dn, Lexmark MS317dn				
Model number *	/IS312dn				
Issue date *	February 20, 2014 (updated March 1, 2017)				
Intended market *	🛛 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	MS312dn, MS317dn		
Issue date *	February 20, 2014 (Updated March 1, 2017)	Logo	🔰 Lexmark

Product	Require	ment	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).	,		\square
D1 7*	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			\square
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\square		
	microgram/cm ² /week (see legal reference).			
P1.10*	Comment: Max limit in legal reference when tested according to EN1811:1998. REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square		
1 1.10	REACH Program Manager, HOD9237, 740 W. New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See lead reference)			
P2.2*	provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			
1 2.2	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on th design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)	e 🖂		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complie with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			_
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).	\square		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	nd 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * MS312dn, MS317dn							
Issue date *		February 20, 2014 (Updated March 1, 2017)	Logo	Lexm	nark		
Product	Product environmental attributes - Market requirements - Environmental conscious design Requirement me						
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P6		nt information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).						
P7	Design						
	Disasse	mbly, recycling					
P7.1*	Parts that	t have to be treated separately are easily separable		\boxtimes			
P7.2*	Plastic materials in covers/housing have no surface coating.						
P7.3*							
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.			Ħ		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available tools.		H		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			⊢⊢		
17.0	Product						
P7.7*		g can be done e.g. with processor, memory, cards or drives					
P7.8*		g can be done using commonly available tools			╞		
P7.9.		rts are available after end of production for: 5 years					
P7.10		s available after end of production for: 5 years					
D7.44*		and substance requirements					
P7.11*		cover/housing material type: https://www.app.cover/housing/material/type://w	tuno: DC/ABS				
P7.12		type: ABS Material type: HIPS Materia I cable insulation materials of power cables are PVC free.	al type: PC/ABS		\boxtimes		
P7.12		I cable insulation materials of signal cables are PVC free		_ <u>H</u> _			
P7.13		-		_⊢_			
		/housing plastic parts >25g are free from chlorine and bromine.		_님_			
P7.15		d circuit boards (without components) >25g are halogen free. as defined in IEC6	51249-2-21. (See		\bowtie		
P7.16	Note B2)	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:					
	Marking:	tarded plastic parts >25g in covers / nousings are marked according 150 1043-4.		\boxtimes			
P7.17	Alt. 1	Long sifestions of flows retardents in printed size it because . OF a (without some	(ata).	_	_		
		I specifications of flame retardants in printed circuit boards >25g (without compone additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	ents):				
	ТВВРА (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
	Alt. 2						
	Chemica	I specifications of flame retardants in printed circuit boards (without components) >	25g according	\bowtie			
	ISO 1043	3-4: FR(16)					
P7.18	Alt. 1			_	_	_	
		etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	s/preparations in				
		ent: No legal limits exist, this is a market requirement.					
		ical name: , CAS #:					
		ical name: , CAS #:					
	3. Chem	ical name: , CAS #:					
	Alt. 2						
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	FR(40), I	FR(17), FR(16), FR(50)	aified as D45	<u> </u>	┝┝		
	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)						
P7.20		plastic parts' weight >25g, recycled material content is <i>up to 6</i> %.					
P7.21		plastic parts' weight >25g, biobased material content is %.				_	
P7.22		rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp:	mg	\boxtimes			
P8	Batteries		ing				
P8.1*		hemical composition: Lithium Manganese Dioxide, LiMnO2					
P8.2		meet the requirements of the following voluntary program/s:				H	
L							

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	MS312dn, MS317dn		
Issue date *	February 20, 2014 (Updated March 1, 2017)	Logo	🔰 Lexmark

Product en	Product environmental attributes - Market requirements (continued) Requirement met							met	
Item							Yes	No	n.a.
P9 Energy consumption									
9.1 For the product the following power levels or energy consumptions are reported:									
Energy mode	e *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard modes and test method *	for	energy	
Printing		456 W	460 W	441 W		Corporate Standard			
Ready Mod	le	5.7 W	5.7 W	6.3 W		Energy Star I E V2.0			
Sleep Mode	•	2.5 W	2.5 W	2.9 W		Energy Star I E V2.0			
Hibernate M	lode	0.3 W	0.3 W	0.4 W		IEC 62301			
Off Mode		0.00 W	0.00 W	0.00 W		IEC 62301			
		W	W	W					
outlet but dis the product.)	wer supply / ged in the wall sconnected from	W	W	W					
PTEC * Typical Ener	gy Consumption	W	W	W					
TEC * Typical Ener	gy Consumption	1.6 kWh/week	1.6 kWh/week	1.6 kWh/week		Energy Star I E V2.0			
ETEC * Annual Energ	gy Consumption	kWh/year	kWh/year	kWh/yea	ar				
Display resol	lution* : Me	egapixels							
Print Speed	* : 33 Image	s per minute				ISO 24734			
		ve mode: 30 minutes				Energy Star I E V2.0			
P9.2* I	nformation about th	ne energy save functio	n is provided with th	ne product.			\boxtimes		
E		the energy requiremer version: 2.0 Tier: Produ L-UZ 171			n/s:		\boxtimes		
	Emissions		10.0 0000						
		Declared according to lode description		Declared A-weighted sound power level $L_{\rm WAd}$ (B)		Desktop (only if	um (dE Inder po produc	ositions	
l I	dle *	Ready	•	* 3.3		15)	
G		Simplex Monochrom lormal Mode	e Printing,	* 6.7		53			
C	Other mode	Simplex Monochrom Quiet Mode	e Printing,	6.4		50			
Ν	Measured accordin	~	ECMA-74 (only if not covered	by ECMA-74 wit	h L _b ar	n measurement distance	m	1)	
	The product meets	the acoustic noise req	uirements of the foll	lowing voluntary	progr	am/s: RAL-UZ 122/RAL-	\boxtimes		

Model nur	nber *	MS312dn, MS317dn				
Issue date	*	February 20, 2014 (Updated March 1, 2017)	go	Lexn	nark	
				-		
Product of	environi	mental attributes - Market requirements (continued)	R	equire	ment	me
Item				Yes	No	n.a
	Chemic	al emissions from printing products				
P10.3*	Test per UZ171	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify: RAL-UZ	-122/RAL-	\square		
P10.4	• •	emission rate (print phase) is (mg/h): Dust <0.7 Ozone <0.06 Styrene <0.12 Benzene <0.03 TVOC 2.0				
P10.5	Chemic	al emission requirements of the following voluntary program/s are met for : Dust 🔀 Ozone 🛛 Styrene 🖾 Benzene 🖾 TVC	DC 🔀			
P10.6		magnetic emissions er display meets the requirement for low frequency electromagnetic fields of the followi	ng voluntary		_	_
1 10.0	program		ng voluntary			
P11		nable materials for printing products				
P11.1*		/ Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required	d (see P4.3).	\square		
P11.2*		ontaining post-consumer recycled fibers can be used, provided that it meets the re-	, ,			
P11.3*		(duplex) printing/copying is an integrated product function.		\square		
P12	Ergono	mics for computing products				
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technologies	3.			
P12.2*		sical input device meets the requirements of ISO 9995 and ISO 9241-410.	-	-H-	H	
P13	. ,	ing and documentation				
P13.1*	Product	packaging material type(s): Corrugated weight (kg): 2.04				
	Product	packaging material type(s): Polystyrene, Expanded weight (kg): 0.2858 packaging material type(s): weight (kg): weight (kg):				
P13.2*		plastic packaging is free from PVC.		\square		
P13.3*		media for user and product documentation (tick box): ic ⊠, Paper ⊠, Other 🔲				
P13.4*	fiber: C		imer recycled			
Rev. P13.5	User an	d product documentation do not contain chlorine bleached paper				
P14		nal information (See Note B4)				
P1.1	This proc	luct uses RoHS exemptions for lead used in small amounts for specific applications.				
P2.1		ery contained within this product should be disposed of properly with the product. The produ symbol and instructions for such disposal is listed in the product User's Guide.	ct is properly lab	eled with	the V	VEEE
P2.3		ery contained within this product meets the exception listed. The battery is not intended to b , is designed for easy removal by recyclers and service providers.	e removed by th	e custom	er;	
P7.14		amount of bromine may be present in covers due to sourcing post consumer recycled content. ocessing of these parts.	No bromine wa	s intentic	onally (adde
P7.20	Per IEEE	1680.2 PCR calculation				
P9.1	Print spe	ed listed is A4 speed; Letter speed is 35 ppm.				
	Specific	al company information and company environmental policy may be found at http://lexmark. orinter and supply item recycling information for your area may be found at http://lexmark.c Sweden is connected to REPA and El-kretsen		nt		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19