

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	I TOWN A DIZ
Contact information *	Nadia Martin (USA)	LEXMARK
Internet site *	www.lexmark.se / www.lexmark.com	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Multifunction Color Inkjet Printer			
Commercial name *	Lexmark Pro5500			
Model number *	Pro5500			
Issue date *	4/2/2012			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	Pro5500		
Issue date *	4/2/2012	Logo	LEXMARK

<b>Product</b>	environmental attributes - Legal requirements	Requirement met			
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	$\boxtimes$			
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See		_		
	legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$			
	Comment: Legal reference has no maximum concentration value.		_		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-				
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum				
	concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	$\boxtimes$			
	terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	$\boxtimes$			
	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		_		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			$\boxtimes$	
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).		_		
	Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			$\boxtimes$	
	aromatic amines. (See legal reference and Note B1)	_	_	_	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$	
	pentachlorophenol and derivatives (see legal reference).	_	_	_	
	Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	$\boxtimes$			
	microgram/cm <sup>2</sup> /week (see legal reference).		_		
	Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$			
	REACH Program Manager, H0D9237, 740 W. New Circle Rd., Lexington, KY 40550		_	_	
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains		П		
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			ш	
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is				
	provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	$\boxtimes$			
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		_		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	• 🛛			
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical				
	or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal		Ħ		
. 0.2	reference).		ш		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	; X			
. 0.0	with legally required standards for radio and telecommunication devices (see legal reference).		ш		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see				
F4.1	legal reference and Note B1).	$\boxtimes$			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).				
			<u> </u>		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	$\boxtimes$			
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these				
	requirements is available (see legal reference).				
P5	Product packaging	1 57			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an	d 🔀	Ш		
Dr. Ot	hexavalent chromium by weight of these together.				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			<u> </u>	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀			
	Protocol (see legal reference).		_	_	
	Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	Model number * Pro5500					
Issue da	te *	4/2/2012	Logo	LEXM	ARK	1
						W
Product	environ	mental attributes - Market requirements - Environmental conscious	design	Require	ment	met
Item	*=manda	atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		
P7	Design Disasse	mbly, recycling				
P7.1*		at have to be treated separately are easily separable			П	
P7.2*		naterials in covers/housing have no surface coating.				$\dashv$
P7.3*		arts >100g consist of one material or of easily separable materials.				∺
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			Ħ	∺
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available tools.		$\overline{H}$	$\dashv$
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			H	∺
1110	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools			Ħ	$\overline{X}$
P7.9.		arts are available after end of production for: years				
P7.10						∺
		s available after end of production for: years  and substance requirements				
P7.11*		cover/housing material type:				
		type: <i>ABS</i> Material type: <i>HIPS</i> Materia	al type:			
P7.12		I cable insulation materials of power cables are PVC free.			$\boxtimes$	
P7.13	Electrica	I cable insulation materials of signal cables are PVC free			$\overline{\boxtimes}$	Ī
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.		$\overline{\mathbb{X}}$	Ħ	一
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC6	61249-2-21. (Se	e		
P7.16	Note B2	) starded plastic parts >25g in covers / housings are marked according ISO 1043-4:			П	
D7.47	Marking:					
P7.17		al specifications of flame retardants in printed circuit boards >25g (without compone additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	ents):			
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) > 3-4: <i>FR(16)</i>	>25g according			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	s/preparations i	n 🔲		
	1. Chem 2. Chem 3. Chem	ent: No legal limits exist, this is a market requirement. ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:				
		al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20		plastic parts' weight >25g, recycled material content is %.	-			
P7.21		plastic parts' weight >25g, biobased material content is %.				
P7.22	If mercu	urces are free from mercury ry is used specify: Number of lamps: and max. mercury content per lamp:	mg			
DΩ	Rattorio					

Battery chemical composition: Lithium Manganese Dioxide (LiMnO2)

Batteries meet the requirements of the following voluntary program/s:

P8.1\*

P8.2

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Pro5500			
Issue date *	4/2/2012	Logo	]	LEXMARK

Product environmental at	environmental attributes - Market requirements (continued) Requirement me					met		
Item	Yes No			No	n.a.			
P9 Energy consump	tion							
9.1 For the product the following power levels or energy consumptions are reported:								
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / S modes and test n		ergy	
Printing	W	<b>37.2</b> W	37.7 W		Corporate Stand	dard		
Сору	W	33.9 W	35.3 W		Corporate Stand	dard		
Scan	W	18.1 W	18.7 W		Corporate Stand	dard		
Ready Mode	11.68 W	11.67 W	11.94 W		Energy Star OM	Test Procedure		
Sleep Mode	5.00 W	5.00 W	<b>5.17</b> W		Energy Star OM	Test Procedure		
Off Mode	0.52 W	0.52 W	<i>0.58</i> W		IEC 62301			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	0.14 W	0.21 W			Calculating the cy of Single Volta and AC-AC Powe		
PTEC * Typical Energy Consumption	W	W	W					$\boxtimes$
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/we	ek				
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/yea	ar				
Display resolution* : M	egapixels		•				$\boxtimes$	
Print Speed * : 21 Image	es per minute				Corporate Stand	dard		
Default time to enter energy sa	ave mode: 60 minutes							
P9.2* Information about	the energy save function	on is provided with the	he product.					
ENERGY STAR® Others specify:	the energy requirement version: 1.1 Tier:	nts of the following Product category		n/s:		$\boxtimes$		
P10 Emissions	D	100 0000						
	. A-weighted				Declared A-weighted sound pressure level $L_{p{ m Am}}$ (dB)			
			level $L_{WAd}$ (B)		Desktop or Desk side	Bystander posit  (only if product is operator attended)	not	
Idle ,	Ready		* 3.2	15				
Operation '								
Other mode	Monochrome Scann		6.3		4	7		
Measured according	_	ECMA-74 (only if not covered	by ECMA-74 wit	h L <sub>pAr</sub>	n measurement dis	stance m)		
P10.2 The product meets	the acoustic noise req	uirements of the fol	llowing voluntary	progra	am/s: <i>RAL-UZ 12</i> 2	2	$\boxtimes$	

Model nur	nber *	Pro5500							
Issue date	*	4/2/2012	Logo	LE	LEXMARK.				
	environi	mental attributes - Market requirements (continued)		R	equire				
Item	- ·				Yes	No	n.a.		
D40.0*		al emissions from printing products							
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:					<u>Ц</u>		
P10.4	Typical	emission rate (print phase) is (mg/h):							
		Dust Ozone Styrene Benzene TVOC							
P10.5		al emission requirements of the following voluntary program/s are met for :							
			TVOC						
D40.0		magnetic emissions		•					
P10.6	program		lowing volui	ntary		Ш	$\boxtimes$		
P11		nable materials for printing products				<u> </u>	<u> </u>		
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	•		$\boxtimes$				
P11.2*	EN1228		e requirem	ents of					
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.			$\boxtimes$				
P12	Ergono	mics for computing products							
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.				$\boxtimes$		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.					$\boxtimes$		
P13	Packag	ing and documentation							
P13.1*	Product	packaging material type(s): <i>Corrugated</i> weight (kg): <i>1.950</i> packaging material type(s): <i>Expanded Polystyrene Foam</i> weight (kg): <i>0.261</i> packaging material type(s): <i>Polyethylene Film</i> weight (kg): <i>0.045</i>							
P13.2*		plastic packaging is free from PVC.			$\boxtimes$				
P13.3*		media for user and product documentation (tick box):							
D40.4*		ic N, Paper N, Other N		<u> </u>					
P13.4*	fiber: 0		onsumer red	cycled			Ш		
P14		nal information (See Note B4)							
P1.1		oduct uses RoHS exemptions for lead used in small amounts for specific app							
P2.1		ttery contained within this product should be disposed of properly with the with the WEEE disposal symbol and instructions for such disposal is listed in					perly		
P.2.3		tery contained within this product meets the exception listed. The battery is er; however, is designed for easy removal by recyclers and service providers		ed to be	remov	ed by	the		
	Specific	nal company information and company environmental policy may be found at a printer and supply item recycling information for your area may be found at the K Sweden is connected to REPA and El-kretsen					ent		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19