

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	I TOWN A DIZ
Contact information *	Nadia Martin (USA)	LEXMARK
Internet site *	www.lexmark.se / www.lexmark.com	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	ulti-Function Color Inkjet Printer			
Commercial name *	Lexmark Pro 710 Series			
Model number *	Pro 710 Series			
Issue date *	11/16/2011			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	Pro 710 Series		
Issue date *	11/16/2011	Logo	LEXMARK

Product	duct environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	\square	П	
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See		_	
	legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.		_	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\boxtimes		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	\boxtimes		
	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		_	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\boxtimes
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).		_	
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			X
	aromatic amines. (See legal reference and Note B1)		_	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).		_	
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	X		
	microgram/cm ² /week (see legal reference).		_	_
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	REACH Program Manager, H0D9237x, 740 W. New Circle Rd., Lexington, KY 40550		_	_
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\square	$\overline{}$	
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be		ш	ш
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	\square		
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		ш	ш
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical		ш	ш
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square	П	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal		H	-
F J.Z	reference).		Ш	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies			
F3.3	with legally required standards for radio and telecommunication devices (see legal reference).		Ш	Ш
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square	$\overline{}$	$\overline{}$
			<u> Ц</u>	
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see	\boxtimes		
	legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	\square		
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these		_	_
	requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an	d 🔀		
	hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea		Ħ	$\overline{}$
. 0.0	Protocol (see legal reference).	🔼		ш
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * Pro 710 Series							
Issue date *		11/16/2011 Logo	, I	EXM	ARI	(
						met	
Item	*=manda	atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P6		nt information					
P6.1*	Informati	ion for recyclers/treatment facilities is available (see legal reference).		\square			
P7	Design Disasse	mbly, recycling					
P7.1*		at have to be treated separately are easily separable			П	П	
P7.2*							
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.			Ħ	Ħ	
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			Ħ	$\overline{\Box}$	
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly availal	ole tools.		Ħ	T	
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ħ	
	Product	lifetime					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives			П	\boxtimes	
P7.8*	Upgradir	ng can be done using commonly available tools		Ī	Ħ		
P7.9.		arts are available after end of production for: years					
P7.10		s available after end of production for: years		-		∺	
		and substance requirements					
P7.11*		cover/housing material type:					
		type: ABS Material type: HIPS Material type	:				
P7.12		I cable insulation materials of power cables are PVC free.			\boxtimes		
P7.13	Electrica	I cable insulation materials of signal cables are PVC free				$\overline{\Box}$	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.			Ħ	Ħ	
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-	2-21. (See				
P7.16	Flame re	etarded plastic parts >25g in covers / housings are marked according ISO 1043-4:					
P7.17	Marking: Alt. 1						
F7.17	Chemica	al specifications of flame retardants in printed circuit boards >25g (without components): (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) >25g a 3-4: <i>FR(16)</i>	ccording				
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations above 0.1%: ent: No legal limits exist, this is a market requirement. ical name: , CAS #:	arations in				
	2. Chem 3. Chem Alt. 2	ical name: , CAS #: al specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified	as R45,				
P7.20		6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20 P7.21		plastic parts' weight >25g, recycled material content is %. plastic parts' weight >25g, biobased material content is %.					
P7.21		urces are free from mercury		\square			
			ng				
P8	Batterie	S					
P8.1*	Battery of	chemical composition: Lithium Manganese Dioxide (LiMnO2)					

Batteries meet the requirements of the following voluntary program/s:

P8.2

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Pro 710 Series		
Issue date *	11/16/2011	Logo	LEXMARK

Product environmental at	environmental attributes - Market requirements (continued) Requirement m					t met		
Item						Yes No	n.a.	
P9 Energy consumpt	ion							
9.1 For the product the following power levels or energy consumptions are reported:								
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Sta modes and test me	andard for energy ethod *		
Printing	W	W	17.66 W		Corporate Standa	ard		
Copying	W	W	16.73 W		Corporate Standa	rd		
Scan	W	W	10.22 W		Corporate Standa	ırd		
Ready Mode	7.09 W	6.09 W	7.41 W		Energy Star OM To	est Procedure		
Sleep Mode	3.95 W	3.96 W	4.32 W		Energy Star OM To	est Procedure		
Off Mode	0.27 W	0.28 W	<i>0.38</i> W		IEC 62301			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	0.12 W	0.20 W		Test Method for C Energy Efficiency External AC-DC at Supplies	of Single Voltage		
PTEC * Typical Energy Consumption	W	W	W					
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/we	ek				
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/yea	ar				
Display resolution* : Me	egapixels	•	•					
Print Speed * : 35 Image	s per minute							
Default time to enter energy sa	ve mode: 60 minutes							
P9.2* Information about t	he energy save functio	n is provided with t	he product.					
ENERGY STAR® of their specify:	the energy requirement version: 1.2 Tier:	nts of the following Product category		n/s:				
P10 Emissions	Dealers descending to	100 0000						
	Noise emission - Declared according to ISO 9296 Mode Mode description Declared A-weighted sound power			Declared A-v sound pressure lev	vel $L_{p{\sf Am}}$ (dB)			
			level L_{WAd} (B)		Desktop or Desk side (Bystander positions (only if product is not operator attended)		
	Ready		* 3.3	16				
	Monochrome Printin	_	* 6.3	49				
Other mode	Monochrome Scann		6.1		45		4	
Measured according	Other				ո measurement dista	ance m)		
P10.2 The product meets	the acoustic noise req	uirements of the fo	llowing voluntary	progra	The product meets the acoustic noise requirements of the following voluntary program/s: RAL-UZ-122			

Model nur	nber *	Pro 710 Series					
Issue date	*	11/16/2011	Logo	LEX	M	RK	
Product 6	environi	mental attributes - Market requirements (continued)		Req	uire	ment	met
Item				``	⁄es	No	n.a.
	Chemic	al emissions from printing products					
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\boxtimes	
P10.4	Typical	emission rate (print phase) is (mg/h):					
		Dust Ozone Styrene Benzene TVOC					_
P10.5	Chemica	al emission requirements of the following voluntary program/s are met for :					
	[Dust Ozone Styrene Benzene	TVOC				
		magnetic emissions					
P10.6		er display meets the requirement for low frequency electromagnetic fields of the foll	lowing volunta	ary			\boxtimes
D44	program						
P11 P11.1*		nable materials for printing products y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	uirod (ooo D4	2)			_
	•	· · · · · · · · · · · · · · · · · · ·	•	•		⊢	屵
P11.2*	EN1228		ie requiremer				
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.			\boxtimes		
P12		mics for computing products					
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.				\boxtimes
P12.2*	The phy	rsical input device meets the requirements of ISO 9995 and ISO 9241-410.					\boxtimes
P13	Packag	ing and documentation					
P13.1*	Product Product	packaging material type(s): Corrugated Fiberboard weight (kg): 1.114 packaging material type(s): EPS Foam weight (kg): 0.235 packaging material type(s): Corrugated weight (kg): 0.546 oard = 0.010 kg					
P13.2*	Product	plastic packaging is free from PVC.			\boxtimes	П	П
P13.3*	Specify	media for user and product documentation (tick box):					一
	Electron	nic 🔀, Paper 🔀, Other 🗌					
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled						
	fiber: 0						
P14		nal information (See Note B4)					
P1.1		oduct uses RoHS exemptions for lead used in small amounts for specific app					
P2.1		ttery contained within this product should be disposed of properly with the with the WEEE disposal symbol and instructions for such disposal is listed in					perly
P.2.3	The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers.					the	
	Addition Specific	nal company information and company environmental policy may be found at c printer and supply item recycling information for your area may be found at ck Sweden is connected to REPA and El-kretsen	t http://lexm				nt

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19