

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	I DECEMBER
Contact information *	Nadia Martin (USA)	LEXIVI NK
Internet site *	www.lexmark.se / www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statement	ts given in this declaration.				
Type of product *	Multi-function Color Inkjet Printer				
Commercial name *	exmark Prospect Pro205, Lexmark Prospect Pro208				
Model number *	Pro205, Pro208				
Issue date *	8/24/2009				
Intended market *	☑ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	Pro205, Pro208		
Issue date *	8/24/2009	Logo	LEXMARK

Product	duct environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager, 508761x, 740 W. New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes	П	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		T	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).	\boxtimes		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\overline{\mathbb{X}}$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	l 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Pro205, Pro208			
Issue date *	8/24/2009	Logo	LEXMARK	
Product environmental attributes - Market requirements - Environmental conscious design Requirement met				

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.			n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		\Box	
P7.2*	Plastic materials in covers/housing have no surface coating.			Ħ
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			Ħ
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Ħ	Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	Ħ
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		〒	Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		П	X
P7.8*	Upgrading can be done using commonly available tools	$\overline{\Box}$	币	\boxtimes
P7.9.	Spare parts are available after end of production for: years			
P7.10	Service is available after end of production for: years	-		Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
P7.12	Material type: ABS Material type: HIPS Material type: Electrical cable insulation materials of power cables are PVC free.			
P7.13	Electrical cable insulation materials of signal cables are PVC free	╌	\square	╬
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		$\stackrel{\triangle}{\vdash}$	-
P7.14	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			-
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16)			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #: 3. Chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
D7 40	Plantia marte. OF a sur from flower standard as historical annual surprise about 0.40/ plantified on DAF	_ <u> </u>	屵	
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is %.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		Ш	
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Manganese Dioxide (LiMnO2)			
P8.2	Batteries meet the requirements of the following voluntary program/s:			一百

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Pro205, Pro208		
Issue date *	8/24/2009	Logo	LEXMARK

Product environmental at	luct environmental attributes - Market requirements (continued) Requirement me					met		
Item	Ye			s No	n.a.			
	Energy consumption							
9.1 For the product the	9.1 For the product the following power levels or energy consumptions are reported:							
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / S modes and test n	Standard for nethod *	energy	
Printing	W	W	17 W		Corporate Stand	dard		
Copying	W	W	11 W		Corporate Stand	dard		
Scanning	W	W	9.7 W		Corporate Stand	dard		
Ready Mode	7.08 W	7.17 W	7.93 W		Energy Star OM	Test Procedu	ire	
Sleep Mode	3.15 W	3.18 W	3.73 W		Energy Star OM	Test Procedu	ire	
Off Mode	0.27 W	0.27 W	0.34 W		IEC 62301			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	0.11 W	0.21 W		Test Method for Energy Efficient External AC-DC Supplies	cy of Single V	oltage	
PTEC * Typical Energy Consumption	W	W	W					
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/we	ek				
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/yea	ar				
Display resolution* : Me	egapixels	•	•					
Print Speed * : 18 Mono	chrome / 11 Color Ima	ages per minute						
Default time to enter energy sa	ve mode: 60 minutes							
P9.2* Information about t	he energy save functio	n is provided with th	ne product.			X		
ENERGY STAR® v Others specify:	the energy requirement version: 1.1 Tier:	nts of the following v Product category:		n/s:		×		
P10 Emissions	Declared according to	150 0306						
	Noise emission – Declared according to ISO 9296 0.1 Mode Mode description		Declared A-weighted sound power	Declared A-weighted sound pressure level $L_{p{ m Am}}$ (dB)				
			level L_{WAd} (B)		rator position Desktop or Desk side	Bystander p (only if produ	ct is not	
	Ready		* n.a.		n.	a.		
Operation *	Simplex Mono Printil	•	* 5.5	40				
Other mode	Simplex Mono Printing	<u> </u>	6.1		4	6		
Measured according	· <u> </u>	ECMA-74	by FOMA 74 mill	h I	manaure 1' -	tones		
P10.2 The product meets	Other the acoustic noise req	(only if not covered uirements of the foll)] 🔽	

Model nu	mber *	Pro205, Pro208			
Issue date *		8/24/2009 Logo	EXM	ARK	
Product	environr	mental attributes - Market requirements (continued)	Require	ment	met
Item			Yes	No	n.a.
	Chemic	al emissions from printing products			
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:		\boxtimes	
P10.4	Typical e	emission rate (print phase) is (mg/h):			
		Dust Ozone Styrene Benzene TVOC			
P10.5	Chemica	al emission requirements of the following voluntary program/s are met for :			
	_	Dust Ozone Styrene Benzene TVOC			
		magnetic emissions			
P10.6	Compute	er display meets the requirement for low frequency electromagnetic fields of the following voluntary			\boxtimes
P11		nable materials for printing products		•	•
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).		$\overline{}$	$\overline{}$
P11.2*		ontaining post-consumer recycled fibers can be used, provided that it meets the requirements o		+	+
	EN1228	1.			
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.	\boxtimes		
P12		mics for computing products			
P12.1*	The disp	olay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			\times
P13		ing and documentation			
P13.1*	Product	packaging material type(s): Corrugated weight (kg): 1.043 kg			
		packaging material type(s): Expanded Polystyrene (EPS) weight (kg): 0.200 kg packaging material type(s): High Density Polyethylene (HDPE) weight (kg): 0.041 kg			
		packaging material type(s). High behistly Polyethylene (HbPE) weight (kg). 0.041 kg			
		ed Polyethylene Terephthalate (RPET) = 0.027 kg			
P13.2*	Product	plastic packaging is free from PVC.	\boxtimes		
P13.3*	Specify	media for user and product documentation (tick box):			Ħ
	Electron	ic N, Paper N, Other			
P13.4*	For pape	er user and product documentation, please specify contained percentage of post-consumer recycled			
	fiber: 0				
P14		nal information (See Note B4)			
P1.1	This pro	oduct uses RoHS exemptions for lead and mercury used in small amounts for specific applicati	ons.		
P2.1		ttery contained within this product should be disposed of properly with the product. The pwith the WEEE disposal symbol and instructions for such disposal is listed in the product Use			perly
P.2.3					he
	custom	er; however, is designed for easy removal by recyclers and service providers.			
	Addition	nal company information and company environmental policy may be found at http://lexmark.cc printer and supply item recycling information for your area may be found at http://lexmark.co	m/enviro	onmei	1t
		; printer and supply item recycling information for your area may be found at nttp://lexmark.co k Sweden is connected to REPA and El-kretsen	m/recycl	e	
	Lexillar	A GWEGEN IS CONNECTED TO RELA WING El-KICKSCH			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19