

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	I TOWN A DIZ
Contact information *	Nadia Martin (USA)	LEXMARK
Internet site *	www.lexmark.se / www.lexmark.com	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	ype of product * Multi-Function Color Inkjet Printer			
Commercial name *	Lexmark S510 Series			
Model number *	S510 Series			
Issue date *	1/12/2012			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	S510 Series		
Issue date *	1/12/2012	Logo	LEXMARK

<b>Product</b>	oduct environmental attributes - Legal requirements					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	$\square$	П			
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See		_			
	legal reference and Note B1)					
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$				
	Comment: Legal reference has no maximum concentration value.		_			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		_			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum					
	concentration values.					
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	$\boxtimes$				
	terphenyl (PCT) in preparations (see legal reference).		_			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	$\boxtimes$				
	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		_			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			$\boxtimes$		
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).		ш			
	Comment: Legal reference has no maximum concentration values.					
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			$\boxtimes$		
	aromatic amines. (See legal reference and Note B1)		ш			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$		
	pentachlorophenol and derivatives (see legal reference).		ш			
	Comment: Legal reference has no maximum concentration values.					
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	X				
	microgram/cm <sup>2</sup> /week (see legal reference).		ш	ш		
	Comment: Max limit in legal reference when tested according to EN1811:1998.					
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$				
	REACH Program Manager, H0D9237x, 740 W. New Circle Rd., Lexington, KY 40550			ш		
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains		$\overline{}$			
1 2.1	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be	$\boxtimes$	Ш	Ш		
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is					
	provided in user manual. (See legal reference)					
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	$\square$				
1 2.2	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		ш	Ш		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the					
1 2.0	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical		ш	ш		
	or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3	Safety, EMC connection to the telephone network and labeling					
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\square$	$\overline{}$			
			<del>  </del>	<del>-  -  -  -  -  -  -  -  -  -  -  -  -  -</del>		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal	$\boxtimes$	Ш			
Do ot	reference).		_			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies		Ш			
D0 4*	with legally required standards for radio and telecommunication devices (see legal reference).		_	_		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$				
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see	$\boxtimes$				
	legal reference and Note B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).					
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the		Ħ			
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these		ш	ш		
	requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and	d 🔀				
	hexavalent chromium by weight of these together.	- 🔼	ш			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\square$				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea		+	#		
75.5	Protocol (see legal reference).	al 🔀				
	Comment: Legal reference has no maximum concentration values.					

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * S510 Series								
Issue dat	e *	1/12/2012 Logo	LEXM	<b>LEXMARK</b>				
Product	environ	mental attributes - Market requirements - Environmental conscious design	Require	ment	met			
Item	*=manda	atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P6		nt information						
P6.1*		on for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$					
P7	Design Disasse	mbly, recycling						
P7.1*		at have to be treated separately are easily separable						
P7.2*		naterials in covers/housing have no surface coating.						
P7.3*								
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.	$\square$	$\overline{\sqcap}$				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$	$\overline{\sqcap}$				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).						
	Product	lifetime						
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives			$\boxtimes$			
P7.8*	Upgradir	ng can be done using commonly available tools			$\boxtimes$			
P7.9.	Spare pa	arts are available after end of production for: years						
P7.10	Service i	s available after end of production for: years						
		and substance requirements						
P7.11*	Material	cover/housing material type: type: <i>ABS</i> Material type: <i>HIPS</i> Material type:						
P7.12	Electrica	I cable insulation materials of power cables are PVC free.		$\boxtimes$				
P7.13	Electrica	I cable insulation materials of signal cables are PVC free		$\boxtimes$				
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.						
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	e					
P7.16	Marking:	starded plastic parts >25g in covers / housings are marked according ISO 1043-4:						
P7.17								
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: <i>FR(16)</i>						
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%: ent: No legal limits exist, this is a market requirement.	n 🗌					
	1. Chem 2. Chem 3. Chem Alt. 2	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #: il specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)						
P7.20		plastic parts' weight >25g, recycled material content is %.		-				
P7.21		plastic parts' weight >25g, biobased material content is %.						
P7.22	Light sou	urces are free from mercury	$\square$					

and max. mercury content per lamp:

Light sources are free from mercury

P8

P8.1

P8.2

Batteries

If mercury is used specify: Number of lamps:

Battery chemical composition: Lithium Manganese Dioxide (LiMnO2)

Batteries meet the requirements of the following voluntary program/s:

 $\boxtimes$ 

mg

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	S510 Series		
Issue date *	1/12/2012	Logo	LEXMARK

Product 6	Product environmental attributes - Market requirements (continued) Requirement me						t met
Item			Yes No	n.a.			
P9	5 57 FF FF FF						
9.1	9.1 For the product the following power levels or energy consumptions are reported:						
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard for energy modes and test method *	
Printing		W	W	16.6 W		Corporate Standard	
Ready Mo	de	<b>5.82</b> W	5.92 W	6.53 W		Energy Star I E V1.2	
Sleep Mod	le	3.0 W	3.2 W	<b>3.4</b> W		Energy Star I E V1.2	
Off Mode		<b>0.26</b> W	<b>0.27</b> W	0.37 W		IEC 62301	
Scan		W	W	12.4 W		Corporate Standard	
Сору		W	W	15.9 W		Corporate Standard	
charger plu outlet but d the product	ower supply / ugged in the wall lisconnected from	W	0.12 W	0.20 W		Energy Star External Power Supply Test Procedure	
PTEC * Typical End	ergy Consumption	W	W	W			$\boxtimes$
TEC * Typical Ene	ergy Consumption	kWh/week	kWh/week	kWh/we	ek		
ETEC * Annual Ene	ergy Consumption	kWh/year	kWh/year	kWh/ye	ar		
Display res	solution* : Me	egapixels	•	•			
Print Speed	d * : <b>35</b> Image	s per minute				Corporate Standard	
Default tim	e to enter energy sa	ve mode: 60 minutes				Energy Star I E V1.2	
P9.2*	Information about t	he energy save functio	n is provided with th	ne product.			一百
P9.3*	The product meets	the energy requiremen	nts of the following	voluntary progran	n/s:		
		version: 1.2 Tier: 1 Pro					
P10	Emissions						
		Declared according to	ISO 9296		ı		
P10.1	Mode N	Mode description		sound power		sound pressure level $L_{p\mathrm{Am}}$ (dB)	_
				level $L_{WAd}$ (B)		rator position Bystander positions  Desktop (only if product is not operator attended)	
		Ready		* 3.3	15		
		Monochrome Printin		* 5.9 45		45	
	Other mode	Monochrome Scanni Mode	ing, Default	6.0	44		
	Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance m)						
P10.2	The product meets	the acoustic noise req					

Model nur	nber *	S510 Series				
Issue date	*	1/12/2012	Logo	LEXM	<b>ARK</b>	
	environr	mental attributes - Market requirements (continued)		Require		
Item				Yes	No	n.a.
		al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			$\boxtimes$	
P10.4	• •	emission rate (print phase) is (mg/h):				
		Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for :  Oust Ozone Styrene Benzene	TVOC		Ш	Ш
		magnetic emissions				
P10.6	Compute program	er display meets the requirement for low frequency electromagnetic fields of the fol /s:	lowing volunta	ary		
P11		nable materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ				
P11.2*	EN1228		ne requiremer	nts of 🔀		
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				
P12		mics for computing products				
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technology	gies.			$\boxtimes$
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				$\boxtimes$
P13	Packagi	ing and documentation				
P13.1*	Product	packaging material type(s): Corrugated packaging material type(s): EPS Foam weight (kg): 0.195				
P13.2*		packaging material type(s): weight (kg): plastic packaging is free from PVC.				
P13.3*		media for user and product documentation (tick box):				
	Electron	ic ⊠, Paper ⊠, Other □				
P13.4*	For paper fiber: 0	er user and product documentation, please specify contained percentage of post-co	onsumer recy	cled		
P14		nal information (See Note B4)				
P1.1		oduct uses RoHS exemptions for lead used in small amounts for specific app				
P2.1		ttery contained within this product should be disposed of properly with the with the WEEE disposal symbol and instructions for such disposal is listed it				perly
P.2.3	2.3 The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers.					the
	Specific	nal company information and company environmental policy may be found a c printer and supply item recycling information for your area may be found a k Sweden is connected to REPA and El-kretsen				ent

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19