



Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	I DECEMBER
Contact information *	Nadia Martin (USA)	LEXMARK
		TIME THE TENTON
Internet site *	www.lexmark.se/	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Single Function Mono Laser Printer			
Commercial name *	Lexmark T652dn, dtn			
Model number *	T652dn, dtn			
Issue date *	9/12/2008			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	T652dn, dtn			
Issue date *	9/12/2008	Logo	I	LEXMARK.

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU</i> : Regulation (<i>EC</i>) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	T652dn, dtn		
Issue date *	9/12/2008	Logo	LEXMARK

Product	t environmental a		uirements - Environmental conscious design				
Item	*=mandatory to f	Requirem	nent met ation regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design	III III. Additional IIIIoiiiie	anon regarding each item may be found under 1 14.	103	140	n.a.	
	Disassembly, re	ecycling					
P7.1*	Parts that have to be treated separately are easily separable						
P7.2*	Plastic materials in covers/housing have no surface coating.						
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.						
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.	\boxtimes			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.						
P7.6*	Labels are easily	r separable. (This requi	rement does not apply to safety/regulatory labels).	\boxtimes			
	Product lifetime						
P7.7*	Upgrading can b	e done e.g. with proces	ssor, memory, cards or drives				
P7.8*	Upgrading can b	e done using commonly	y available tools	\boxtimes			
P7.9.	Spare parts are	available after end of pr	roduction for: 5 years				
P7.10	Service is availal	ble after end of product	tion for: 5 years				
	Material and su	bstance requirements	3				
P7.11*		ousing material type:					
D7 40*	Material type: Al		Material type: HIPS Material type: PC/ABS				
P7.12*			ower cables are halogen free (including PVC)				
P7.13*			gnal cables are halogen free (including PVC)				
P7.14		plastic parts >25g are	-				
P7.15			onents) >25g are halogen free				
P7.16	FR(40)		ants in cover / housing plastic parts >25g according ISO 1043-4:		Ш	Ш	
P7.17	Chemical specific ISO 1043-4: FR(cations of flame retarda (<mark>16)</mark>	ants in printed circuit boards (without components) >25g according				
P7.18	Weight of recycle	ed material in plastic pa					
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)						
P7.20	Light sources are free from mercury						
		d specify: Number of la	mps: and max. mercury content per lamp: mg				
P8	Batteries The state of the stat						
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC						
P8.2*	Battery chemical composition: Lithium Manganese Dioxide, LiMnO2						
P8.3	Batteries meet the requirements of the following voluntary program/s:						
P9	Energy consum						
9.1			els or energy consumptions have been measured:				
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	Mode description	Reference Standard		n.a.	
On-max	W		*	*			
On- normal	* 725 W	to	* Printing	*Compa Standar	rď		
On-idle	85 W	to	* Ready Mode	*Energy Star TE			
Save 1	* 13 W	to	* Power Saver Mode (Sleep)	*Energy Star TE	′		
Save 2	W	to	*	*			
Off 1	* 0 W	to	* Plugged in Off Mode	*Energy Star TE			
Off 2	W	to	*	*			
No load	* W		External power supplies/charger plugged in but disconnected from the product	*			
TEC	* 350.5 kWh/y T	ypical Energy Consum		*Energy Star TE			
P9.2*	Information abou	it the energy save func	tion is provided with the product.	Star TE			
P9.3	The product mee ENERGY STAR Others specify:		nents of the following voluntary program/s:				

Model number *	T652dn, dtn		
Issue date *	9/12/2008	Logo	LEXMARK

		tributes - Market requirements (continued						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.							
P10	Emissions							
	Noise emission	- Declared according to ISO 9296						
P10.1	Mode	Mode description	Declared	Declared A-weight	ahted			
1 10.1	Wode	Wode description	A-weighted	sound pressure level				
			sound power		stander positions	1		
			level L _{WAd} (B)					
				Desktop (only	if product is not			
				or Deskside op	perator attended)			
	Idle	* Ready	* 4.5	30				
		* 0: 1 11	* = 0			_		
	Operation	* Simplex Monochrome Printing	* 7.0	54		Ш		
	Other mode	Duplex Monochrome Printing	7.0	54				
	Measured accord	ding to: 🔀 ISO 7779 🔲 ECMA-74						
		Other (only if not covered	d by ECMA-74 witl	h L _{pAm} measurement distance	e m)			
P10.2	The product mee	ets the acoustic noise requirements of the fo	llowing voluntary	program/s: RAL-UZ 122				
	Chemical emiss	sions from printing products						
P10.3*	Test performed a	according to ECMA-328 standard, other	specify: RAL-UZ-	122				
	The test covers:	Dust Ozone Styrene	Benzene	TVOC 🔀				
P10.4	The product mee	ets the chemical emission requirements of the		ary program/s: Blue Angel,				
	RAL-UZ-122		-					
P10.5	Electromagnetic emissions Computer display mosts the requirement for low frequency electromagnetic fields of the following voluntary.							
	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:							
P11	Consumable materials for printing products							
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).							
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.							
P11.3*	2-sided (duplex) printing/copying is an integrated product function.							
P12		computing products						
P12.1*		rstem meets the ergonomic requirements of 06-2 for flat panel displays.	EN 29241-3, -7, -	8 for CRT displays				
P12.2*	The product keyl	board meets the requirements of ISO 9995	and EN 29241-4.			X		
P12.3*	The computer in	put device meets the requirements of ISO 9	241-9.			X		
P13	Packaging and							
P13.1*		ng material type(s): Corrugated	weight (kg): 2	.749				
		ng material type(s): Expanded Polystyrene						
		ng material type(s): Polyurethane Foam Divethylene = 0.086	weight (kg): 0	. 155				
	Polypropylene:							
P13.2*	Product plastic packaging is halogen free (including PVC)							
P13.3*	User and produc	et documentation do not contain chlorine blea	ached paper			\Box		
P13.4*	User and product documentation contain recycled paper							
P14	Additional infor							
		pany information and company environn				om		
		and supply item recycling information f	or your area may	be found at http://lexmark	.com/recycle			
		en is connected to REPA and El-kretsen s used within this product are non-bazar	dous and are eve	emnted from including rem	oval instruction	s in		
		*P.2.3 - Batteries used within this product are non-hazardous and are exempted from including removal instructions in						

NOTE
Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.