



## Product environmental attributes – THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information *	Nadia Martin (USA)	LEXIVIARK
Internet site *	www.lexmark.se /	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Single Function Mono Laser Printer			
Commercial name *	Lexmark T652n			
Model number *	T652n			
Issue date *	9/12/2008			
Intended market *	Global Europe Japan U.S. Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality (	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\boxtimes$	

Model number *	T652n		
Issue date *	9/12/2008	Logo	LEXMARK

Product e	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>	$\square$		
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide ( <i>EU</i> : <i>Regulation (EC) No.</i> 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\boxtimes$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) ( <i>EU</i> 76/769/ <i>EEC</i> )			$\square$
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in <i>EU</i> 76/769/ <i>EEC</i> , amendment 2003/3/ <i>EC</i>			$\square$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			$\boxtimes$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			$\square$
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			$\square$
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC	$\boxtimes$		
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)		$\boxtimes$	
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	$\boxtimes$		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 <sup>th</sup> 2007	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	$\boxtimes$		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	$\boxtimes$		
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	$\boxtimes$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	$\square$		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	$\boxtimes$		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$		

Model number *	T652n		
Issue date *	9/12/2008	Logo	LEXMARK

Produc	t environmental a		requirements - Environmental conscious design			
Item	*=mandatory to f		rement met prmation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, re				110	n.a.
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials	in covers/housing h	nave no surface coating.			
P7.3*	Plastic parts >10	0g consist of one m	naterial or of easily separable materials.		Π	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.				Ē	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				Ħ	
P7.6*			equirement does not apply to safety/regulatory labels).		Ħ	Ħ
	Product lifetime					
P7.7*	Upgrading can b	e done e.g. with pro	ocessor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can b	e done using comm	nonly available tools	$\square$		
P7.9.	Spare parts are a	available after end o	of production for: 5 years			
P7.10	Service is availal	ble after end of proc	duction for: 5 years			
		bstance requireme				
P7.11*		ousing material type				
P7.12*	Material type: A		Material type: HIPS Material type: PC/ABS f power cables are halogen free (including PVC)		$\square$	
P7.13*			f signal cables are halogen free (including PVC)	<u> </u>		┝
P7.13		g plastic parts >25g				┝┝
P7.14			mponents) >25g are halogen free			<u> </u>
	•	•				<u> </u>
P7.16	FR(40)		ardants in cover / housing plastic parts >25g according ISO 1043-4:			
P7.17	ISO 1043-4: FR(	cations of flame retains (16)	ardants in printed circuit boards (without components) >25g according	$\boxtimes$		
P7.18		ed material in plasti	c parts is			
P7.19		0	ne retardant substances/preparations above 0.1% classified as R45/46,			
D7 00	R50/51/53 and R60/61 (67/548/EEC)					
P7.20	Light sources are free from mercury       If mercury is used specify: Number of lamps:       and max. mercury content per lamp:       mg					
<b>P8</b> P8.1*	Batteries Product doos por	t contain battorios d	lefined as hazardous according to 91/157/EEC			
P8.2*			Battery chemical composition: <i>Lithium Manganese Dioxide,</i>			
P8.3	LiMnO2 Batteries meet th	a requirements of t	he following voluntary program/s:			
P9	Energy consum				•	
9.1			levels or energy consumptions have been measured:			
Mode	Power level at		Mode description	Referen	ce/	n.a.
	* 230 Volts			Standar	d	
On-max	W		*	*		$\square$
On- normal	* <b>725</b> W	to	* Printing	*Compa Standar		
On-idle	<b>85</b> W	to	* Ready Mode	*Energy		
				Star TE	С	
Save 1	* <b>13</b> W	to	* Power Saver Mode (Sleep)	*Energy Star TE		
Save 2	W	to	*	*		$\boxtimes$
Off 1	* <b>0</b> W	to	* Plugged in Off Mode	*Energy Star TE		
Off 2	W	to	*	*		$\square$
No load	* W		External power supplies/charger plugged in but disconnected from the product	*		$\square$
TEC	-	ypical Energy Cons		*Energy Star TE		
P9.2*	Information abou	it the energy save f	unction is provided with the product.	$\boxtimes$		
P9.3	The product mee ENERGY STAR Others specify:		rements of the following voluntary program/s:			

Model number *	T652n		
Issue date *	9/12/2008	Logo	LEXMARK

Droduct	anvironmontal at	tributes Market requirements (continue	d) Doguiromont n	not		
Item		tributes - Market requirements (continue ill in. Additional information regarding each			Yes No	n.a.
P10	Emissions				100 110	ai
	Noise emission	<ul> <li>Declared according to ISO 9296</li> </ul>				
P10.1	Mode         Mode description         Declared         Declared					
			A-weighted	sound pressure level	L <sub>pAm</sub> (dB)	
			sound power level L <sub>WAd</sub> (B)	Operator position Byst	ander positions	
			·····	Desktop (only	if product is not	
					erator attended)	
	Idle	* Ready	* 4.5	30		
	Operation	* Simplex Monochrome Printing	* 7.0	54		
	Other mode					
	Measured accor	ding to: 🔀 ISO 7779 🗌 ECMA-74				
				h L <sub>pAm</sub> measurement distance		
P10.2	•	ets the acoustic noise requirements of the f	ollowing voluntary	program/s: RAL-UZ 122	$\square$	
D40.0*		sions from printing products				
P10.3*	•		r specify: RAL-UZ-			
<b>B</b> / <b>a</b> /	The test covers:		Benzene			
P10.4	The product meets the chemical emission requirements of the following voluntary program/s: <i>Blue Angel,</i>					
P10.5	Electromagnetic emissions					
F 10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:					
P11	Consumable materials for printing products					
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required [30] (see P4.3).					
P11.2*	Paper containing	g recycled fibres that meets the requiremen	ts of EN12281 can	be used.		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					
P12	Ergonomics for	computing products				
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays.					$\boxtimes$
P12.2*	The product key	board meets the requirements of ISO 9995	and EN 29241-4.			$\boxtimes$
P12.3*	The computer in	put device meets the requirements of ISO 9	9241-9.			$\boxtimes$
P13	Packaging and					
P13.1*		ng material type(s): Corrugated	weight (kg): 2		$\boxtimes$	
		ng material type(s): <i>Expanded Polystyren</i> ng material type(s): <i>Polyurethane Foam</i>	e weight (kg): 0 weight (kg): 0			
		blyethylene = 0.086				
_	Polypropylene					
P13.2*		backaging is halogen free (including PVC)				
P13.3*	User and product documentation do not contain chlorine bleached paper					
P13.4*		t documentation contain recycled paper				
P14	Additional infor		montal nation may	who found of http://opuiron		
		pany information and company environ and supply item recycling information				0111
		en is connected to REPA and El-kretsen		, so round at http://iexillarka	, chini coyole	
	*P.2.3 - Batteries used within this product are non-hazardous and are exempted from including removal instructions					s in
	user's manuals	per Article 11 of the 2006/66/EC Battery	Directive.			

NOTE Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.