

# THE ECO DECLARATION



## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).  
Additional information regarding each item may be found under P14.

Brand *	<i>Lexmark</i>	
Company name *	<i>Lexmark International, Inc.</i>	
Contact information *	<i>Nadia Martin (USA)</i>	
Internet site *	<i>www.lexmark.se / www.lexmark.com</i>	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.	
Type of product *	<i>Multifunction Mono Laser Printer</i>
Commercial name *	<i>Lexmark X463de, Lexmark X464de, Lexmark X466de, Lexmark X466de, Lexmark X466dwe</i>
Model number *	<i>X463de, X464de, X466de, X466de, X466dwe</i>
Issue date *	<i>2/4/2009</i>
Intended market *	<input checked="" type="checkbox"/> Global <input type="checkbox"/> Europe <input type="checkbox"/> Asia, Pacific & Japan <input type="checkbox"/> Americas <input type="checkbox"/> Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requirement met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	<input checked="" type="checkbox"/>	<input type="checkbox"/>
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<b>Model number *</b>	<i>X463de, X464de, X466de, X466dte, X466dwe</i>	<b>Logo</b>
<b>Issue date *</b>	<i>2/4/2009</i>	

<b>Product environmental attributes - Legal requirements</b>		<b>Requirement met</b>		
Item		Yes	No	n.a.
<b>P1</b>	<b>Hazardous substances and preparations</b>			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0.1% (see legal reference and <sup>Note 1</sup> ).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridiny)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1).	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>P2</b>	<b>Batteries</b>			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>P3</b>	<b>Safety, EMC connection to the telephone network and labeling</b>			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>P4</b>	<b>Consumable materials</b>			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>P5</b>	<b>Product packaging</b>			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	X463de, X464de, X466de, X466dte, X466dwe	Logo
Issue date *	2/4/2009	

Product environmental attributes - Market requirements - Environmental conscious design		Requirement met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
<b>P6 Treatment information</b>				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>P7 Design</b>				
<b>Disassembly, recycling</b>				
P7.1*	Parts that have to be treated separately are easily separable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.2*	Plastic materials in covers/housing have no surface coating.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Product lifetime</b>				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.8*	Upgrading can be done using commonly available tools	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.9.	Spare parts are available after end of production for: 5 years			<input type="checkbox"/>
P7.10	Service is available after end of production for: 5 years			<input type="checkbox"/>
<b>Material and substance requirements</b>				
P7.11*	Product cover/housing material type: Material type: <b>ABS</b> Material type: <b>HIPS</b> Material type: <b>PC/ABS</b>			
P7.12	Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: <b>FR(40)</b>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) <input type="checkbox"/> , TBBPA (reactive) <input type="checkbox"/> , Other; chemical name: , CAS #:  Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <b>FR(16)</b>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement.  1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #:  Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: <b>FR(40), FR(17), FR(16), FR(50)</b>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.19	Of total plastic parts' weight >25g, recycled material content is %.			
P7.20	Of total plastic parts' weight >25g, biobased material content is %.			
P7.21	Light sources are free from mercury If mercury is used specify: Number of lamps: <b>2</b> and max. mercury content per lamp: <b>1.2474</b> mg	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>P8 Batteries</b>				
P8.1*	Battery chemical composition: <b>Lithium Manganese Dioxide, LiMnO2</b>			<input type="checkbox"/>
P8.2	Batteries meet the requirements of the following voluntary program/s:			<input type="checkbox"/>

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	X463de, X464de, X466de, X466dte, X466dwe	
Issue date *	2/4/2009	Logo

Product environmental attributes - Market requirements (continued)					Requirement met		
Item					Yes	No	n.a.
<b>P9 Energy consumption</b>							
9.1	For the product the following power levels or energy consumptions have been measured:						
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *			
Printing	523.1 W	538.7 W	512.8 W	Company Standard			
Copying	507.2 W	551.6 W	526 W	Company Standard			
Scanning	52.48 W	53 W	52.2 W	Company Standard			
Ready	40.31 W	41.34 W	33.75 W	Energy Star TEC			
Sleep	23.63 W	24.06 W	24.24 W	Energy Star TEC			
Off	0 W	0 W	0 W	Energy Star TEC			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W		<input checked="" type="checkbox"/>		
PTEC * Typical Energy Consumption	W	W	W		<input checked="" type="checkbox"/>		
TEC * Typical Energy Consumption	5.78 kWh/week	5.75 kWh/week	5.85 kWh/week		<input type="checkbox"/>		
Default time to enter energy save mode: 30 minutes					<input type="checkbox"/>		
P9.2*	Information about the energy save function is provided with the product.				<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P9.3*	The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version 1.0 Tier:1 Others specify:				<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>P10 Emissions</b>							
<b>Noise emission – Declared according to ISO 9296</b>							
P10.1	Mode	Mode description	Declared A-weighted sound power level $L_{WA,d}$ (B)	Declared A-weighted sound pressure level $L_{pA,m}$ (dB)			
				Operator position <input type="checkbox"/>	Bystander positions <input checked="" type="checkbox"/>	(only if product is not operator attended)	
				Desktop <input type="checkbox"/>			
				or Desk side <input type="checkbox"/>			
	Idle	* Idle/Ready	* 3.7	22		<input type="checkbox"/>	
	Operation	* Simplex Mono Print	* 6.8	53		<input type="checkbox"/>	
	Other mode	Duplex Mono Print	6.6	52			
Measured according to: <input checked="" type="checkbox"/> ISO7779 <input type="checkbox"/> ECMA-74							
<input type="checkbox"/> Other (only if not covered by ECMA-74 with $L_{pA,m}$ measurement distance m)							
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s: RAL-UZ-122				<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Chemical emissions from printing products</b>							
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard <input type="checkbox"/> , other specify: RAL-UZ-122				<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P10.4	Typical emission rate (print phase) is (mg/h): Dust BQL Ozone BQL Styrene 0.1 Benzene BQL TVOC 1.3				<input type="checkbox"/>		
P10.5	Chemical emission requirements of the following voluntary program/s RAL-UZ-122 are met for :				<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Dust <input checked="" type="checkbox"/>		Ozone <input checked="" type="checkbox"/>	Styrene <input checked="" type="checkbox"/>			
	Benzene <input checked="" type="checkbox"/>		TVOC <input checked="" type="checkbox"/>				
<b>Electromagnetic emissions</b>							
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:				<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Model number *	X463de, X464de, X466de, X466dte, X466dwe	
Issue date *	2/4/2009	Logo

Product environmental attributes - Market requirements (continued)		Requirement met		
Item		Yes	No	n.a.
<b>P11 Consumable materials for printing products</b>				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>P12 Ergonomics for computing products</b>				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>P13 Packaging and documentation</b>				
P13.1*	Product packaging material type(s): <b>Corrugated</b> weight (kg): <b>2.373</b> Product packaging material type(s): <b>Expanded Polystyrene (EPS)</b> weight (kg): <b>0.432</b> Product packaging material type(s): <b>High Density Polyethylene (HDPE)</b> weight (kg): <b>0.062</b> <b>Polypropylene = 0.016 kg</b>			
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P13.3*	Specify media for user and product documentation (tick box): Electronic <input checked="" type="checkbox"/> Paper <input checked="" type="checkbox"/> Other <input type="checkbox"/>			<input type="checkbox"/>
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. <b>0%</b>			<input type="checkbox"/>
<b>P14 Additional information</b>				
P1.1	<b><i>This product uses RoHS exemptions for lead and mercury used in small amounts for specific applications.</i></b>			
P2.1	<b><i>The battery contained within this product should be disposed of properly with the product. The product is properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guide.</i></b>			
P.2.3	<b><i>The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers.</i></b>			
P.10.4	<b><i>BQL = Below Quantifiable Limits</i></b> <b><i>Additional company information and company environmental policy may be found at <a href="http://lexmark.com/environment">http://lexmark.com/environment</a></i></b> <b><i>Specific printer and supply item recycling information for your area may be found at <a href="http://lexmark.com/recycle">http://lexmark.com/recycle</a></i></b> <b><i>Lexmark Sweden is connected to REPA and EI-kretsen</i></b>			

**NOTE**

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2.3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials)	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1