



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information *	Nadia Martin (USA)	LEXMARK
Internet site *	www.lexmark.se/www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	ingle Function Color Laser Printer				
Commercial name *	exmark C736dn, Lexmark C736dtn				
Model number *	C736dn, C736dtn				
Issue date *	2-19-2009				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes	

Model number *	C736dn, C736dtn		
Issue date *	2-19-2009	Logo	LEXMARK

Product	environmental attributes - Legal requirements	Require	<u>emen</u>	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and Note 1).			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference).			
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1).			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes	\Box	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		Ħ	Ħ
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	C736dn, C736dtn		
Issue date *	2-19-2009	Logo	LEXMARK,

Produc	duct environmental attributes - Market requirements - Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes Yes					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	\square	П	П		
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		П			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes				
P7.8*	Upgrading can be done using commonly available tools	$\overline{\boxtimes}$				
P7.9.	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 5 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: ABS Material type: HIPS Material type: PC/ABS					
P7.12	Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1)		\times			
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)		\boxtimes			
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)	\boxtimes				
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)		\boxtimes			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)					
P7.17	Alt. 1 Chamical appointance of flowe retardants in printed circuit boards > 25g (without components):					
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:	Ш				
	Tobli A (additive) , Tobli A (reactive) , Other, Chemical Hame. , OAO #.					
	Alt. 2					
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\boxtimes				
	ISO 1043-4: <i>FR(16)</i>					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in					
	concentrations above 0.1%:	Ш				
	Comment: No legal limits exist, this is a market requirement.					
	4. Chamical name:					
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #:					
	3. Chemical name: CAS #:					
	one manual name.					
	Alt. 2	\boxtimes				
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40), FR(17), FR(16), FR(50)					
P7.19	Of total plastic parts' weight >25g, recycled material content is %.		-			
P7.20	Of total plastic parts' weight >25g, biobased material content is %.					
P7.21	Light sources are free from mercury					
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg					
P8.1*	Battery chemical composition: Lithium Manganese Dioxide (LiMnO2)					
P8.2	Batteries meet the requirements of the following voluntary program/s:					

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	C736dn, C736dtn		
Issue date *	2-19-2009	Logo	LEXMARK.

Produc	roduct environmental attributes - Market requirements (continued) Requirement met						met		
Item			Yes No n.a			n.a.			
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions have been measured:									
9.1	For the product th	e following power levels	s or energy consum	ptions have been	<u>measu</u>	<u>ired:</u>			
Energy n	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		Reference / Stan and test method	dard for energy r	nodes	
Printing		525 W	521.9 W	502.3 W		Company Stand	lard		
Ready		42.5 W	42.3 W	42.9 W		Energy Star TE	C		ī
Sleep		15.25 W	15 W	15.81 W		Energy Star TE	C		$\overline{\Box}$
Off		<i>0</i> W	<i>0</i> W	<i>0</i> W		Energy Star TE	C		H
		W	W	W					H
		W	W	W			-	-	Ħ
EPS No-	load	W	W	W					
charger p	power supply / blugged in the wall t disconnected fron uct.)	n							
PTEC * Typical E	nergy Consumptio	n W	W	W					
TEC * Typical E	Energy Consumptio	4.67 kWh/week	4.62 kWh/week	4.69 kWh/weel	k				
Default ti	me to enter energy	save mode: 30 minutes	S	L					
P9.2*		the energy save function		he product.			$\overline{\times}$	1 \square	Ħ
P9.3*	ENERGY STAR®	s the energy requirement version 1.0 Tier:1	nts of the following	voluntary progran	m/s:			<u> </u>	
	Others specify:								
P10	Emissions	Destant describer to	100 0000						
D40.4		- Declared according to	180 9296		1		A		1
P10.1	Mode	Mode description		Declared A-weighted			A-weighted level $L_{p{\rm Am}}$ (dE	٤)	
				sound power			·		
				level L_{WAd} (B)	Opera	ator position	Bystander posit (only if produ		
					_	Desktop	operator a		
	Idle	* Idle/Ready		* 4.9	0	r Desk side	33		
	lule	lule/Reauy		4.9			33		
	Operation	* Duplex Monochrome	Printing	* 6.9			55		
	Other mode	Simplex Monochrom	ne Printing	6.9			54		
	Measured accord	Ŭ <u>=</u> _	ECMA-74 (only if not covered	by ECMA-74 wit	th L _{pAm} ı	measurement dis	stance m)		
P10.2	P10.2 The product meets the acoustic noise requirements of the following voluntary program/s: RAL-UZ-122								
Chemical emissions from printing products									
P10.3*									
P10.4 Typical emission rate (print phase) is (mg/h): Dust BQL Ozone BQL Styrene 0.9 Benzene BQL TVOC 8									
P10.5	Chemical emission	Dust BQL Ozone B 0 n requirements of the fo						1 🗀	
1 10.5	Chemical emissio		Dust 🔀	Ozone		Styrene	\exists	1 L	Ш
			Benzene 🔀	TVO		3.,			
Electromagnetic emissions									
P10.6		meets the requirement	for low frequency e	lectromagnetic fie	elds of t	the following volu	ıntary] 🔲	\boxtimes
	program/s:								

Model number *	C736dn, C736dtn		
Issue date *	2-19-2009	Logo	LEXMARK

Product	environmental attributes - Market requirements (continued)	Requirer	nent	met			
Item	,	Yes	No	n.a.			
P11	Consumable materials for printing products						
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\square					
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.						
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\boxtimes					
P12	Ergonomics for computing products						
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.						
P13	Packaging and documentation						
P13.1*	Product packaging material type(s): Corrugated weight (kg): 3.601 kg Product packaging material type(s): Polyethylene Foam weight (kg): 0.673 kg Product packaging material type(s): High Density Polyethylene (HDPE) weight (kg): 0.165 kg						
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)	\boxtimes					
P13.3*	* Specify media for user and product documentation (tick box): Electronic						
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 0%						
P14	Additional information						
P1.1	This product uses RoHS exemptions for lead used in small amounts for specific applications.						
P2.1	The battery contained within this product should be disposed of properly with the product. The product is properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guide.						
P.2.3	The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers.						
P.10.4	BQL = Below Quantifiable Limits - Note: The data reported is for the color print test. Mono print test results: Ozone – BQL; Styrene - 0.14 mg/hr; Benzene – BQL; Dust – BQL; and TVOC – 0.80 mg/hr						
	Additional company information and company environmental policy may be found at http://lexmark.com/environment Specific printer and supply item recycling information for your area may be found at http://lexmark.com/recycle Lexmark Sweden is connected to REPA and El-kretsen						

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1