



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	-
Contact information *	Nadia Martin (USA)	LEXMARK
Internet site *	www.lexmark.se / www.lexmark.com	
Additional information		

The company declares (ba	The company declares (based on product specification or test results based obtained from sample testing), that the product			
conforms to the statement	conforms to the statements given in this declaration.			
Type of product *	ype of product * Single Function Color Laser Printer			
Commercial name *	Lexmark C736n			
Model number *	C736n			
Issue date *	2-19-2009			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes		

Model number *		C736n					
Issue date *		2-19-2009 Lo		LEXM	ARK		
Product	Product environmental attributes - Legal requirements Requirement me						
Item					No		
P1	Hazarda	up substances and propertiens		Yes	INU	n.a.	
P1.1*		bus substances and preparations b do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexaval	ont chromium				
F 1.1		%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers		\bowtie			
	0.1% (se	be legal reference and ^{Note 1}).	(I DDL) Max				
P1.2*		s do not contain Asbestos (see legal reference).		\boxtimes			
1 1.2		t: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),						
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			\bowtie			
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m					
	concentr	ation values.					
P1.4*	Products	do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorina	ated terphenyl	\boxtimes			
		ax 0.005% by weight (see legal reference).					
P1.5*		do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	chain containing	\square			
		18% per mass of chlorine in the SCCP max 0.1% (see legal reference).					
P1.6*		nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-pho				\boxtimes	
		ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal referenc	e).				
		nt: Legal reference has no maximum concentration values.				<u> </u>	
P1.7*		nd leather parts with direct skin contact do not contain Azo colorants that split aron	latic amines			\boxtimes	
D4.0*		03% by weight (see legal reference and Note 1).					
P1.8*		parts do not contain arsenic and chromium as a wood preservation treatment as w	ell as			\bowtie	
		orophenol and derivatives (see legal reference). nt: Legal reference has no maximum concentration values.					
P1.9*		h direct and prolonged skin contact do not release nickel in concentrations above C	5				
F 1.9	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5						
	•	It: Max limit in legal reference when tested according to EN1811:1998.					
P2	Batterie						
P2.1*		duct contains a battery or an accumulator, it is labeled with the disposal symbol an	d if it contains	\square			
		in 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lea					
		with the chemical symbol for the metal concerned, Hg or Pb. Information on proper					
	provided in user manual. (See legal reference)						
P2.2*	Button c	ells used in the product do not contain more than 2% by weight of mercury. Other b	atteries or	\boxtimes			
		ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See le					
P2.3*		and accumulators are easily removable by either users or service providers (as de		\boxtimes			
		f the product). Exception: Batteries that are permanently installed for safety, perfor	mance, medical				
		ntegrity reasons do not have to be "easily removable". (See legal reference)					
P3		EMC connection to the telephone network and labeling					
P3.1*		luct complies with legally required safety standards as specified (see legal reference		\square			
P3.2*	The proc	luct complies with legally required standards for electromagnetic compatibility (see	legal reference).	\square			
P3.3*	If produc	t is intended for connection to a public telecom network or contains a radio transmi	tter, it complies				
	with lega	Ily required standards for radio and telecommunication devices (see legal referenc	e).		-		
P3.4*	The proc	luct is labeled to show conformance with applicable legal requirements (see legal r	eference).	\square			
P4	Consum	able materials					
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma	x 0.01% (see				
		erence and Note 1).					
P4.2*		er is used in the product, it does not contain cadmium max 0.1% by weight (see leg	al reference).	\square			
P4.3*		/toner formulation/preparation is classified as hazardous according to applicable re			+		
1 4.0		backaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordar					
	requirements (see legal reference).						
P5		packaging					
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium						
-	max 0.01% by weight of these together.						
P5.2*		ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal	reference).	\square			
P5.3*		luct packaging material is free from ozone depleting substances as specified in the			\exists	\exists	
1 0.0		(see legal reference).	montroal				
		it: Legal reference has no maximum concentration values.					
L							

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	umber *	C736n			
Issue da	te *	2-19-2009 Logo	LEXM	I NRK	
Brodu	ot onvira	nmontol attributos Markat requiremento. Environmontal conscious design	Boquir	omoni	mot
Item		nmental attributes - Market requirements - Environmental conscious design atory to fill in. Additional information regarding each item may be found under P14.	Requir Yes	No	
P6		nt information	165	INU	n.a.
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).			
P7	Design	mbly, recycling			
P7.1*		at have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.		H	H
P7.3*		arts >100g consist of one material or of easily separable materials.		╞	⊢⊢
P7.4*	-	arts >25g have material codes according to ISO 11469 referring ISO 1043.		⊢⊢	⊢⊢
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools		╞	⊢⊢
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		<u> </u>	⊢⊢
P7.0					
P7.7*		lifetime			
		ng can be done e.g. with processor, memory, cards or drives		<u> </u>	<u> </u>
P7.8*		ng can be done using commonly available tools	\square		
P7.9.		arts are available after end of production for: 5 years			
P7.10	Service	is available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type:			
		type: ABS Material type: HIPS Material type: PC/AI	BS		
P7.12		I cable insulation material of power cables are halogen free (including PVC). (See Note 1)		\square	
P7.13	Electrica	I cable insulation material of signal cables are halogen free (including PVC). (See Note 1)		\square	
P7.14	All cove	/housing plastic parts >25g are halogen free. (See Note 1)	\boxtimes		
P7.15	All printe	d circuit boards (without components) >25g are halogen free. (See Note 2)		\boxtimes	
P7.16	Flame re Marking	etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)			
P7.17	Alt. 1 Chemica	al specifications of flame retardants in printed circuit boards >25g (without components): (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
_	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: <i>FR(16)</i>	g 🔀		
P7.18	concent	etarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%: nt: No legal limits exist, this is a market requirement.			
	2. Chem	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:			
	FR(40),	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4: <i>FR(17), FR(16), FR(50)</i>			
P7.19		blastic parts' weight >25g, recycled material content is %.			
P7.20		blastic parts' weight >25g, biobased material content is %.			
P7.21	If mercu	ry is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batterie				
P8.1*	-	chemical composition: Lithium Manganese Dioxide (LiMnO2)			
P8.2	Batteries	meet the requirements of the following voluntary program/s:			

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	C736n		
Issue date *	2-19-2009	Logo	LEXMARK

Produc	ct environmental a	attributes - Marke	t requirements (continued)	Re	quirement	met
ltem			• •			Yes No	n.a.
P9	Energy consumpt						
9.1	For the product the	following power leve	ls or energy consur	nptions have been	<u>measured:</u>		
Energy	mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for ener and test method *	rgy modes	
Printing	3	525 W	521.9 W	502.3 W	Company Standard		
Ready		42.5 W	42.3 W	42.9 W	Energy Star TEC		F
Sleep		15.25 W	15 W	15.81 W	Energy Star TEC		Ħ
Off		0 W	0 W	0 W	Energy Star TEC		H
		W	W	W			믐
		W	W	W			⊢⊢
EPS No	laad	W	W	W			
(Externa charger	al power supply / plugged in the wall ut disconnected from	vv	vv	v			
PTEC * Typical	Energy Consumption	W	W	W			
TEC * Typical	Energy Consumption	4.67 kWh/week	4.62 kWh/week	4.69 kWh/wee	k		
Default	time to enter energy s	ave mode: 30 minut	es				
P9.2*		he energy save funct		the product.			Ħ
P9.3*	The product meets ENERGY STAR® Others specify:	the energy requirem /ersion Tier:	ents of the following	y voluntary prograr	n/s:		
P10	Emissions						
		Declared according t	o ISO 9296				
P10.1	Mode N	lode description		Declared A-weighted	Declared A-weighted	(dD)	
				sound power	sound pressure level L_{pAm}		_
				level L_{WAd} (B)	(and a final	positions 🔀	
					operat	roduct is not or attended)	
	Idle *	Idle/Ready		* 4.9	or Desk side 33		
				4.9			
	Operation *	Simplex Monochro	me Printing	* 6.9	54		
1	Other mode						-
	Measured accordin	g to: 🔀 ISO7779 🗌 Other		d by ECMA-74 wit	th L _{pAm} measurement distance	m)	
P10.2	The product meets						
	2 The product meets the acoustic noise requirements of the following voluntary program/s:						
P10.3*		ording to ECMA-328		tandard 📃, other	specify: RAL-UZ-122		
P10.4							
D 46 -		Dust BQL Ozone		Benzene BQL			
P10.5	Chemical emission	requirements of the	following voluntary Dust 🔀	•			
			Benzene	Ozon TVO			
	Electromagnetic e	missions		1.000			
P10.6	Computer display r		t for low frequency	electromagnetic fi	elds of the following voluntary		\square
	program/s:						

Model number * C736n							
Issue date *		2-19-2009	Logo		LEXM	RĶ	
Duadaa					D!		
-	roduct environmental attributes - Market requirements (continued) Requirement m						
Item	_				Yes	No	n.a.
P11 P11.1*		nable materials for printing products Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	ired (eee l				
			,			<u> </u>	<u> </u>
P11.2*	EN1228		uirements	of			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes	
P12		nics for computing products					
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	iired (see l	P4.3).	\square		
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technology	gies.				Х
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.					\boxtimes
P13	Packagi	ng and documentation					
P13.1*	 * Product packaging material type(s): Corrugated weight (kg): 3.601 kg Product packaging material type(s): Polyethylene Foam weight (kg): 0.673 kg Product packaging material type(s): High Density Polyethylene (HDPE) weight (kg): 0.165 kg 						
P13.2*	Product	plastic packaging is halogen free (including PVC). (See Note 1)			\bowtie		
P13.3*	Specify r	nedia for user and product documentation (tick box):					
	Electroni	ic 🛛 🔀 Paper 🔀 Other 🗌					
P13.4*	For pape fiber.	er user and product documentation, please specify contained percentage of post-cc %	onsumer re	ecycled			
P14	Additior	nal information					
P1.1	This pro	oduct uses RoHS exemptions for lead used in small amounts for specific appl	lications.				
P2.1	The battery contained within this product should be disposed of properly with the product. The product is properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guide.						
P.2.3	The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers.					•	
P.10.4							
	Additional company information and company environmental policy may be found at http://lexmark.com/environment Specific printer and supply item recycling information for your area may be found at http://lexmark.com/recycle Lexmark Sweden is connected to REPA and El-kretsen						

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1