



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

| Brand * | Lexmark | Logo |
|------------------------|--------------------------------|----------------|
| Company name * | Lexmark International, Inc. | |
| Contact information * | Nadia Martin (USA) | LEXMARK |
| Internet site * | www.lexmark.se/www.lexmark.com | |
| Additional information | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | | |
|--|--|--|--|--|--|
| Type of product * | ultifunction Mono Laser Printer | | | | |
| Commercial name * | exmark X264dn | | | | |
| Model number * | X264dn | | | | |
| Issue date * | 3/4/2009 | | | | |
| Intended market * | Global Europe Asia, Pacific & Japan Americas Other | | | | |
| Additional information | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality | Control | Requireme | ent met |
|---------|--|-------------|---------|
| Item | | Yes | No |
| QC1 * | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration | \boxtimes | |
| QC2 * | The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org). | \boxtimes | |

| Model number * | X264dn | | | |
|----------------|----------|------|---|--------|
| Issue date * | 3/4/2009 | Logo | I | EXMARK |

| Product | duct environmental attributes - Legal requirements | | | Requirement met | | | |
|-------------------|--|-------------|-------------------|-----------------|--|--|--|
| Item | | Yes | No | n.a. | | | |
| P1 | Hazardous substances and preparations | | | | | | |
| P1.1* | Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium | \boxtimes | | | | | |
| | max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max | | _ | | | | |
| | 0,1% (see legal reference and Note 1). | | | | | | |
| P1.2* | Products do not contain Asbestos (see legal reference). | \boxtimes | | | | | |
| | Comment: Legal reference has no maximum concentration value. | | | | | | |
| P1.3* | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), | \boxtimes | | | | | |
| | hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1- | | | | | | |
| | trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. | | | | | | |
| P1.4* | Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl | | $\overline{}$ | | | | |
| Г 1. 4 | (PCT) max 0.005% by weight (see legal reference). | | Ш | | | | |
| P1.5* | Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing | | \neg | | | | |
| 1 1.5 | at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference). | | Ш | | | | |
| P1.6* | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), | \neg | $\overline{}$ | \boxtimes | | | |
| 1 1.0 | Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). | | Ш | | | | |
| | Comment: Legal reference has no maximum concentration values. | | | | | | |
| P1.7* | Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines | | \Box | X | | | |
| | max 0.003% by weight (see legal reference and Note 1). | ш | ш | | | | |
| P1.8* | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as | | П | \boxtimes | | | |
| | pentachlorophenol and derivatives (see legal reference). | | _ | | | | |
| | Comment: Legal reference has no maximum concentration values. | | | | | | |
| P1.9* | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 | \boxtimes | П | | | | |
| | microgram/cm2/week (see legal reference). | | | _ | | | |
| | Comment: Max limit in legal reference when tested according to EN1811:1998. | | | | | | |
| P2 | Batteries | | | | | | |
| P2.1* | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains | \boxtimes | | | | | |
| | more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be | | | | | | |
| | marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is | | | | | | |
| P2.2* | provided in user manual. (See legal reference) | | $\overline{}$ | | | | |
| P2.2 | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) | \boxtimes | Ш | Ш | | | |
| P2.3* | Batteries and accumulators are easily removable by either users or service providers (as dependent on the | \boxtimes | $\overline{}$ | $\overline{}$ | | | |
| 1 2.5 | design of the product). Exception: Batteries that are permanently installed for safety, performance, medical | | Ш | Ш | | | |
| | or data integrity reasons do not have to be "easily removable". (See legal reference) | | | | | | |
| P3 | Safety, EMC connection to the telephone network and labeling | | | | | | |
| P3.1* | The product complies with legally required safety standards as specified (see legal reference). | | $\overline{\Box}$ | | | | |
| P3.2* | The product complies with legally required standards for electromagnetic compatibility (see legal reference). | | ∺ | + | | | |
| | | | Щ. | _ <u></u> | | | |
| P3.3* | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies | \boxtimes | | | | | |
| D2 4* | with legally required standards for radio and telecommunication devices (see legal reference). | | | | | | |
| P3.4* | The product is labeled to show conformance with applicable legal requirements (see legal reference). | | <u>Ш</u> | | | | |
| P4 | Consumable materials | | | | | | |
| P4.1* | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see | \boxtimes | | | | | |
| | legal reference and Note 1). | | | | | | |
| P4.2* | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). | | | | | | |
| P4.3* | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the | \square | | | | | |
| | product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these | | | | | | |
| | requirements (see legal reference). | | | | | | |
| P5 | Product packaging | | | | | | |
| P5.1* | Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium | \boxtimes | | | | | |
| DE 0* | max 0.01% by weight of these together. | | | | | | |
| P5.2* | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). | \boxtimes | | | | | |
| P5.3* | The product packaging material is free from ozone depleting substances as specified in the Montreal | \boxtimes | | | | | |
| | Protocol (see legal reference). | | | _ _ | | | |
| | Comment: Legal reference has no maximum concentration values. | | | | | | |

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

| Model number * | X264dn | | |
|----------------|----------|------|---------|
| Issue date * | 3/4/2009 | Logo | LEXMARK |

| Produc | ct environmental attributes - Market requirements - Environmental conscious design | Require | men | met | | | |
|--------|---|------------------------|-------------|-------------------|--|--|--|
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. | | | |
| P6 | Treatment information | | | | | | |
| P6.1* | Information for recyclers/treatment facilities is available (see legal reference). | | | Ш | | | |
| P7 | Design Disassembly, recycling | | | | | | |
| P7.1* | Parts that have to be treated separately are easily separable | \square | П | П | | | |
| P7.2* | Plastic materials in covers/housing have no surface coating. | X | Ħ | | | | |
| P7.3* | Plastic parts >100g consist of one material or of easily separable materials. | | Ħ | | | | |
| P7.4* | Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. | | Ħ | | | | |
| P7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | | Ħ | $\overline{\Box}$ | | | |
| P7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | | Ħ | Ħ | | | |
| | Product lifetime | | | | | | |
| P7.7* | Upgrading can be done e.g. with processor, memory, cards or drives | \square | | | | | |
| P7.8* | Upgrading can be done using commonly available tools | $\overline{\boxtimes}$ | Ī | | | | |
| P7.9. | Spare parts are available after end of production for: 5 years | | | | | | |
| P7.10 | Service is available after end of production for: 5 years | | | | | | |
| | Material and substance requirements | | | | | | |
| P7.11* | Product cover/housing material type: | | | | | | |
| D7.40 | Material type: ABS Material type: HIPS Material type: PC/ABS | | | | | | |
| P7.12 | Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1) | | | Ц. | | | |
| P7.13 | Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1) | | | | | | |
| P7.14 | All cover/housing plastic parts >25g are halogen free. (See Note 1) | \boxtimes | Щ | | | | |
| P7.15 | All printed circuit boards (without components) >25g are halogen free. (See Note 2) | | \boxtimes | | | | |
| P7.16 | Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40) | | | | | | |
| P7.17 | Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): | | П | | | | |
| | TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #: | | | | | | |
| | Alt. 2 | | | | | | |
| | Chemical specifications of flame retardants in printed circuit boards (without components) >25g according | \bowtie | | | | | |
| | ISO 1043-4: <i>FR(16)</i> | | | | | | |
| P7.18 | Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in | | | | | | |
| | concentrations above 0.1%: | ш | ш | | | | |
| | Comment: No legal limits exist, this is a market requirement. | | | | | | |
| | 1. Chemical name: CAS #: | | | | | | |
| | 2. Chemical name: CAS #: | | | | | | |
| | 3. Chemical name: CAS #: | | | | | | |
| | Alt. 2 | | | | | | |
| | Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: | \bowtie | | | | | |
| | FR(40), FR(17), FR(16), FR(50) | | | | | | |
| P7.19 | Of total plastic parts' weight >25g, recycled material content is %. | | | | | | |
| P7.20 | Of total plastic parts' weight >25g, biobased material content is %. | | _ | | | | |
| P7.21 | Light sources are free from mercury If mercury is used specify: Number of lamps: 1 and max. mercury content per lamp: 1.2 mg | | | | | | |
| P8 | Batteries | | | | | | |
| P8.1* | Battery chemical composition: Lithium Manganese Dioxide (LiMnO2) | | | | | | |
| P8.2 | Batteries meet the requirements of the following voluntary program/s: | | | | | | |

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

| Model number * | X264dn | | |
|----------------|----------|------|---------|
| Issue date * | 3/4/2009 | Logo | LEXMARK |

| Product environmental attributes - Market requirements (continued) Requirement met | | | | | | | | met | |
|---|---|--|---------------------------------|---|---|----------------------------------|---------------------------|----------|-------------|
| Item | | | | | | | n.a. | | |
| P9 Energy consumption 9.1 For the product the following power levels or energy consumptions have been measured: | | | | | | | | | |
| 9.1 | For the product the | e following power levels | s or energy consum | ptions have been | meas | sured: | | | |
| Energy r | node * | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | | Reference / Star and test method | ndard for energy mod * | les | |
| Printing | | 437.4 W | 414 W | 418 W | | Company Stand | dard | | |
| Copying | J | 439 W | 379.4 W | 389.7 W | | Company Stand | dard | | |
| Scannin | g | 28.65 W | 28.9 W | 28.7 W | | Company Stand | dard | | |
| Ready | | 19.0 W | 19.07 W | 19.12 W | | Energy Star TE | С | | |
| Sleep | | 12.72 W | 13.32 W | 13.16 W | | Energy Star TE | С | | |
| Off | | 0 W | <i>0</i> W | <i>0</i> W | | Energy Star TE | С | | |
| charger | I power supply / plugged in the wall t disconnected from | W | W | W | | | | | |
| PTEC * Typical E | Energy Consumption | W n | W | W | | | | | |
| TEC * Typical E | Energy Consumption | 3.11 kWh/week | 3.19 kWh/week | 3.18 kWh/weel | k | | | | |
| Default t | ime to enter energy | save mode: 30 minutes | S | | | l | | | |
| P9.2* | | the energy save function | | he product. | | | \boxtimes | \Box | П |
| P9.3* | The product meets ENERGY STAR® Others specify: | s the energy requirement version 1.0 Tier:1 | nts of the following | voluntary progran | n/s: | | | | |
| P10 | Emissions | | | | | | | | |
| | Noise emission - | Declared according to | ISO 9296 | | | | | | |
| P10.1 | Mode | Mode description | | $\begin{array}{c} \text{Declared} \\ \text{A-weighted} \\ \text{sound power} \\ \text{level } L_{W \! \text{Ad}} \left(\mathbf{B} \right) \end{array}$ | sound pressure level $L_{p{\rm Am}}$ (dB) | | s not | | |
| | Idle | * Ready | | * n.a. | | | n.a. | | \boxtimes |
| | Operation | * Simplex Monochrom | o Printing | * 6.7 | | | 52 | | |
| | Орегалоп | | | 0.7 | | | 52 | | Ш |
| | Other mode | Duplex Monochrome | e Printing | 6.6 | | | 52 | | |
| | Measured accordi | ng to: ISO7779 Other | ECMA-74 (only if not covered | by ECMA-74 wit | h L _{pAn} | _n measurement dis | stance m) | | |
| P10.2 | The product meet | s the acoustic noise req | uirements of the fo | llowing voluntary | progra | am/s: <i>RAL-UZ-12</i> | 2 | | |
| D4C Ct | | ons from printing prod | | | | | | | |
| P10.3* | <u> </u> | cording to ECMA-328 (| , | andard, other | speci | fy: RAL-UZ-122 | | <u>Ш</u> | Ш |
| P10.4 | Typical emission r | ate (print phase) is (mg | | | T) (C | 0.40 | | | |
| P10.5 | Dust BQL Ozone BQL Styrene 0.1 Benzene BQL TVOC 1.0 P10.5 Chemical emission requirements of the following voluntary program/s RAL-UZ-122 are met for: Dust Ozone Styrene Benzene TVOC | | | | | | | | |
| | Electromagnetic emissions | | | | | | | | |
| P10.6 | | | | | | | | | |

| Model number * | X264dn | | |
|----------------|----------|------|---------|
| Issue date * | 3/4/2009 | Logo | LEXMARK |

| Produc | t environmental attributes - Market requirements (continued) | Require | ment | met | | | |
|--------|--|-------------|-------|-------------|--|--|--|
| Item | · · · · · · · · · · · · · · · · · · · | Yes | No | n.a. | | | |
| P11 | Consumable materials for printing products | | | | | | |
| P11.1* | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). | | | | | | |
| P11.2* | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. | 1. | | | | | |
| P11.3* | 2-sided (duplex) printing/copying is an integrated product function. | \boxtimes | | | | | |
| P12 | Ergonomics for computing products | | | | | | |
| P11.1* | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). | \boxtimes | | | | | |
| P12.1* | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. | | | \boxtimes | | | |
| P12.2* | The physical input device meets the requirements of ISO 9995 and ISO 9241-410. | | | \boxtimes | | | |
| P13 | Packaging and documentation | | | • | | | |
| P13.1* | Product packaging material type(s): Corrugated weight (kg): 2.154 kg Product packaging material type(s): Expanded Polystyrene (EPS) weight (kg): 0.296 kg Product packaging material type(s): High Density Polyethylene (HDPE) weight (kg): 0.062 kg | | | | | | |
| P13.2* | Product plastic packaging is halogen free (including PVC). (See Note 1) | \boxtimes | | | | | |
| P13.3* | Specify media for user and product documentation (tick box): Electronic | | | | | | |
| P13.4* | For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 0% | | | | | | |
| P14 | Additional information | | | | | | |
| P1.1 | This product uses RoHS exemptions for lead and mercury used in small amounts for specific applicate | | | | | | |
| P2.1 | The battery contained within this product should be disposed of properly with the product. The product labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product Use | er's Guide. | | | | | |
| P.2.3 | The battery contained within this product meets the exception listed. The battery is not intended to b customer; however, is designed for easy removal by recyclers and service providers. | e removed | by th | е | | | |
| P.10.4 | BQL = Below Quantifiable Limits Additional company information and company environmental policy may be found at http://lexmark.co Specific printer and supply item recycling information for your area may be found at http://lexmark.co Lexmark Sweden is connected to REPA and El-kretsen | | ıment | | | | |

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

| Reference | Declaration item |
|--|------------------------------|
| 2002/95/EC (ROHS Directive) | P1.1, P4.1 |
| 76/769/EEC (Marketing and Use Directive) | P1.6, P1.8, P4.2 |
| amendment 89/677/EEC | P1.4 |
| amendment 1999/77/EC | P1.2 |
| amendment 2003/3/EC | P1.7 |
| amendment 94/27/EEC | P1.9 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000 | P1.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| 2006/66/EC (Battery and accumulators Directive) | P2.1, P2.2, P2,3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive) | P3.1, 3.4 |
| 2004/108/EEC (New EMC Directive) | P3.2, 3.4 |
| 1999/5/EC (R&TTE Directive) | P3.3, 3.4 |
| "REACH" Regulation (1907/2006), annex VII | P4.2 |
| 1999/45/EC (Dangerous Preparations Directive) | P4.3 |
| 2001/58/EC (Directive on Safety Data Sheets) | P4.3 |
| 2004/12/EC (Directive on packaging and packaging waste) | P5.1 |
| (97/129/EC) (Commission Decision on Identification System for Packaging Materials | P5.2 |
| 2037/2000/EC Regulation on Substances that Deplete the Ozone Layer | P5.3 |
| 2002/96/EC (WEEE directive) | P3.4, P6.1 |
| | |