



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

| Brand * | Lexmark | Logo |
|------------------------|--------------------------------|----------------|
| Company name * | Lexmark International, Inc. | |
| Contact information * | Nadia Martin (USA) | LEXMARK |
| Internet site * | www.lexmark.se/www.lexmark.com | |
| Additional information | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | |
|--|--|--|--|--|
| Type of product * | ultifunction Color Laser Printer | | | |
| Commercial name * | exmark X734de | | | |
| Model number * | X734de | | | |
| Issue date * | 3/4/2009 | | | |
| Intended market * | Global Europe Asia, Pacific & Japan Americas Other | | | |
| Additional information | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality | Quality Control | | |
|---------|--|-------------|----|
| Item | | Yes | No |
| QC1 * | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration | | |
| QC2 * | The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org). | \boxtimes | |

| Model number * | X734de | | |
|----------------|----------|------|---------|
| Issue date * | 3/4/2009 | Logo | LEXMARK |

| Product | | | | Requirement met | | |
|-------------------|--|-------------|-------------------|-----------------|--|--|
| Item | | Yes | No | n.a. | | |
| P1 | Hazardous substances and preparations | | | | | |
| P1.1* | Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium | \boxtimes | | | | |
| | max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max | | _ | | | |
| | 0,1% (see legal reference and Note 1). | | | | | |
| P1.2* | Products do not contain Asbestos (see legal reference). | \boxtimes | | | | |
| | Comment: Legal reference has no maximum concentration value. | | | | | |
| P1.3* | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), | \boxtimes | | | | |
| | hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1- | | | | | |
| | trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. | | | | | |
| P1.4* | Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl | | $\overline{}$ | | | |
| Г 1. 4 | (PCT) max 0.005% by weight (see legal reference). | | Ш | | | |
| P1.5* | Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing | | \neg | | | |
| 1 1.5 | at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference). | | Ш | | | |
| P1.6* | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), | \neg | $\overline{}$ | \boxtimes | | |
| 1 1.0 | Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). | | Ш | | | |
| | Comment: Legal reference has no maximum concentration values. | | | | | |
| P1.7* | Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines | | \Box | X | | |
| | max 0.003% by weight (see legal reference and Note 1). | ш | ш | | | |
| P1.8* | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as | | П | \boxtimes | | |
| | pentachlorophenol and derivatives (see legal reference). | | _ | | | |
| | Comment: Legal reference has no maximum concentration values. | | | | | |
| P1.9* | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 | \boxtimes | П | | | |
| | microgram/cm2/week (see legal reference). | | | _ | | |
| | Comment: Max limit in legal reference when tested according to EN1811:1998. | | | | | |
| P2 | Batteries | | | | | |
| P2.1* | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains | \boxtimes | | | | |
| | more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be | | | | | |
| | marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is | | | | | |
| P2.2* | provided in user manual. (See legal reference) | | $\overline{}$ | | | |
| P2.2 | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) | \boxtimes | Ш | Ш | | |
| P2.3* | Batteries and accumulators are easily removable by either users or service providers (as dependent on the | \boxtimes | $\overline{}$ | $\overline{}$ | | |
| 1 2.5 | design of the product). Exception: Batteries that are permanently installed for safety, performance, medical | | Ш | Ш | | |
| | or data integrity reasons do not have to be "easily removable". (See legal reference) | | | | | |
| P3 | Safety, EMC connection to the telephone network and labeling | | | | | |
| P3.1* | The product complies with legally required safety standards as specified (see legal reference). | | $\overline{\Box}$ | | | |
| P3.2* | The product complies with legally required standards for electromagnetic compatibility (see legal reference). | | ∺ | + | | |
| | | | Щ. | _ <u></u> | | |
| P3.3* | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies | \boxtimes | | | | |
| D2 4* | with legally required standards for radio and telecommunication devices (see legal reference). | | | | | |
| P3.4* | The product is labeled to show conformance with applicable legal requirements (see legal reference). | | <u>Ш</u> | | | |
| P4 | Consumable materials | | | | | |
| P4.1* | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see | \boxtimes | | | | |
| | legal reference and Note 1). | | | | | |
| P4.2* | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). | | | | | |
| P4.3* | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the | \square | | | | |
| | product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these | | | | | |
| | requirements (see legal reference). | | | | | |
| P5 | Product packaging | | | | | |
| P5.1* | Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium | \boxtimes | | | | |
| DE 0* | max 0.01% by weight of these together. | | | | | |
| P5.2* | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). | \boxtimes | | | | |
| P5.3* | The product packaging material is free from ozone depleting substances as specified in the Montreal | \boxtimes | | | | |
| | Protocol (see legal reference). | | | _ _ | | |
| | Comment: Legal reference has no maximum concentration values. | | | | | |

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

| Model number * | X734de | | |
|----------------|----------|------|---------|
| Issue date * | 3/4/2009 | Logo | LEXMARK |

| Produ | oduct environmental attributes - Market requirements - Environmental conscious design Requirement met | | | | | | |
|--------|--|-------------|-------------------|------|--|--|--|
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. | | | |
| P6 | Treatment information | <u></u> _ | _ | | | | |
| P6.1* | Information for recyclers/treatment facilities is available (see legal reference). | \boxtimes | | | | | |
| P7 | Design Disassembly, recycling | | | | | | |
| P7.1* | Parts that have to be treated separately are easily separable | \boxtimes | | | | | |
| P7.2* | Plastic materials in covers/housing have no surface coating. | \boxtimes | | | | | |
| P7.3* | Plastic parts >100g consist of one material or of easily separable materials. | \boxtimes | | | | | |
| P7.4* | Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. | X | | | | | |
| P7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | \boxtimes | | | | | |
| P7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | | $\overline{\Box}$ | | | | |
| | Product lifetime | | | | | | |
| P7.7* | Upgrading can be done e.g. with processor, memory, cards or drives | \boxtimes | | | | | |
| P7.8* | Upgrading can be done using commonly available tools | | T | | | | |
| P7.9. | Spare parts are available after end of production for: 5 years | | | | | | |
| P7.10 | Service is available after end of production for: 5 years | | | | | | |
| | Material and substance requirements | | | _ | | | |
| P7.11* | Product cover/housing material type: | | | | | | |
| | Material type: ABS Material type: HIPS Material type: PC/ABS | | | | | | |
| P7.12 | Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1) | | \boxtimes | | | | |
| P7.13 | Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1) | | \boxtimes | | | | |
| P7.14 | All cover/housing plastic parts >25g are halogen free. (See Note 1) | \boxtimes | | | | | |
| P7.15 | All printed circuit boards (without components) >25g are halogen free. (See Note 2) | | \boxtimes | | | | |
| P7.16 | Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40) | | | | | | |
| P7.17 | Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #: | | | | | | |
| | Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16) | | | | | | |
| P7.18 | Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. | | | | | | |
| | 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: | | | | | | |
| | Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40), FR(17), FR(16), FR(50) | | | | | | |
| P7.19 | Of total plastic parts' weight >25g, recycled material content is %. | | | | | | |
| P7.20 | Of total plastic parts' weight >25g, biobased material content is %. | | _ | | | | |
| P7.21 | Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg | | Ш | | | | |
| P8 | Batteries | | | | | | |
| P8.1* | Battery chemical composition: Lithium Manganese Dioxide (LiMnO2) | | | | | | |
| P8.2 | Batteries meet the requirements of the following voluntary program/s: | | | 一一 | | | |

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

| Model number * | X734de | | |
|----------------|----------|------|---------|
| Issue date * | 3/4/2009 | Logo | LEXMARK |

| | t environmental | attributes - Market | requirements (c | ontinued) | | | Require | | met |
|--|--|--|---------------------------------|-------------------------|--------------------|-------------------------------------|-----------------------|----------|----------|
| Item | | | | | | n.a. | | | |
| P9 Energy consumption 9.1 For the product the following power levels or energy consumptions have been measured: | | | | | | | | | |
| 9.1 | For the product th | e following power levels | or energy consum | ptions have been | meas | sured: | | | |
| Energy r | node * | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | | Reference / Stan and test method | dard for energy mod * | des | |
| Printing | | 510.3 W | 524.8 W | 497.6 W | | Company Stand | dard | | |
| Copying | J | 459 W | 509 W | 461 W | | Company Stand | dard | | |
| Scannin | ıg | 54.1 W | 53.5 W | 57.6 W | | Company Stand | dard | | |
| Ready | | 37.1 W | 42.6 W | 46.2 W | | Energy Star TE | С | | |
| Sleep | | 21.9 W | 20.9 W | 22.9 W | | Energy Star TE | C | | |
| Off | | <i>0</i> W | <i>0</i> W | <i>0</i> W | | Energy Star TE | С | | |
| charger | I power supply / plugged in the wall t disconnected fron | W | W | W | | | | | |
| PTEC * Typical E | Energy Consumptio | w n | W | W | | | | | |
| TEC * Typical E | Energy Consumptio | 6.085 kWh/week | 6.10 kWh/week | 6.18 kWh/weel | k | | | | |
| Default t | ime to enter energy | save mode: 30 minutes | <u> </u> | | | | | | |
| P9.2* | | the energy save function | | he product. | | | \boxtimes | | \dashv |
| P9.3* | | s the energy requirement version 1.0 Tier:1 | nts of the following | voluntary progran | n/s: | | | <u> </u> | |
| P10 | Emissions | | | | | | | | |
| | Noise emission - | - Declared according to | ISO 9296 | | | | | | |
| P10.1 | Mode | $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | | is not | | | | |
| | Idle | * Idle/Ready | | * 4.6 | | | 35 | | |
| | Operation | * Simplex Monochrom | o Printing | * 6.9 | | | 53 | | |
| | Operation | Simplex Monochion | ermang | 0.9 | | | 33 | | |
| | Other mode | Duplex Monochrome | Printing | 6.9 | | | 53 | | |
| | Measured accord | · = - | ECMA-74 (only if not covered | l by ECMA-74 wit | h L _{pAn} | neasurement dis | stance m) | | |
| P10.2 | The product meet | s the acoustic noise req | uirements of the fo | llowing voluntary | progra | am/s: <i>RAL-UZ-12</i> 2 | 2 🔀 | | |
| Chemical emissions from printing products | | | | | | | | | |
| P10.3* | | cording to ECMA-328 (| | andard, other | specif | fy: RAL-UZ-122 | | | |
| P10.4 | Typical emission | rate (print phase) is (mg | • | | T) / C | 0.00 | | | |
| P10.5 | Dust 🗵 Ozone 🗵 Styrene 🖂 | | | | | | | | |
| | Benzene TVOC TVOC Electromagnetic emissions | | | | | | | | |
| P10.6 | | | | | | | | | |

| Model number * | X734de | | |
|----------------|----------|------|---------|
| Issue date * | 3/4/2009 | Logo | LEXMARK |

| Produc | duct environmental attributes - Market requirements (continued) Requirement met | | | | | |
|--------|---|-------------|-------|-------------|--|--|
| Item | · · · · · · · · · · · · · · · · · · · | Yes | No | n.a. | | |
| P11 | Consumable materials for printing products | | | | | |
| P11.1* | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). | | | | | |
| P11.2* | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. | | | | | |
| P11.3* | 2-sided (duplex) printing/copying is an integrated product function. | | | | | |
| P12 | Ergonomics for computing products | | | | | |
| P11.1* | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). | \boxtimes | | | | |
| P12.1* | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. | | | \boxtimes | | |
| P12.2* | The physical input device meets the requirements of ISO 9995 and ISO 9241-410. | | | \boxtimes | | |
| P13 | Packaging and documentation | | • | • | | |
| P13.1* | Product packaging material type(s): Wood Product packaging material type(s): Corrugated Product packaging material type(s): Polyethylene Foam Paperboard = 0.295 kg High Density Polyethylene (HDPE) = 0.233 kg Polypropylene = 0.065 kg weight (kg): 5.260 kg weight (kg): 5.260 kg | | | | | |
| P13.2* | Product plastic packaging is halogen free (including PVC). (See Note 1) | \boxtimes | | | | |
| P13.3* | Specify media for user and product documentation (tick box): Electronic | | | | | |
| P13.4* | fiber. 0% | | | | | |
| P14 | Additional information | | | | | |
| P1.1 | This product uses RoHS exemptions for lead and mercury used in small amounts for specific applicat | ions. | | | | |
| P2.1 | | | | | | |
| P.2.3 | customer; however, is designed for easy removal by recyclers and service providers. | | | | | |
| P.10.4 | BQL = Below Quantifiable Limits - Note: The data reported is for the color print test. Mono print test results: Ozone – BQL; Styrene - 0.14 mg/hr; Benzene – BQL; Dust – BQL; and TVOC – | 0.74 mg/hr | • | | | |
| | Additional company information and company environmental policy may be found at http://lexmark.co Specific printer and supply item recycling information for your area may be found at http://lexmark.co Lexmark Sweden is connected to REPA and El-kretsen | | nment | | | |

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

| Reference | Declaration item |
|--|------------------------------|
| 2002/95/EC (ROHS Directive) | P1.1, P4.1 |
| 76/769/EEC (Marketing and Use Directive) | P1.6, P1.8, P4.2 |
| amendment 89/677/EEC | P1.4 |
| amendment 1999/77/EC | P1.2 |
| amendment 2003/3/EC | P1.7 |
| amendment 94/27/EEC | P1.9 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000 | P1.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| 2006/66/EC (Battery and accumulators Directive) | P2.1, P2.2, P2,3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive) | P3.1, 3.4 |
| 2004/108/EEC (New EMC Directive) | P3.2, 3.4 |
| 1999/5/EC (R&TTE Directive) | P3.3, 3.4 |
| "REACH" Regulation (1907/2006), annex VII | P4.2 |
| 1999/45/EC (Dangerous Preparations Directive) | P4.3 |
| 2001/58/EC (Directive on Safety Data Sheets) | P4.3 |
| 2004/12/EC (Directive on packaging and packaging waste) | P5.1 |
| (97/129/EC) (Commission Decision on Identification System for Packaging Materials | P5.2 |
| 2037/2000/EC Regulation on Substances that Deplete the Ozone Layer | P5.3 |
| 2002/96/EC (WEEE directive) | P3.4, P6.1 |
| | |