



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information *	Nadia Martin (USA)	LEXMARK
Internet site *	www.lexmark.se / www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Single Function Monochrome Laser Printer		
Commercial name *	Lexmark W850n		
Model number *	W850n		
Issue date *	5/13/2009		
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other		
Additional information	Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes	

Model number *		W850n				
Issue date *		5/13/2009 Log		LEXMARK		
Product environmental attributes - Legal requirements						t met
Item				Yes	No	n.a.
P1	Hazardous substances and preparations					
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and ^{Note 1}).					
P1.2*	Products	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),					
	hydrobro trichloroe concentr	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ation values.	naximum			
P1.4*	(PCT) m	s do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorin ax 0.005% by weight (see legal reference).		\boxtimes		
P1.5*		s do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).	chain containing			
P1.6*	Textile a Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-pho ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference nt: Legal reference has no maximum concentration values.				\square
P1.7*	Textile a	nd leather parts with direct skin contact do not contain Azo colorants that split aron 03% by weight (see legal reference and Note 1).	natic amines			\boxtimes
P1.8*	Wooden pentachl	parts do not contain arsenic and chromium as a wood preservation treatment as w lorophenol and derivatives (see legal reference). ht: Legal reference has no maximum concentration values.	vell as			
P1.9*	Parts wit microgra	In Eight Professional Activity of the second sec).5	\boxtimes		
P2	Batterie					
P2.1*	If the pro more that marked	oduct contains a battery or an accumulator, it is labeled with the disposal symbol ar an 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lea with the chemical symbol for the metal concerned, Hg or Pb. Information on proper I in user manual. (See legal reference)	id, it shall be			
P2.2*		ells used in the product do not contain more than 2% by weight of mercury. Other t ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See le		\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3		EMC connection to the telephone network and labeling		·		
P3.1*		duct complies with legally required safety standards as specified (see legal reference	e).	\square		
P3.2*		duct complies with legally required standards for electromagnetic compatibility (see	,		H	
P3.3*	If produc	t is intended for connection to a public telecom network or contains a radio transmi	tter, it complies			
P3.4*		ally required standards for radio and telecommunication devices (see legal reference duct is labeled to show conformance with applicable legal requirements (see legal r				
P4		nable materials	,			
P4.1*	If a phote	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and Note 1).	ax 0.01% (see			
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0.1% by weight (see leg	gal reference).	\times		
P4.3*	product/	/toner formulation/preparation is classified as hazardous according to applicable re packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance tents (see legal reference).				
P5		packaging				
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.			\boxtimes		
P5.2*	Plastic p	ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal	reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.		Montreal	\boxtimes		

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n		W850n			
Issue da	ite *	5/13/2009 Logo	LEXM	I ARF	ζ
Drodu	ict enviro	nmental attributes - Market requirements - Environmental conscious design	Requir	omont	mot
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6		nt information	103	NU	n.a.
P6.1*		on for recyclers/treatment facilities is available (see legal reference).			
P7	Design Disasse	mbly, recycling			
P7.1*		It have to be treated separately are easily separable			
P7.2*	Plastic n	aterials in covers/housing have no surface coating.		Ħ	Ħ
P7.3*		arts >100g consist of one material or of easily separable materials.		Ħ	Ħ
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		Ħ	Ħ
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools		H	H
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		⊢⊢	╶╞╡
1 1.0	Product				
P7.7*		ng can be done e.g. with processor, memory, cards or drives			
P7.8*		ig can be done using commonly available tools		⊢⊢	╞
P7.9.		arts are available after end of production for: 5 years			╞
-					⊢⊢
P7.10		s available after end of production for: 5 years			
P7.11*		and substance requirements cover/housing material type:			
P7.11		type: ABS Material type: HIPS Material type: PC/AE	25		
P7.12		I cable insulation material of power cables are halogen free (including PVC). (See Note 1)		\boxtimes	
P7.13		I cable insulation material of signal cables are halogen free (including PVC). (See Note 1)			╞
P7.14					╶┝┥
P7.15	All cover/housing plastic parts >25g are halogen free. (See Note 1)				╶╞╡
-	•	d circuit boards (without components) >25g are halogen free. (See Note 2)			⊢⊢
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: <i>FR(40)</i>			
P7.17		additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 104	ll specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: <i>FR</i> (16)			
P7.18	concenti	tarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%: nt: No legal limits exist, this is a market requirement.			
	2. Chem	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:			
	FR(40),	I specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(17), FR(16), FR(50)			
P7.19		blastic parts' weight >25g, recycled material content is %.			
P7.20 P7.21	Light so	blastic parts' weight >25g, biobased material content is %. urces are free from mercury			
Do		y is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8.1*	Batterie	s hemical composition: Lithium Manganese Dioxide (LiMnO2)			
P8.2	•	meet the requirements of the following voluntary program/s:			────
1 0.2	Datteries	most are requirements of the following voluntary program/s.			

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	W850n		
Issue date *	5/13/2009	Logo	LEXMARK

	ct environmental a	ttributes - Marke	t requirements (continued)	Requirer	nent	met
ltem	·				Yes	No	n.a.
P9	Energy consumpt						
9.1	For the product the	following power leve	els or energy consur	nptions have beer	n measured:		
Energy	mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy mod and test method *	des	
Printing	3	705.3 W	745.7 W	756.3 W	Corporate Standard		
Ready I	Vode	84.4 W	95.4 W	81.7 W	Energy Star TEC Test Procedure		F
Sleep N		7.08 W	6.99 W	7.75 W	Energy Star TEC Test Procedure		H
Off		0.07 W	0.09 W	0.34 W	IEC 62301 / Energy Star		Π
		W	W	W			
		W	W	W			
EPS No	-load	W	W	W			
(Externa charger	al power supply / plugged in the wall ut disconnected from						
PTEC * Typical	Energy Consumption	W	W	W			\square
TEC *		5.8 kWh/week	5.77 kWh/week	6.00 kWh/wee	k		
	Energy Consumption						
	time to enter energy s						
P9.2*			tion is provided with				
P9.3*	The product meets ENERGY STAR® v Others specify:		ents of the following	j voluntary prograr	m/s:		
P10	Emissions						
	Noise emission –	Declared according	to ISO 9296		<u>.</u>		
P10.1	Mode N	lode description		Declared	Declared A-weighted		
				A-weighted sound power	sound pressure level $L_{p{\rm Am}}$ (dB)		
				level L_{WAd} (B)	Operator position Bystander position	s 🔀	
				WAU ()	Desktop (only if product i		
					or Desk side	nded)	
	Idle *	Ready		* 3.8	22		
	Operation *	Duplex Monochron	ne Printing	* 7.4	58		
	Other mode	Simplex Monochro	ome Printing	7.1	55		-
	Measured accordin	a to: 🔀 ISO7779	ECMA-74				-
		Other	(only if not covere		th L _{pAm} measurement distance m)		
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s: RAL-UZ 122						
D40.0*	Chemical emissions from printing products						
P10.3*	· · · · · · · · · · · · · · · · · · ·						
P10.4	P10.4 Typical emission rate (print phase) is (mg/h): Dust <0.7 Ozone 0.66 Styrene <0.12 Benzene <0.03 TVOC 0.40						
P10.5			following voluntary			_	⊢⊢
1 10.5			Dust X	Ozon			
			Benzene 🔀	TVO			
	Electromagnetic e						
P10.6		neets the requirement	nt for low frequency	electromagnetic fi	elds of the following voluntary		\boxtimes
	program/s:						

Model n		W850n			-		
Issue date *		5/13/2009	Logo		LEXM	RK	
Produc	Product environmental attributes - Market requirements (continued) Requirement						met
Item					Yes	No	n.a.
P11	Consum	able materials for printing products					
P11.1*							
P11.2*	Paper co EN1228	ntaining post-consumer recycled fibers can be used, provided that it meets the req	uirements	of	\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes	
P12	Ergonor	nics for computing products					
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	iired (see l	P4.3).	\boxtimes		
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technology	gies.				\mathbf{X}
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.					\mathbf{X}
P13	Packagi	ng and documentation					
	Product High De Polypro	packaging material type(s): <i>Expanded Polystyrene (EPS)</i> weight (kg): 0.522 kg packaging material type(s): <i>Expanded Polypropylene (EPP)</i> weight (kg): 0.476 kg nsity Polyethylene (HDPE) = 0.091 kg pylene (PP) = 0.113 kg 8.391 kg	9				
P13.2*	Product	plastic packaging is halogen free (including PVC). (See Note 1)			\boxtimes		
P13.3*	Specify r Electroni	nedia for user and product documentation (tick box): c					
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 0%						
P14	Additional information						
P1.1		duct uses RoHS exemptions for lead used in small amounts for specific app					
P2.1 P.2.3	labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guide.					e	
	Additional company information and company environmental policy may be found at http://lexmark.com/environment Specific printer and supply item recycling information for your area may be found at http://lexmark.com/recycle Lexmark Sweden is connected to REPA and El-kretsen						

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1