



Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	ITSTATABLE
Contact information *	Nadia Martin (USA)	LEXMARK _™
Internet site *	www.lexmark.	
	se/	
	www.lexmark.	
	com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Multi-Function Color Inkjet Printer			
Commercial name *	Lexmark X4650 All-In-One			
Model number *	X4650			
Issue date *	3-19-2008, revised 6-15-2011			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	X4650		
Issue date *	3-19-2008, revised 6-15-2011	Logo	EXMARK

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>		Ш	
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU</i> : Regulation (<i>EC</i>) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.	$\overline{\boxtimes}$		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	X4650		
Issue date *	3-19-2008, revised 6-15-2011	Logo	EXMARK

Product	environmental a	ittributes - Market red Requiren	uirements - Environmental conscious design			
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, re		, , , , , , , , , , , , , , , , , , ,			
P7.1*		b be treated separately	are easily separable	\square	П	
P7.2*	Plastic materials in covers/housing have no surface coating.					$\overline{\Box}$
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.				一	$\overline{\Box}$
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.				Ħ	Ħ
P7.5		-	or have inlays that can be removed with commonly available tools.		Ħ	$\overline{}$
P7.6*		-	rement does not apply to safety/regulatory labels).		一一	Ħ
	Product lifetime					
P7.7*			ssor, memory, cards or drives		\Box	\square
P7.8*	Upgrading can be	e done using commonl	y available tools		\Box	
P7.9.	Spare parts are a	available after end of p	roduction for: years			Ħ
P7.10	Service is availal	ole after end of product	tion for: years			Ħ
	Material and sul	ostance requirements	·			
P7.11*	Product cover/ho	using material type:				
	Material type: HI		Material type: ABS Material type:			
P7.12*			ower cables are halogen free (including PVC)			
P7.13*			gnal cables are halogen free (including PVC)			
P7.14		plastic parts >25g are	=	\boxtimes		
P7.15			onents) >25g are halogen free		\boxtimes	
P7.16	Chemical specific	cations of flame retarda	ants in cover / housing plastic parts >25g according ISO 1043-4:			
P7.17	Chemical specific ISO 1043-4: FR(cations of flame retarda 16) and/or FR(17)	ants in printed circuit boards (without components) >25g according			
P7.18		ed material in plastic pa		\square		
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)					
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8	Batteries					
P8.1*	Product does not	contain batteries defir	ned as hazardous according to 91/157/EEC			
P8.2*			Battery chemical composition:			
P8.3			following voluntary program/s:			
P9	Energy consum					
9.1 Mode	Power level at	ne following power lever Time (s) to <mode></mode>	els or energy consumptions have been measured: Mode description	Reference	20/	n a
Wode	* 230 Volts	Time (5) to cinode>	I wode description	Standard		n.a.
On-max	W		*	*		\boxtimes
On- normal	* 23 W	to	* Printing	*ESTAR		
On-idle	11.5 W	to	* Ready Mode	*ESTAR		П
Save 1	* 6.6 W	to	* Power Saver / Sleep Mode	*ESTAR		
Save 2	W	to	*	*	-	
Off 1	* 0.2 W	to	* Plugged in Off Mode	*ESTAR		
Off 2	W	to	*	*		
No load	* 0.20 W		External power supplies/charger plugged in but disconnected from the product	*ESTAR	}	
TEC	* kWh/v	Гурісаl Energy Consun		*		
P9.2*			tion is provided with the product.			
P9.3			nents of the following voluntary program/s:			
	ENERGY STAR Others specify:		2 2	\boxtimes		

Model number *	X4650		
Issue date *	3-19-2008, revised 6-15-2011	Logo	LEXMARK

Product environmental attributes - Market requirements (continued) Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.							
P10	Emissions							
	Nieles enderden	Dealers descending to 100,0000						
	Noise emission	 Declared according to ISO 9296 						
P10.1	Mode	Mode description	Declared	Declared A-weighte				
			A-weighted	sound pressure level L _p				
			sound power level L _{WAd} (B)	Operator position Bystan	der positions			
			ICVCI LWAd (D)	(anly if r	oroduct is not			
				nera	itor attended)			
		* 5 /	*	or Deskside '				
	Idle	* Ready	* Inaudible	Inaudible				
	Operation	* Simplex Mono Print	* 6.3	50				
	Other mode	Simplex Color Print	5.4	40				
	Measured accord	ding to: X ISO 7779 ECMA-74						
		Other (only if not covered	d by ECMA-74 with	n L _{pAm} measurement distance	m)			
P10.2	The product mee	ets the acoustic noise requirements of the fo	ollowing voluntary p	orogram/s:				
	Chemical emiss	sions from printing products						
P10.3*	Test performed a	according to ECMA-328 standard, other	specify:			\boxtimes		
	The test covers:							
P10.4	The product meets the chemical emission requirements of the following voluntary program/s:							
	Electromagnetic emissions							
P10.5	program/s:	y meets the requirement for low frequency of	electromagnetic fie	elds of the following voluntary				
P11		aterials for printing products						
P11.1*	A Material Safety (see P4.3).	y Data Sheet (MSDS) is available for the ink	toner preparation	, even if not legally required				
P11.2*	Paper containing	recycled fibres that meets the requirement	s of EN12281 can	be used.				
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.					
P12		computing products						
P12.1*		stem meets the ergonomic requirements of 06-2 for flat panel displays.	EN 29241-3, -7, -	8 for CRT displays				
P12.2*	The product keyl	board meets the requirements of ISO 9995	and EN 29241-4.			X		
P12.3*	<u> </u>	put device meets the requirements of ISO 9	241-9.					
P13	Packaging and	documentation						
P13.1*	Product packagir	ng material type(s): Expanded polystyrene ng material type(s): Corrugated	weight (kg):					
P13.2*		ng material type(s): packaging is halogen free (including PVC)	weight (kg):					
P13.2*			ached paper			 		
P13.3*	User and product documentation do not contain chlorine bleached paper							
P14	Additional infor	mation pany information and company environn	nental policy may	the found at http://environme	ant leymark o	om		
	Specific printer	and supply item recycling information t	for vour area may	be found at http://lexmark.co	m/recycle	JIII		
		on is connected to DEDA and El-kretson		20. Sana at http://loxillarkioo				

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.