



Product environmental attributes – THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information *	Nadia Martin (USA)	LEXMARK
Internet site *	www.lexmark. se / www.lexmark. com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Multi-Function Color Inkjet Printer		
Commercial name *	Lexmark X4900 All-in-One Series		
Model number *	X4900		
Issue date *	5-30-2008, revised 6-15-2011		
Intended market *	Global Europe Japan U.S. Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes	

Model number *	X4900		
Issue date *	5-30-2008, revised 6-15-2011	Logo	LEXMARK

Product	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>	\square		
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	X		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (<i>EU</i> : <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)</i>			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			\square
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			\boxtimes
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			\boxtimes
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC	\boxtimes		
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)	\boxtimes		
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\mathbf{X}		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	\boxtimes		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\times		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	\square		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.		Π	
	Treatment information	<u> </u>		
P6	Treatment mormation			

Model number *	X4900		
Issue date *	5-30-2008, revised 6-15-2011	Logo	LEXMARK

Product	t environmental a	ttributes - Market rec Requiren	uirements - Environmental conscious design nent met			
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, re			-		
P7.1*	Parts that have to	be treated separately	v are easily separable	\square		
P7.2*	Plastic materials	in covers/housing have	e no surface coating.			Ē
P7.3*			rial or of easily separable materials.			Ħ
P7.4*			according to ISO 11469 referring ISO 1043.		H	
P7.5		-	or have inlays that can be removed with commonly available tools.		⊢⊢	
P7.6*			irement does not apply to safety/regulatory labels).		- H	─₩
F7.0	Product lifetime	1 1	inement does not apply to safety/regulatory labels).			
P7.7*			ssor, memory, cards or drives			
P7.8*		e done using commonl		<u> </u>	<u> </u>	
P7.9.		-				
-		available after end of p				_님
P7.10		ble after end of product				
P7.11*	Product cover/ho Material type: HI		Material type: ABS Material type:			
P7.12*		•	ower cables are halogen free (including PVC)		\square	
P7.13*	Electrical cable in	nsulation material of sig	gnal cables are halogen free (including PVC)		\boxtimes	
P7.14	All cover/housing) plastic parts >25g are	e halogen free	\boxtimes		
P7.15	All printed circuit	boards (without compo	onents) >25g are halogen free			
P7.16	Chemical specific	cations of flame retarda	ants in cover / housing plastic parts >25g according ISO 1043-4:			
P7.17	Chemical specific ISO 1043-4: FR(ants in printed circuit boards (without components) >25g according	\square		
P7.18		ed material in plastic pa	arts is			
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)					
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8	Batteries					
P8.1*	Product does not	contain batteries defir	ned as hazardous according to 91/157/EEC			\square
P8.2*			Battery chemical composition:			\boxtimes
P8.3	Batteries meet th	e requirements of the	following voluntary program/s:			
P9	Energy consum	ption				
9.1	For the product t		els or energy consumptions have been measured:			
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	Mode description	Referen Standar		n.a.
On-max	W		*	*		\square
On- normal	* 18 W	to	* Printing	*ENERO STAR		
On-idle	11.5 W	to	* Ready Mode	*ENERO STAR		
Save 1	* 6.6 W	to	* Power Saver Mode (Sleep)	*ENERO STAR	βY	
Save 2	W	to	*	*		\square
Off 1	* 0.2 W	to	* Plugged in Off Mode	*ENERO STAR	ΞY	
Off 2	W	to	*	*		\square
No load	* 0.20 W		External power supplies/charger plugged in but disconnected from the product	*ENERO STAR	ΞY	
TEC	* kWh/y T	Typical Energy Consur	nption per year	*		\square
P9.2*	Information abou	t the energy save func	tion is provided with the product.			
P9.3	The product mee ENERGY STAR Others specify:		nents of the following voluntary program/s:			

Model number *	X4900		
Issue date *	5-30-2008, revised 6-15-2011	Logo	LEXMARK

Product	environmental at	tributes - Market requirements (continue	d) Requirement n	net		
Item	*=mandatory to	fill in. Additional information regarding each			Yes No	n.a.
P10	Emissions					
	Noise emission	n – Declared according to ISO 9296				
P10.1	Mode	Mode description	Declared A-weighted sound power level L _{WAd} (B)		d A-weighted re level L _{pAm} (dB) Bystander positions (only if product is no operator attended)	t
	Idle	* Ready / Power Saver	* Inaudible		audible	
	Operation	* Simplex Monochrome Printing	* 6.2		47	
	Other mode	ADF MonochromeCopy	5.4		39	
	Measured accor	rding to: ISO 7779 ECMA-74	d by ECMA-74 wit	h L _{pAm} measurement	distance m)	
P10.2	The product me	ets the acoustic noise requirements of the fe	ollowing voluntary	program/s:		
	Chemical emis	sions from printing products				
P10.3*	Test performed	according to ECMA-328 standard ., other	r specify:			\mathbb{X}
	The test covers:	Dust Ozone Styrene	Benzene	TVOC		
P10.4		ets the chemical emission requirements of t	he following volunt	ary program/s:		
	Electromagnet					
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary					\square
P11		aterials for printing products				
P11.1*	(see P4.3).	ty Data Sheet (MSDS) is available for the in				
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.					
P11.3*		printing/copying is an integrated product fu	nction.			
P12		r computing products				
P12.1*	and EN-ISO134	ystem meets the ergonomic requirements o 06-2 for flat panel displays.		8 for CRT displays		
P12.2*	,	board meets the requirements of ISO 9995				
P12.3*		put device meets the requirements of ISO s	9241-9.			\bowtie
P13		documentation	unight (kg)	202		
P13.1*	Product packag	ing material type(s): Corrugated ing material type(s): Expanded polystyren ing material type(s):	weight (kg): 1 e weight (kg): 0 weight (kg):			
P13.2*	Product plastic packaging is halogen free (including PVC)					
P13.3*	User and product documentation do not contain chlorine bleached paper					
P13.4*	User and product documentation contain recycled paper					
P14	Additional information					
	Additional con	npany information and company environ	mental policy may	/ be found at http://	environment.lexmark.	com
	Specific printer and supply item recycling information for your area may be found at http://lexmark.com/recycle					
	Lexmark Sweden is connected to REPA and El-kretsen P9.3 refers to Energy Star V 1.0					

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.