



## Product environmental attributes – THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information *	Nadia Martin (USA)	LEXMARK
		тм
Internet site *	www.lexmark.se /	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * Color Laser Multi-Function Printer			
Commercial name *	Lexmark X500n & X502n			
Model number *	X500n & X502n			
Issue date *	12/17/07			
Intended market *	Global Europe Japan U.S. Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality (	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\boxtimes$	

Model number *	X500n & X502n		
Issue date *	12/17/07	Logo	LEXMARK

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>	$\square$		
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide ( <i>EU</i> : <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i> )			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\boxtimes$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) ( <i>EU 76/769/EEC</i> )			$\square$
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			$\square$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			$\square$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			$\square$
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			$\square$
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC	$\boxtimes$		
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)		$\boxtimes$	
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	$\boxtimes$		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 <sup>th</sup> 2007	$\square$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	$\boxtimes$		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	$\boxtimes$		
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	$\boxtimes$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	$\square$		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	$\boxtimes$		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$		

Model number *	X500n & X502n		
Issue date *	12/17/07	Logo	LEXMARK

Product	t environmental a	attributes - Market rec Requiren	quirements - Environmental conscious design nent met				
Item P7	*=mandatory to f Design Disassembly, re	ill in. Additional information	ation regarding each item may be found under P14.	Yes	No	n.a	
P7.1*		o be treated separately	/ are easily separable	$\square$			1
P7.2*		in covers/housing hav					1
P7.3*			erial or of easily separable materials.				1
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.						1
P7.5			or have inlays that can be removed with commonly available tools.		╞		1
P7.6*	•		irement does not apply to safety/regulatory labels).		╞		-
17.0	Product lifetime						
P7.7*			ssor, memory, cards or drives				1
P7.8*		e done using common			-		-
P7.9.		available after end of p					<u> </u>
P7.10		ble after end of produc					<u> </u>
F7.10		bstance requirements					<u> </u>
P7.11*		ousing material type:	5				
	Material type: AE		Material type: HIPS Material type: PC/ABS	;			
P7.12*			ower cables are halogen free (including PVC)		$\square$		1
P7.13*	Electrical cable in	nsulation material of sig	gnal cables are halogen free (including PVC)				i –
P7.14		plastic parts >25g are					í
P7.15			onents) >25g are halogen free				í –
P7.16	•	· ·	ants in cover / housing plastic parts >25g according ISO 1043-4:				j
P7.17			ants in printed circuit boards (without components) >25g according	$\square$			]
P7.18	Weight of recycle	ed material in plastic pa	arts is				
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)					]	
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 1 and max. mercury content per lamp: 0.775 mg					]	
P8	Batteries						
P8.1*	Product does not	t contain batteries defin	ned as hazardous according to 91/157/EEC	$\square$			<u> </u>
P8.2*	(LiMnO2)		Battery chemical composition: Lithium Manganese Dioxide				]
P8.3			following voluntary program/s:		-		
<b>P9</b>	Energy consum		ala ar anarry annumptiona have been maaayrady				
9.1 Mode	Power level at	Time (s) to <mode></mode>	els or energy consumptions have been measured: Mode description	Referen	ce/	n.a	
Mode	* 230 Volts			Standar		11.0	•
On-max	W		*	*		X	<u> </u>
On- normal	* <b>625</b> W	to	* Mono Printing	*ESTAF	\$		j
On-idle	140 W	to	* Ready Mode	*ESTAF	2		
Save 1	* 22 W	to	* Power Saver / Sleep Mode	*ESTAF	2		i
Save 2	140 W	to	* Low Power Mode	*ESTAF			i –
Off 1	* <b>0.01</b> W	to	* Plugged in Off Mode	*ESTAF			i –
Off 2	W	to	*	*			i –
No load	* W		External power supplies/charger plugged in but disconnected from the product	*			<u>i</u>
TEC	* <b>9.55</b> kWh/y Tv	pical Energy Consump		*ESTAF	2		1
P9.2*		1 6, 1	tion is provided with the product.				t-
P9.3		ets the energy requirem	nents of the following voluntary program/s:				<u>,</u> ] ]

Model	umber *	VEDO	n & X502n					
Issue d	number *	12/17/			Logo	IEV	ANDK	
looud u	ulo	,,			2090	LEAN	M <mark>ARK</mark>	
Produce	tonvironm	ontal at	ttributes - Market requirements (co	ntinued) Pequirement r	not			
Item			fill in. Additional information regarding			Yes	No	n.a.
P10	Emissio			g cach licin may be lound		103	TNO	n.a.
	Noise e	missio	n – Declared according to ISO 9296					
			C C					
P10.1	Mode		Mode description	Declared	Declared	A-weighted		1
				A-weighted		e level L <sub>pAm</sub> (dE	3)	
				sound power	Operator position	Bystander p		
				level L <sub>WAd</sub> (B)		<i>,</i> , , , , ,		
					Desktop	only if produce (only if produce operator at		
					or Deskside	•	lenueu)	
	Idle		* Raedy mode	* 5.3		34		
	Operatio	n	* Simplex Mono Printing	* 6.9		54		
	Other m	ode	ADF Mono Copy	6.8		54		-
								+
	Measure	ed acco	rding to: ISO 7779 ECMA-74	covered by ECMA-74 wit	the management	diatanaa	m)	
P10.2	The proc	duct me	ets the acoustic noise requirements of	of the following voluntary	program/s:		m)	┶─
1 10.2			sions from printing products		program/o.			
P10.3*			according to ECMA-328 standard	other specify: PAL-UZ	122			
	The test			ityrene X Benzen				
P10.4			ets the chemical emission requirement					
F10.4					tary program/s.			
P10.5			ic emissions ay meets the requirement for low freq	uency electromagnetic fi	elds of the following v			
1 10.5	program		ay meets the requirement for low neq		eids of the following vo			
P11			naterials for printing products					
P11.1*	A Materi (see P4.	al Safei 3).	ty Data Sheet (MSDS) is available for	the ink/toner preparation	n, even if not legally re	quired 🔀		
P11.2*			g recycled fibres that meets the requi	rements of EN12281 can	n be used.	$\boxtimes$		
P11.3*	2-sided	(duplex)	) printing/copying is an integrated pro-	duct function.				
P12			r computing products					
P12.1*			ystem meets the ergonomic requirem 06-2 for flat panel displays.	ents of EN 29241-3, -7, -	-8 for CRT displays			$\boxtimes$
P12.2*	The proc	duct key	/board meets the requirements of ISC	9995 and EN 29241-4.				$\square$
P12.3*	The com	nputer ir	nput device meets the requirements o	f ISO 9241-9.				$\boxtimes$
P13			documentation					
P13.1*			ing material type(s): Expanded polys			$\boxtimes$		
			ing material type(s): Expanded poly					
P13.2*			ing material type(s): Corrugated packaging is halogen free (including F	weight (kg): 7				
P13.3*			ct documentation do not contain chlor	,				╞
P13.4*			ct documentation contain recycled pa			<u>H</u>		╞
	Additior		, ,	hei			$\square$	
P14			rmation npany information and company en	vironmental policy may	v be found at . http:///	environment les	mark (	om
			r and supply item recycling inform					
			len is connected to REPA and El-kr					

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

\*P.2.3 - Batteries used within this product are non-hazardous and are exempted from including removal instructions in user's manuals per Article 11 of the 2006/66/EC Battery Directive.