



Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	I DECEMBER
Contact information *	Nadia Martin (USA)	LEXMARK
		TIME THE TENTON
Internet site *	www.lexmark.se/	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product * Multifunction Color Laser Printer				
Commercial name *	Lexmark X544n			
Model number *	X544n			
Issue date *	9/12/2008			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	X544n		
Issue date *	9/12/2008	Logo	LEXMARK

Product of	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU</i> : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.	\boxtimes		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	X544n		
Issue date *	9/12/2008	Logo	EXMARK

Product environmental attributes - Market requirements - Environmental conscious design Requirement met								
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design							
	Disassembly, re							
P7.1*	Parts that have to be treated separately are easily separable				Щ			
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*			rial or of easily separable materials.					
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.							
P7.5	•	•	or have inlays that can be removed with commonly available tools.	\boxtimes				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).							
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives							
P7.8*		e done using commonl	-	\boxtimes				
P7.9.		available after end of pr						
P7.10	Service is availab	ole after end of product	tion for: 5 years					
		ostance requirements						
P7.11*		using material type:	Motorial type, MDC					
P7.12*	Material type: AE	osulation material of no	Material type: HIPS Material type: PC/ABS ower cables are halogen free (including PVC)					
P7.13*			gnal cables are halogen free (including PVC)			\vdash		
P7.14		plastic parts >25g are			$-\frac{\square}{\square}$	-		
P7.15			onents) >25g are halogen free	<u> </u>				
P7.16	•		ants in cover / housing plastic parts >25g according ISO 1043-4:					
	FR(40)							
P7.17	Chemical specific ISO 1043-4: FR(ants in printed circuit boards (without components) >25g according		Ш	Ш		
P7.18		ed material in plastic pa						
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, S50/51/53 and R60/61 (67/548/EEC)							
P7.20		free from mercury						
1 7.20			imps: 1 and max. mercury content per lamp: 1.8 mg	Ш		ш		
P8	Batteries			٠				
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC							
P8.2*	Battery chemical composition: Lithium Manganese Dioxide, LiMnO2							
P8.3	Batteries meet the requirements of the following voluntary program/s:							
P9	Energy consum	ption		•				
9.1	For the product to		els or energy consumptions have been measured:					
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	Mode description	Referen		n.a.		
On-max	W		*	*				
On-	* 540 W	to	* Printing	*Compa	iny			
normal				Standar				
On-idle	50 W	to	* Ready Mode	*Energy Star TE				
Save 1	* 23 W	to	* Power Saver Mode (Sleep)	*Energy Star TE	o,			
Save 2	W	to	*	*				
Off 1	* 0 W	to	* Plugged in Off Mode	*Energy Star TE				
Off 2	W	to	*	*	-			
No load	* W		External power supplies/charger plugged in but disconnected from the product	*				
TEC	* 263 kWh/y Typ	pical Energy Consumpt		*Energy Star TE				
P9.2*	Information about the energy save function is provided with the product.							
P9.3	The product mee	ts the energy requirem	nents of the following voluntary program/s:					
	ENERGY STARGOTHERS SPECIFY:	® MOU						

Model number *	X544n		
Issue date *	9/12/2008	Logo	LEXMARK

Product environmental attributes - Market requirements (continued) Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n							
P10	Emissions							
	Noise emission	- Declared according to ISO 9296						
	Noise emission	Declared according to 100 3230						
P10.1	Mode	Mode description	Declared	Declared A-we	ighted			
		·	A-weighted	sound pressure leve	el L _{pAm} (dB)			
			sound power	Operator position By	stander positions			
			level L _{WAd} (B)					
					ly if product is not operator attended)			
				or Deskside	<u> </u>			
	Idle	* Idle/Ready	* Inaudible	Inaudibl	le			
	Operation	* Simplex Monochrome Printing	* 6.2	47				
	Other mode							
	Measured accord	ding to: 🔀 ISO 7779 🔲 ECMA-74			-			
			d by ECMA-74 witl	h L _{pAm} measurement distan	ce m)			
P10.2	The product mee	ets the acoustic noise requirements of the fo						
		sions from printing products						
P10.3*	Test performed a	according to ECMA-328 standard, other	specify: RAL-UZ-	122				
	The test covers:	Dust Ozone Styrene	Benzene	e⊠ TVOC ⊠				
P10.4	The product mee	ets the chemical emission requirements of the	ne following volunt	ary program/s:				
	Electromagnetic emissions							
P10.5	program/s:							
P11		aterials for printing products						
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).							
P11.2*		recycled fibres that meets the requirements		be used.				
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.					
P12	Ergonomics for computing products							
P12.1*		rstem meets the ergonomic requirements of 06-2 for flat panel displays.	EN 29241-3, -7, -	8 for CRT displays				
P12.2*	The product keyl	board meets the requirements of ISO 9995 a	and EN 29241-4.			X		
P12.3*	The computer in	put device meets the requirements of ISO 93	241-9.					
P13	Packaging and							
P13.1*		ng material type(s): Corrugated	weight (kg): 3					
		ng material type(s): Polyethylene Foam ng material type(s): High Density Polyethy	weight (kg): 0					
	Polypropylene :	= 0.065 kg	g (g).					
P13.2*	Product plastic packaging is halogen free (including PVC)							
P13.3*		t documentation do not contain chlorine blea	ached paper					
P13.4*	User and product documentation contain recycled paper							
P14	Additional information							
	Additional company information and company environmental policy may be found at http://environment.lexmark.co					om		
	Specific printer and supply item recycling information for your area may be found at http://lexmark.com/recycle Lexmark Sweden is connected to REPA and El-kretsen							
		es used within this product are non-hazar	dous and are exe	empted from including rei	moval instruction	s in		
		per Article 11 of the 2006/66/EC Battery		,				

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.