



Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	ITSTATABLE
Contact information *	Nadia Martin (USA)	LEXMARK
		TM TM
Internet site *	www.lexmark.se/	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Multifunction Color Laser Printer		
Commercial name *	Lexmark X546dtn		
Model number *	X546dtn		
Issue date *	7-30-2009		
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	X546dtn		
Issue date *	7-30-2009	Logo	LEXMARK

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU</i> : Regulation (<i>EC</i>) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	X546dtn		
Issue date *	7-30-2009	Logo	EXMARK

Product	environmental a	ttributes - Market req Requirem	quirements - Environmental conscious design			
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design					
	Disassembly, re					
P7.1*		be treated separately		\boxtimes	_Ц	
P7.2*		in covers/housing have		\boxtimes		
P7.3*			erial or of easily separable materials.	\boxtimes		
P7.4*			according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	•	•	or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily	separable. (This requi	irement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime					
P7.7*			ssor, memory, cards or drives	\boxtimes	Ц	
P7.8*		e done using commonl		\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years					
P7.10	Service is availab	ole after end of product	tion for: 5 years			
		ostance requirements	S			
P7.11*		using material type:	Meterial type, HIDC			
P7.12*	Material type: AE	osulation material of no	Material type: HIPS Material type: PC/ABS ower cables are halogen free (including PVC)			
P7.13*			gnal cables are halogen free (including PVC)	-H		
P7.14		plastic parts >25g are			$-\frac{\square}{\square}$	-
P7.15			onents) >25g are halogen free	<u> </u>		-
P7.16	•		ants in cover / housing plastic parts >25g according ISO 1043-4:			
	FR(40)					
P7.17	Chemical specific ISO 1043-4: FR(ants in printed circuit boards (without components) >25g according		Ш	Ш
P7.18		ed material in plastic pa				
P7.19			etardant substances/preparations above 0.1% classified as R45/46,	\boxtimes		
P7.20	R50/51/53 and R60/61 (67/548/EEC) Light sources are free from mercury					
17.20	If mercury is used specify: Number of lamps: 1 and max. mercury content per lamp: 1.8 mg			Ш		
P8	Batteries			٠		
P8.1*	Product does not	contain batteries defir	ned as hazardous according to 91/157/EEC	\boxtimes		
P8.2*	LiMnO2		Battery chemical composition: Lithium Manganese Dioxide,			
P8.3		e requirements of the t	following voluntary program/s:			
P9	Energy consum	ption		•		
9.1	For the product to		els or energy consumptions have been measured:			
Mode	Power level at	Time (s) to <mode></mode>	Mode description	Referen		n.a.
On-max	* 230 Volts W		*	Standar	J	
On-	* 540 W	to	* Printing	*Compa	mv	
normal				Standar	rd	
On-idle	50 W	to	* Ready Mode	*Energy Star TE		
Save 1	* 23 W	to	* Power Saver Mode (Sleep)	*Energy Star TE	, C	
Save 2	W	to	*	*		
Off 1	* 0 W	to	* Plugged in Off Mode	*Energy Star TE		
Off 2	W	to	*	*		
No load	* W		External power supplies/charger plugged in but disconnected from the product	*		
TEC	* 263 kWh/y Typ	pical Energy Consumpt		*Energy Star TE		
P9.2*	Information abou	t the energy save func	tion is provided with the product.	Star TE		
P9.3	•	• • • •	nents of the following voluntary program/s:		_	
	ENERGY STAR® MOU Others specify:					

Issue da	7-30-2	2009		Logo	LEXMARK.	
D		11-11-11-11-11-11-11-11-11-11-11-11-11-				
Item		attributes - Market requirements (continuation) fill in. Additional information regarding each			Yes No n	n.a.
P10	Emissions	Till III. Additional Illionnation regarding each	in item may be lound	u unuer F 14.	162 140 11	ı.a.
0	2					
	Noise emissio	n – Declared according to ISO 9296				
		, and the second se				
P10.1	Mode	Mode description	Declared	Declared /	A-weighted	
			A-weighted		e level L _{pAm} (dB)	
			sound power	Operator position	Bystander positions	
			level L _{WAd} (B)			
				Desktop	(only if product is not	
				or Deskside	operator attended)	
	Idle	* Idle/Ready	* Inaudible	Inat	udible	
	Operation	* Duplex Monochrome Printing	* 6.5		50	\Box
	Operation	Duplex Monochrome Filliang	0.5	· ·]	Ш
	Other mode	Simplex Monochrome Printing	6.2		47	
	Measured acco	ording to: ISO 7779 ECMA-74		1		
	Wodourod dood	<u> </u>	red by FCMA-74 wit	th L _{pAm} measurement di	istance m)	
P10.2	The product me	eets the acoustic noise requirements of the				\neg
		ssions from printing products	<u> </u>			
P10.3*		according to ECMA-328 standard, oth	er specify: RAL-UZ	-122	ΠП	丁
	The test covers: Dust \(\subseteq \) Ozone \(\subseteq \) Styrene \(\subseteq \) Benzene \(\subseteq \) TVOC \(\subseteq \)					
P10.4	The product meets the chemical emission requirements of the following voluntary program/s:					\neg
	Electromagnetic emissions					
P10.5	Computer displ	ay meets the requirement for low frequenc	y electromagnetic fie	elds of the following vol	untary	X
	program/s:					
P11	Consumable materials for printing products					
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.					\neg
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					Ī
P12	Ergonomics for computing products					
P12.1*		system meets the ergonomic requirements 406-2 for flat panel displays.	of EN 29241-3, -7, -	-8 for CRT displays		X
P12.2*		yboard meets the requirements of ISO 999	5 and EN 29241-4.			X
P12.3*	The computer i	nput device meets the requirements of ISC	9241-9.			X
P13	Packaging and	d documentation				
P13.1*		ning material type(s): Corrugated	weight (kg):	3 548	\square	

NOTE

P13.2*

P13.3*

P13.4*

P14

Model number * X546dtn

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Additional company information and company environmental policy may be found at http://environment.lexmark.com/specific printer and supply item recycling information for your area may be found at http://environment.lexmark.com/recycle

*P.2.3 - Batteries used within this product are non-hazardous and are exempted from including removal instructions in

weight (kg): 0.507

Product packaging material type(s): Polyethylene Foam

Product plastic packaging is halogen free (including PVC)

User and product documentation contain recycled paper

Lexmark Sweden is connected to REPA and El-kretsen

Polypropylene = 0.065 kg

Additional information

Product packaging material type(s): High Density Polyethylene weight (kg): 0.277

User and product documentation do not contain chlorine bleached paper

user's manuals per Article 11 of the 2006/66/EC Battery Directive.