

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	I DAZNA A DIZ
Contact information *	Nadia Martin (USA)	LEXM <b>ARK</b> ™
Internet site *	www.lexmark.se / www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * Multifunction Color Laser Printer			
Commercial name *	Lexmark X548de			
Model number *	X548de			
Issue date *	5-12-2011			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	X548de		
Issue date *	5-12-2011	Logo	LEXMARK.

<b>Product</b>	uct environmental attributes - Legal requirements		Requirement	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	$\boxtimes$	П	
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See			
	legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	$\boxtimes$		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	$\boxtimes$		
	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		_	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			X
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).		_	
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			X
	aromatic amines. (See legal reference and Note B1)		_	_
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$
	pentachlorophenol and derivatives (see legal reference).	_		
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	$\boxtimes$		
	microgram/cm <sup>2</sup> /week (see legal reference).		_	_
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
	REACH Program Manager, HOD9237, 740 W. New Circle Rd., Lexington, KY 40550	_	_	_
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	$\square$	$\overline{\Box}$	
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be		ш	ш
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	$\boxtimes$		
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		_	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	<del>;</del> 🔀		
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medica			
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal		$\overline{\Box}$	
	reference).		ш	ш
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies			
	with legally required standards for radio and telecommunication devices (see legal reference).		ш	ш
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see		$\overline{}$	
F4.1	legal reference and Note B1).		Ш	Ш
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\boxtimes$		
			<u> </u>	<del>-</del>
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	$\boxtimes$	Ш	
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these			
	requirements is available (see legal reference).			
P5	Product packaging	-1 2	_	
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and base packaging by weight of those together.	d 🔀		
DE 0*	hexavalent chromium by weight of these together.		_	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀		
	Protocol (see legal reference).		_	_
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	ımber *	X548de				
Issue dat		5-12-2011	Logo	LEXM	ARK	
					TM	
Product	environ	mental attributes - Market requirements - Environmental conscious	design	Requirer	nent	met
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		
P7	Design					
		mbly, recycling				
P7.1*		at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		$\boxtimes$		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		$\boxtimes$		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly	available tools.	$\overline{\boxtimes}$	$\overline{\Box}$	$\overline{\Box}$
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ħ
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives		X	$\Box$	$\Box$
P7.8*	Upgradir	ng can be done using commonly available tools			Ħ	Ħ
P7.9.	Spare pa	arts are available after end of production for: 5 years				Ħ
P7.10		s available after end of production for: 5 years				Ħ
		and substance requirements				
P7.11*		cover/housing material type:				
		, , , , , , , , , , , , , , , , , , ,	al type: PC/ABS	3		
P7.12	Electrica	I cable insulation materials of power cables are PVC free.			$\boxtimes$	
P7.13	Electrica	I cable insulation materials of signal cables are PVC free			$\overline{\boxtimes}$	T
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.		$\overline{\boxtimes}$	Ħ	Ħ
P7.15						
	Note B2	, , , , ,	`			
P7.16	Flame re	starded plastic parts >25g in covers / housings are marked according ISO 1043-4:		$\square$		
	Marking:					
P7.17	Alt. 1					
		Il specifications of flame retardants in printed circuit boards >25g (without compone additive), TBBPA (reactive), Other; chemical name:, CAS #:	ents):			Ш
	IDDFA (	additive), TBBPA (reactive), Other; chemical name: , CAS #:				
	Alt. 2					
	Chemica	I specifications of flame retardants in printed circuit boards (without components) >	>25g according			
	ISO 104	3-4: <b>FR(16)</b>				
P7.18	Alt. 1					
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in					
		ent: No legal limits exist, this is a market requirement.				
		ical name: , CAS #:				
		ical name: , CAS #:				
		ical name: , CAS #:				
	Alt. 2	•				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:

R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)

Of total plastic parts' weight >25g, recycled material content is

Of total plastic parts' weight >25g, biobased material content is

Battery chemical composition: Lithium Manganese Dioxide (LiMn02)

Batteries meet the requirements of the following voluntary program/s:

Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,

%.

and max. mercury content per lamp:

mg

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

FR(40), FR(17), FR(16), FR(50)

Light sources are free from mercury If mercury is used specify: Number of lamps:

P7.19

P7.20

P7.21

P7.22

**P8** 

P8.2

Batteries

Model number *	X548de		
Issue date *	5-12-2011	Logo	LEXMARK,

	Product environmental attributes - Market requirements (continued) Requirement me			
em Yes N				
P9 Energy consumption				
9.1 For the product the following power levels or energy consumptions are reported:				
Energy mode * Power level at Power level at Power level at Reference / Standard for modes and test method *	or energy			
Printing 516.6 W 506.4 W 496 W Corporate Standard				
Copy 498.1 W 526.3 W 510.7 W Corporate Standard				
Scan 56.5 W 53.4 W 56.8 W Corporate Standard				
Ready Mode 48.5 W 50.0 W 49.2 W Energy Star TEC Test Proc	edure			
Sleep Mode 19.1 W 22.4 W 20.6 W Energy Star TEC Test Proc	edure			
Off Mode         0.019 W         0.022 W         0.117 W         IEC 62301				
EPS No-load W W W				
(External power supply / charger plugged in the wall outlet but disconnected from the product.)				
PTEC * W W W Typical Energy Consumption				
TEC * Typical Energy Consumption  4.935 kWh/week  5.378 kWh/week  5.129 kWh/week  Energy Star TEC Test Proc	edure			
ETEC * kWh/year kWh/year kWh/year Annual Energy Consumption				
Display resolution* : Megapixels				
Print Speed * : 23 Images per minute				
Default time to enter energy save mode: 30 minutes				
P9.2* Information about the energy save function is provided with the product.				
P9.3* The product meets the energy requirements of the following voluntary program/s:				
ENERGY STAR® version: 1.1 Tier: Product category: TEC Table 4				
Others specify: RAL UZ 122 (Blue Angel) P10 Emissions	<u> XIII</u>			
Noise emission – Declared according to ISO 9296				
P10.1 Mode Mode description Declared Declared A-weighted		Ι		
A-weighted sound pressure level $L_{p{\sf Am}}$	(dB)			
level $L_{ m WAd}$ (B) Operator position $\square$ Bystande	er positions			
Desktop				
or Dock side  (only if pro	oduct is not r attended)			
Idle * Ready * 3.8 23				
Operation * Duplex Mono Printing, Normal Mode * 6.5 49				
Other mode Simplex Mono Printing, Normal 6.3 47				
Measured according to: ☐ ISO7779 ☐ ECMA-74 ☐ Other (only if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance	m)			
(* ) **********************************	$\square$			

Model number *	X548de		
Issue date *	5-12-2011	Logo	LEXMARK.

Product	environmental attributes - Market requirements (continued)	equire	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: RAL UZ 122 (Blue Angel)			
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust <0.5 Ozone 0.27 Styrene 0.017 Benzene <0.01 TVOC 2.8			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :  Dust ☑ Ozone ☑ Styrene ☑ Benzene ☑ TVOC ☑			Ш
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products	<u> </u>		
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).		Щ.	Щ.
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.		<u> Ц</u>	<u> </u>
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	$\boxtimes$		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	_ <u>_</u> _	Щ.	
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated weight (kg): 2.978  Product packaging material type(s): Low Density Polyethylene, Expanded weight (kg): 0.571  Product packaging material type(s): High Density Polyethylene weight (kg): 0.277  Polypropylene: 0.065 kg			
P13.2*	Product plastic packaging is free from PVC.	$\boxtimes$		
P13.3*	Specify media for user and product documentation (tick box):  Electronic , Paper , Other .			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
Rev. P13.5	User and product documentation do not contain chlorine bleached paper			
P14	Additional information (See Note B4)			
P1. 1	This product uses RoHS exemptions for lead and mercury used in small amounts f applications.	or spe	∍cifi	LC
P2. 1	The battery contained within this product should be disposed of properly with the pro-	oduet	Tho	
	product is properly labeled with the WEEE disposal symbol and instruction for such			
		aispos	ai is	
P. 2. 3	listed in the product User's Guide.			
	The battery contained within this product meets the exception listed. The battery is to be removed by the customer; however, is designed for easy removal by recyclers an			ed
P10. 4	providers.	.u boi v	100	
	Note: The data reported in P10.4 is for the color print test. Mono print test results: Ozone – <0.21 mg/h; Styrene - 0.013 mg/h; Benzene – 0.006 r <0.5 mg/h ; and TVOC – 0.77 mg/h		Oust -	_
	Additional company information and company environmental policy may be found a http://lexmark.com/environment	ıt		
	Specific printer and supply item recycling information for your area may be f http://lexmark.com/recycle	ound a	at	
	Lexmark Sweden is connected to REPA and El-kretsen			
	DOMINGTE OFFICE OF THE CONTROLLED TO REFER AND THE CONTROLLED TO THE CONTROL			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19