

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	I DAZNA A DIZ
Contact information *	Nadia Martin (USA)	LEXMARK _™
Internet site *	www.lexmark.se / www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Multifunction Color Laser Printer				
Commercial name *	Lexmark X548dte				
Model number *	X548dte				
Issue date *	5-12-2011				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	X548dte		
Issue date *	5-12-2011	Logo	EXMARK.

Product	duct environmental attributes - Legal requirements			Requirement met		
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	\square	П			
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See					
	legal reference and Note B1)					
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes				
	Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-					
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum					
	concentration values.					
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\boxtimes				
	terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	\boxtimes				
	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		_			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			X		
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).		_			
	Comment: Legal reference has no maximum concentration values.					
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			X		
	aromatic amines. (See legal reference and Note B1)		_	_		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes		
	pentachlorophenol and derivatives (see legal reference).	_				
	Comment: Legal reference has no maximum concentration values.					
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\boxtimes				
	microgram/cm ² /week (see legal reference).		_	_		
	Comment: Max limit in legal reference when tested according to EN1811:1998.					
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):					
	REACH Program Manager, HOD9237, 740 W. New Circle Rd., Lexington, KY 40550	_	_	_		
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\square	$\overline{\Box}$			
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be		ш	ш		
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is					
	provided in user manual. (See legal reference)					
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	\boxtimes				
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		_			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	; 🔀				
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medica					
	or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3	Safety, EMC connection to the telephone network and labeling					
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes				
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal		$\overline{\Box}$			
	reference).		ш	ш		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies					
	with legally required standards for radio and telecommunication devices (see legal reference).		ш	ш		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes				
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see		$\overline{}$			
F4.1	legal reference and Note B1).		Ш	Ш		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes				
			<u> </u>	-		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	\boxtimes	Ш			
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these					
	requirements is available (see legal reference).					
P5	Product packaging	-1 2	_			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and base packaging by weight of those together.	d 🔀				
DE 0*	hexavalent chromium by weight of these together.		_			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀				
	Protocol (see legal reference).			_		
	Comment: Legal reference has no maximum concentration values.					

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	ımhar *	X548dte				
Model number * Issue date *		5-12-2011	Logo	IEVM	\ DIZ	
10000 000	Issue date * 5-12-2011 Logo LEXMARK					
Product	environ	mental attributes - Market requirements - Environmental conscious	desian	Require	ment	met
Item		atory to fill in. Additional information regarding each item may be found under P14.	accigi:	Yes	No	n.a.
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		
P7	Design	mbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.			H	\blacksquare
P7.3*		arts >100g consist of one material or of easily separable materials.			H	\vdash
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			H	H
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available tools		∺	\vdash
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	available tools.		\dashv	\vdash
F1.0	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools			∺	\blacksquare
P7.9.						╫
P7.10		arts are available after end of production for: 5 years				\blacksquare
F7.10		s available after end of production for: 5 years				
P7.11*		and substance requirements cover/housing material type:				
			al type: PC/ABS	3		
P7.12		I cable insulation materials of power cables are PVC free.	71		\boxtimes	
P7.13	Electrica	I cable insulation materials of signal cables are PVC free			X	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.			Ä	Ī
P7.15	All printe	ed circuit boards (without components) >25g are halogen free. as defined in IEC6	61249-2-21. (Se	ee 🗌		
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17	Alt. 1 Chemica	Il specifications of flame retardants in printed circuit boards >25g (without compone additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	ents):			
	ISO 1043	Il specifications of flame retardants in printed circuit boards (without components) > 3-4: <i>FR(16)</i>	>25g according			
P7.18	Concentr Common 1. Chem 2. Chem	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: ent: No legal limits exist, this is a market requirement. ical name: , CAS #: ical name: , CAS #:	s/preparations	in 🗌		
P7.19	Alt. 2 Chemica FR(40), I	ical name: , CAS #: Il specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(17), FR(16), FR(50) arts >25g are free from flame retardant substances/ preparations above 0.1% clas	sified as R45.			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

%.

and max. mercury content per lamp:

mg

R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)

Of total plastic parts' weight >25g, recycled material content is

Of total plastic parts' weight >25g, biobased material content is

Battery chemical composition: Lithium Manganese Dioxide (LiMn02)

Batteries meet the requirements of the following voluntary program/s:

Light sources are free from mercury If mercury is used specify: Number of lamps:

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

P7.20

P7.21

P7.22

Batteries

P8

P8.1

P8.2

Model number *	X548dte		
Issue date *	5-12-2011	Logo	EXMARK.

Product environmental att	roduct environmental attributes - Market requirements (continued) Requirement m					nt met	
tem Yes			Yes No	n.a.			
P9 Energy consumption							
9.1 For the product the following power levels or energy consumptions are reported:							
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard modes and test method *	for energ	у
Printing	516.6 W	506.4 W	496 W		Corporate Standard		
Сору	498.1 W	526.3 W	510.7 W		Corporate Standard		
Scan	56.5 W	53.4 W	56.8 W		Corporate Standard		
Ready Mode	48.5 W	50.0 W	49.2 W		Energy Star TEC Test P	rocedure	
Sleep Mode	19.1 W	22.4 W	20.6 W		Energy Star TEC Test P	rocedure	
Off Mode	0.019 W	0.022 W	0.117 W		IEC 62301		
EPS No-load	W	W	W				
(External power supply / charger plugged in the wall outlet but disconnected from the product.)							
PTEC * Typical Energy Consumption	W	W	W				
TEC * Typical Energy Consumption	4.935 kWh/week	5.378 kWh/week	5.129 kWh/wee	ek	Energy Star TEC Test P	rocedure	
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/ye	Wh/year			
Display resolution* : Me	gapixels	•	•				
Print Speed * : 23 Images	s per minute						
Default time to enter energy sav	ve mode: 30 minutes						
P9.2* Information about th	ne energy save functio	n is provided with th	ne product.	Į.] 📑
P9.3* The product meets	the energy requiremer			m/s:			
ENERGY STAR® v Others specify: RA	ersion: 1.1 Tier: L UZ 122 (Blue Ange l	Product category:	TEC Table 4				
P10 Emissions	(<u>/</u>					
	Declared according to	ISO 9296					
	ode description		Declared		Declared A-weighte	∍d	
			A-weighted sound power		sound pressure level $L_{\it pa}$	_{Am} (dB)	
			level L_{WAd} (B)	Oper	rator position Bysta	nder position	S
						product is no ator attended	
Idle *	Ready	,	* 3.8		23	a.o. a.tonato	$^{\prime}$
	Duplex Mono Printing		* 6.5	49			
Other mode	Simplex Mono Printi	ng, Normal	6.3		47		
Measured according	n to: X ISO7779	ECMA-74					
	_	-	by ECMA-74 wit	th Lna-	n measurement distance	m)	1

Model number *	X548dte		
Issue date *	5-12-2011	Logo	LEXMARK

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: <i>RAL UZ</i> 122 (Blue Angel)			
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust <0.5 Ozone 0.27 Styrene 0.017 Benzene <0.01 TVOC 2.8			
P10.5	Chemical emission requirements of the following voluntary program/s are met for : Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements o EN12281.	f 🔀		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\boxtimes		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated weight (kg): 4.004 Product packaging material type(s): Low Density Polyethylene, Expanded weight (kg): 0.571 Product packaging material type(s): Low Density Polyethylene weight (kg): 0.390 High Density Polyethylene = 0.277 kg Polypropylene: 0.065 kg			
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box): Electronic , Paper , Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
Rev. P13.5	User and product documentation do not contain chlorine bleached paper			
P14	Additional information (See Note B4)			
P1. 1	This product uses RoHS exemptions for lead and mercury used in small amounts applications.	for spe	eifi	.C
P2. 1	The battery contained within this product should be disposed of properly with	the p	coduc	et.
	The product is properly labeled with the WEEE disposal symbol and instruction			
	disposal is listed in the product User's Guide.	. 101 50	1011	
P. 2. 3	disposal is listed in the product user's Guide.			
P10. 4	The battery contained within this product meets the exception listed. The battery intended to be removed by the customer; however, is designed for easy removal and service providers.			
	Note: The data reported in P10.4 is for the color print test. Mono print test results: Ozone - $<0.21~\text{mg/h}$; Styrene - 0.013 mg/h; Benzene - Dust - $<0.5~\text{mg/h}$; and TVOC - 0.77 mg/h	0.006	3 mg/	'n;
	Additional company information and company environmental policy may be found http://lexmark.com/environment Specific printer and supply item recycling information for your area may be http://lexmark.com/recycle Lexmark Sweden is connected to REPA and El-kretsen		at	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19