



Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc.	ITSTATABLE
Contact information *	Nadia Martin (USA)	LEXIVIARK
		TIM TIM
Internet site *	www.lexmark.se/	
	www. lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Color Laser MFP		
Commercial name *	Lexmark X560n		
Model number *	X560n		
Issue date *	12/13/07		
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	X560n		
Issue date *	12/13/07	Logo	EXMARK

Product of	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU</i> : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.	$\overline{\boxtimes}$		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	X560n		
Issue date *	12/13/07	Logo	LEXMARK

Product	t environmental a	nttributes - Market req Requirem	uirements - Environmental conscious design nent met				
Item	*=mandatory to f	ill in. Additional informa	ation regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, re	ecycling					
P7.1*	Parts that have to be treated separately are easily separable			\boxtimes			
P7.2*	Plastic materials in covers/housing have no surface coating.			\boxtimes			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			\boxtimes			
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.	\boxtimes			
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.	\boxtimes			
P7.6*	Labels are easily	separable. (This requi	rement does not apply to safety/regulatory labels).	X			
	Product lifetime						
P7.7*	Upgrading can be	e done e.g. with proces	ssor, memory, cards or drives				
P7.8*	Upgrading can be	e done using commonl	y available tools	\boxtimes			
P7.9.	Spare parts are a	available after end of pr	roduction for: 5 years				
P7.10	Service is availab	ole after end of product	ion for: years				
		bstance requirements	3	·			
P7.11*		using material type:	Metadalisma ADO Metadalisma				
P7.12*	Material type: PC		Material type: <u>ABS</u> Material type: wer cables are halogen free (including PVC)				
P7.12*			gnal cables are halogen free (including PVC)			\perp	
P7.13					$\stackrel{\triangle}{\vdash}$	-	
P7.14		plastic parts >25g are				 	
			onents) >25g are halogen free			<u> </u>	
P7.16	FR(40)		ants in cover / housing plastic parts >25g according ISO 1043-4:				
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(17)					Ш	
P7.18 P7.19	Weight of recycled material in plastic parts is Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46,						
	R50/51/53 and R	60/61 (67/548/EEC)	etatuant substances/preparations above 0.1% classified as R45/46,				
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 2 and max. mercury content per lamp: 2 mg						
P8	Batteries						
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC						
P8.2*	Battery chemical composition: Lithium Ion						
P8.3	Batteries meet the requirements of the following voluntary program/s:						
P9 9.1	Energy consum	•	els or energy consumptions have been measured:				
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	Mode description	Reference		n.a.	
On-max	W		*	*		\boxtimes	
On- normal	* 420 W	to	* Printing	*ESTAR			
On-idle	90 W	to	* Ready Mode	*ESTAR			
Save 1	* 35 W	to	* Sleep 1 Mode	*ESTAR		Ħ	
Save 2	19 W	to	* Sleep 2 Mode	*ESTAR		Ħ	
Off 1	* 0.0 W	to	* Plugged in Off Mode	*ESTAR		Ħ	
Off 2	W	to	*	*			
No load	* W		External power supplies/charger plugged in but disconnected from the product	*			
TEC	* 351 kWh/v Tvr	pical Energy Consumpt		*ESTAR	-		
P9.2*			tion is provided with the product.		\Box		
P9.3			ents of the following voluntary program/s:	<u>V</u>			
	ENERGY STAR Others specify:						

Model number *	X560n		
Issue date *	12/13/07	Logo	LEXMARK.

Product 6		tributes - Market requirements (continued				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a					
P10	Emissions					
	Noise emission	- Declared according to ISO 9296				
P10.1	Mode	Mode description	Declared	Declared A-we	eighted	
	A-weighted sound pressure level L _{pAm} (dB)					
			sound power	Operator position B	Bystander positions	
			level L _{WAd} (B)			
					nly if product is not	
				or Deskside	operator attended)	
	Idle	* Inaudible	* 4.3	28		
	Operation	* Simplex mono print	* 6.8	52		
	Other mode	Simplex color print	6.6	51		-
	Measured accord	ding to: X ISO 7779 ECMA-74				
		Other (only if not covered	d by ECMA-74 with	n L _{pAm} measurement distar	nce m)	
P10.2	The product mee	ets the acoustic noise requirements of the fo	llowing voluntary	orogram/s:		
	Chemical emiss	sions from printing products				
P10.3*	Test performed a	according to ECMA-328 standard, other	specify: RAL-UZ-	122		
	The test covers:	Dust Ozone Styrene	Benzene	TVOC 🔀		
P10.4	The product mee	ets the chemical emission requirements of th	ne following volunt	ary program/s:		
	Electromagnetic	c emissions				
P10.5		y meets the requirement for low frequency e	electromagnetic fie	elds of the following volunta	ary	
P11	Consumable ma	aterials for printing products				
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.					
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.			
P12	Ergonomics for computing products					
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays.					
P12.2*	The product keyboard meets the requirements of ISO 9995 and EN 29241-4.					\boxtimes
P12.3*	The computer input device meets the requirements of ISO 9241-9.					\boxtimes
P13	Packaging and					
P13.1*	Product packagir Product packagir Polypropylene :		weight (kg): weight (kg): weight (kg):	5.74		
		styrene				
P13.2*	Product plastic p	ackaging is halogen free (including PVC)				
P13.3*	User and produc	et documentation do not contain chlorine blea	ached paper			Ħ
P13.4*	User and product documentation contain recycled paper					Ħ
P14	Additional infor	mation				
		pany information and company environm				om
		and supply item recycling information for	or your area may	be found at http://lexma	rk.com/recycle	
		en is connected to REPA and El-kretsen	daug and are are	amntad from includir	movel instruction	o in
	*P.2.3 - Batteries used within this product are non-hazardous and are exempted from including removal instructions in user's manuals per Article 11 of the 2006/66/EC Battery Directive.					

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.