



Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	ITSTATABLE
Contact information *	Nadia Martin (USA)	LHXIVIARK
		TIM TIM
Internet site *	www.lexmark.se/	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Multifunction Mono Laser Printer		
Commercial name *	Lexmark X658de, Lexmark X658dte, Lexmark X658dfe, Lexmark X658dme, Lexmark X658dtfe, Lexmark X658dtme		
Model number *	X658de, X658dfe, X658dfe, X658dme, X658dtfe, X658dtme		
Issue date *	9/12/2008		
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	X658de, X658dte, X658dfe, X658dme, X658dtfe, X658dtme		
Issue date *	9/12/2008	Logo	LEXMARK

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)			
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in <i>EU 76/769/EEC</i> , amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)			
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	\boxtimes		
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)			
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	X658de, X658dte, X658dfe, X658dme, X658dtfe, X658dtme		
Issue date *	9/12/2008	Logo	LEXMARK

Product	environmental a	attributes - Market red Requiren	quirements - Environmental conscious design			
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design		,			
D7.4*	Disassembly, re		. and another consists	<u> </u>		
P7.1*		o be treated separately			ᄴ	
P7.2*		in covers/housing have	<u> </u>		Щ.	
P7.3*			erial or of easily separable materials.		ᆜ	
P7.4*		-	according to ISO 11469 referring ISO 1043.		Щ.	
P7.5			or have inlays that can be removed with commonly available tools.			
P7.6*			rement does not apply to safety/regulatory labels).			
D7 7*	Product lifetime		and a market and an drives			
P7.7* P7.8*			ssor, memory, cards or drives		<u> </u>	
		e done using commonl		X		
P7.9.		available after end of p				<u> </u>
P7.10		ble after end of product	· · · · · · · · · · · · · · · · · · ·			Ш
P7.11*		bstance requirements ousing material type:				
F 7.11	Material type: Al		Material type: HIPS Material type: PC/ABS			
P7.12*			ower cables are halogen free (including PVC)		\boxtimes	
P7.13*	Electrical cable in	nsulation material of sig	gnal cables are halogen free (including PVC)		X	
P7.14	All cover/housing	g plastic parts >25g are	halogen free			
P7.15			onents) >25g are halogen free			
P7.16			ants in cover / housing plastic parts >25g according ISO 1043-4:			
P7.17	FR(40)		ants in printed circuit boards (without components) >25g according			
	ISO 1043-4: FR((16)			Ш	
P7.18		ed material in plastic pa				
P7.19		g are free from flame r R60/61 <i>(67/548/EEC)</i>	etardant substances/preparations above 0.1% classified as R45/46,		Ш	
P7.20		e free from mercury		\boxtimes		
P8	If mercury is use Batteries	d specify: Number of la	amps: and max. mercury content per lamp: mg	•	•	
P8.1*		t contain batteries defir	ned as hazardous according to 91/157/EEC			
P8.2*			Battery chemical composition: LiMnO2, Lithium Manganese			
	Dioxide					
P8.3	Batteries meet th	ne requirements of the	following voluntary program/s:			
P9	Energy consum					
9.1			els or energy consumptions have been measured:	D (,	
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	Mode description	Referen Standar		n.a.
On-max	W		*	*		\boxtimes
On- normal	* 875 W	to	* Copying	*Compa		
On-idle	105 W	to	* Ready Mode	*Energy Star TE	,	
Save 1	* 30 W	to	* Power Saver (Sleep Mode)	*Energy	,	
Save 2	W	to	*	Star TE	Ü	
Off 1	* 0 W	to	* Plugged in Off Mode	*Energy	,	
Off 2	W	to	*	Star TE		
No load	* W	i U	External power supplies/charger plugged in but disconnected	*		
			from the product			
TEC	* 505.4 kWh/y T	ypical Energy Consum	nption per year	*Energy Star TE		
P9.2*			tion is provided with the product.	X		
P9.3	The product mee ENERGY STAR Others specify:		nents of the following voluntary program/s:			

Model n	Model number * X658de, X658dfe, X658dfe, X658dme, X658dffe, X658dtme						
Issue da	ate *	9/12/2008		Logo	LEXMARK,		
		ental attributes - Market requirements (contin					
Item P10		atory to fill in. Additional information regarding ea	ach item may be found	d under P14.	Yes No	n.a.	
P10	Emissio	ns					
	Noise en	mission – Declared according to ISO 9296					
P10.1	Mode	Mode description	Declared	Declared A-v			
			A-weighted	sound pressure le			
			sound power	Operator position	Bystander positions		
			level L _{WAd} (B)				
				Desktop	only if product is not		
				or Deskside	operator attended)		
	Idle	* Ready	* 4.5	28			
	Operation	* Simplex Monochrome Printing	* 7.1	55			
	Other mo	ode ADF Monochrome Copying	7.2	55			
	Measure	d according to: SISO 7779 ECMA-74 Other (only if not cov	arad by ECMA 74 with	h L _{pAm} measurement dista	ance m)		
P10.2	The prod						
1 10.2	The product meets the acoustic noise requirements of the following voluntary program/s: RAL-UZ 122 Chemical emissions from printing products						
P10.3*			than anaifu DAL 117	400			
1 10.5		formed according to ECMA-328 standard, of				ш	
	The test		ene 🔀 Benzene				
P10.4	The prod	luct meets the chemical emission requirements	of the following volunt	ary program/s: RAL-UZ-	122		
	Electromagnetic emissions						
P10.5	Compute	er display meets the requirement for low frequen	cy electromagnetic fie	elds of the following volun	tary 🔲	\boxtimes	

A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required

weight (kg): 9.208 weight (kg): 5.330

weight (kg): 1.855

Paper containing recycled fibres that meets the requirements of EN12281 can be used.

The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays

2-sided (duplex) printing/copying is an integrated product function.

The computer input device meets the requirements of ISO 9241-9.

Product packaging material type(s): Expanded Polystyrene

Product plastic packaging is halogen free (including PVC)

User and product documentation contain recycled paper

Lexmark Sweden is connected to REPA and El-kretsen

User and product documentation do not contain chlorine bleached paper

user's manuals per Article 11 of the 2006/66/EC Battery Directive.

The product keyboard meets the requirements of ISO 9995 and EN 29241-4.

NOTE

program/s:

Consumable materials for printing products

Ergonomics for computing products

Packaging and documentation

Polypropylene = 0.933 kg Polyurethane Foam = 0.154 kg High Density Polyethylene = 0.069 kg

Additional information

and EN-ISO13406-2 for flat panel displays.

Product packaging material type(s): Wood

Product packaging material type(s): Corrugated

P11

P11.1

P11.2*

P11.3*

P12.2*

P12.3*

P13.1

P13.2

P13.3*

P13.4*

P14

P13

P12 P12.1*

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Additional company information and company environmental policy may be found at http://environment.lexmark.com Specific printer and supply item recycling information for your area may be found at http://lexmark.com/recycle

*P.2.3 - Batteries used within this product are non-hazardous and are exempted from including removal instructions in