


THE ECO DECLARATION

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).
Additional information regarding each item may be found under P14.

Brand *	Lexmark	
Company name *	Lexmark International, Inc.	
Contact information *	Nadia Martin (USA)	
Internet site *	www.lexmark.se / www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.	
Type of product *	Multifunction Color Laser Printer
Commercial name *	Lexmark X748de, Lexmark X748dte, Lexmark XS748de
Model number *	X748de, X748dte, XS748de
Issue date *	01-09-2012
Intended market *	<input checked="" type="checkbox"/> Global <input type="checkbox"/> Europe <input type="checkbox"/> Asia, Pacific & Japan <input type="checkbox"/> Americas <input type="checkbox"/> Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requirement met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	<input checked="" type="checkbox"/>	<input type="checkbox"/>
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Model number *	X748de, X748dte, XS748de	Logo	LEXMARK
Issue date *	01-09-2012		

Product environmental attributes - Legal requirements		Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridiny)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager, HOD9237, 740 W. New Circle Rd., Lexington, KY 40550	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	X748de, X748dte, XS748de	Logo	
Issue date *	01-09-2012		

Product environmental attributes - Market requirements - Environmental conscious design		Requirement met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.2*	Plastic materials in covers/housing have no surface coating.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.8*	Upgrading can be done using commonly available tools	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.9.	Spare parts are available after end of production for: 5 years			<input type="checkbox"/>
P7.10	Service is available after end of production for: 5 years			<input type="checkbox"/>
	Material and substance requirements			
P7.11*	Product cover/housing material type: Material type: ABS Material type: HIPS Material type: PC/ABS			
P7.12	Electrical cable insulation materials of power cables are PVC free.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P7.13	Electrical cable insulation materials of signal cables are PVC free	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) <input type="checkbox"/> , TBBPA (reactive) <input type="checkbox"/> , Other; chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40), FR(17), FR(16), FR(50)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.20	Of total plastic parts' weight >25g, recycled material content is %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is %.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Manganese Dioxide, LiMnO2			<input type="checkbox"/>
P8.2	Batteries meet the requirements of the following voluntary program/s:			<input type="checkbox"/>

Note B2: IEC61249-2-21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	X748de, X748dte, XS748de		
Issue date *	01-09-2012	Logo	

Product environmental attributes - Market requirements (continued) Requirement met

Item				Yes	No	n.a.
P9 Energy consumption						
9.1 For the product the following power levels or energy consumptions are reported:						
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *		<input type="checkbox"/>
Printing	530.1 W	529.9 W	514.0 W	Corporate Standard		<input type="checkbox"/>
Ready Mode	54.1 W	51.4 W	54.6 W	Energy Star I E V1.2		<input type="checkbox"/>
Sleep Mode	10.2 W	10.3 W	10.5 W	Energy Star I E V1.2		<input type="checkbox"/>
Hibernate Mode	0.40 W	0.45 W	0.49 W	IEC 62301		<input type="checkbox"/>
Off Mode	0.00 W	0.00 W	0.00 W	IEC 62301		<input type="checkbox"/>
Copy	540 W	516.9 W	505 W	Corporate Standard		<input type="checkbox"/>
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W			<input checked="" type="checkbox"/>
PTEC * Typical Energy Consumption	W	W	W			<input checked="" type="checkbox"/>
TEC * Typical Energy Consumption	4.525 kWh/week	4.444 kWh/week	4.490 kWh/week	Energy Star I E V1.2		<input type="checkbox"/>
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/year			<input checked="" type="checkbox"/>
Display resolution* :	Megapixels					<input checked="" type="checkbox"/>
Print Speed* :	35 Images per minute			Corporate Standard		<input type="checkbox"/>
Default time to enter energy save mode:	30 minutes			Energy Star I E V1.2		<input type="checkbox"/>
P9.2*	Information about the energy save function is provided with the product.					<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
P9.3*	The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 1.2 Tier: 1 Product category: Imaging Equipment Others specify: RAL UZ 122					<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
P10 Emissions						
Noise emission – Declared according to ISO 9296						
P10.1	Mode	Mode description	Declared A-weighted sound power level L_{wAd} (B)	Declared A-weighted sound pressure level L_{pAm} (dB)		<input type="checkbox"/>
				Operator position <input type="checkbox"/>	Bystander positions <input checked="" type="checkbox"/>	
				Desktop <input type="checkbox"/>	(only if product is not operator attended)	
				or Desk side <input type="checkbox"/>		
	Idle	* Ready	* 4.9	34		<input type="checkbox"/>
	Operation	* Duplex Monochrome Printing, Default Mode	* 7.2	56		<input type="checkbox"/>
	Other mode	* Simplex Monochrome Printing, Default Mode	7.3	56		
	Measured according to: <input checked="" type="checkbox"/> ISO7779 <input type="checkbox"/> ECMA-74 <input type="checkbox"/> Other (only if not covered by ECMA-74 with L_{pAm} measurement distance m)					
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s: RAL-UZ 122					<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

Model number *	X748de, X748dte, XS748de	Logo	LEXMARK
Issue date *	01-09-2012		

Product environmental attributes - Market requirements (continued)		Requirement met		
Item		Yes	No	n.a.
Chemical emissions from printing products				
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard <input type="checkbox"/> , other specify: RAL-UZ-122	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P10.4	Typical emission rate (print phase) is (mg/h): Dust <0.7 Ozone <0.06 Styrene 0.4 Benzene <0.03 TVOC 6.8			<input type="checkbox"/>
P10.5	Chemical emission requirements of the following voluntary program/s are met for : Dust <input checked="" type="checkbox"/> Ozone <input checked="" type="checkbox"/> Styrene <input checked="" type="checkbox"/> Benzene <input checked="" type="checkbox"/> TVOC <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electromagnetic emissions				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P11 Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P12 Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P13 Packaging and documentation				
P13.1*	Product packaging material type(s): Wood weight (kg): 6.505 kg Product packaging material type(s): Corrugated weight (kg): 5.260 kg Product packaging material type(s): Polyethylene Foam weight (kg): 2.411 kg Paperboard = 0.295 kg High Density Polyethylene (HDPE) = 0.233 kg Polypropylene = 0.065 kg			
P13.2*	Product plastic packaging is free from PVC.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P13.3*	Specify media for user and product documentation (tick box): Electronic <input checked="" type="checkbox"/> , Paper <input checked="" type="checkbox"/> , Other <input type="checkbox"/>			<input type="checkbox"/>
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			<input type="checkbox"/>
Rev. P13.5	User and product documentation do not contain chlorine bleached paper	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P14 Additional information (See Note B4)				
P1. 1	<i>This product uses RoHS exemptions for lead and mercury used in small amounts for specific applications.</i>			
P2. 1	<i>The battery contained within this product should be disposed of properly with the product. The product is properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guide.</i>			
P. 2. 3	<i>The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers.</i>			
P. 10. 4	<i>BQL = Below Quantifiable Limits - Note: The data reported is for the color print test. Mono print test results: Ozone <0.06; Styrene - 0.14 mg/hr; Benzene - <0.03; Dust <0.7; and TVOC - 0.74 mg/hr</i> <i>Additional company information and company environmental policy may be found at http://lexmark.com/environment</i> <i>Specific printer and supply item recycling information for your area may be found at http://lexmark.com/recycle</i> <i>Lexmark Sweden is connected to REPA and El-kretsen</i>			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2.3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials)	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19