



## Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	I DECEMBER
Contact information *	Nadia Martin (USA)	LEXMARK
		TIME THE TENTON
Internet site *	www.lexmark.se/	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product * Multi-Function Color Laser Printer				
Commercial name *	Lexmark X782e			
Model number *	X782e			
Issue date *	4/16/07			
Intended market *	☑ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality Control Requirement met			
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	X782e		
Issue date *	4/16/07	Logo	LEXMARK

Product	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>		Ш	
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (EU: Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\boxtimes$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	$\boxtimes$		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 <sup>th</sup> 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	$\boxtimes$		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$		

Model number *	X782e		
Issue date *	4/16/07	Logo	LEXMARK

Product environmental attributes - Market requirements - Environmental conscious design  Requirement met							
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, re						
P7.1*	Parts that have to be treated separately are easily separable						
P7.2*	Plastic materials in covers/housing have no surface coating.					Ħ	
P7.3*			rial or of easily separable materials.			Ħ	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.					$\overline{\Box}$	
P7.5			or have inlays that can be removed with commonly available tools.		Ħ	$\blacksquare$	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					$\overline{}$	
	Product lifetime		117 7 3 7 7				
P7.7*			ssor, memory, cards or drives	X	$\Box$		
P7.8*	Upgrading can b	e done using commonl	y available tools		市	$\overline{}$	
P7.9.	Spare parts are a	available after end of p	roduction for: 4 years			Ħ	
P7.10	Service is availal	ole after end of product	tion for: years			Ħ	
	Material and su	bstance requirements	S	·			
P7.11*		ousing material type:					
D7.40*	Material type: AL		Material type: HIPS Material type: PC/ABS				
P7.12*			ower cables are halogen free (including PVC)			<u> </u>	
P7.13*			gnal cables are halogen free (including PVC)				
P7.14		plastic parts >25g are	-		Щ.		
P7.15			onents) >25g are halogen free		$\underline{\underline{X}}$		
P7.16	FR(40)		ants in cover / housing plastic parts >25g according ISO 1043-4:				
P7.17	ISO 1043-4: FR(	16)	ants in printed circuit boards (without components) >25g according		Ш		
P7.18		ed material in plastic pa					
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)						
P7.20	Light sources are free from mercury  If mercury is used specify: Number of lamps: 3 and max. mercury content per lamp: 3.2 mg						
P8.1*	Batteries Product does not	t contain batteries defir	ned as hazardous according to 91/157/EEC				
	Floduct does no	Contain batteries dein				$\boxtimes$	
P8.2*	Battery chemical composition:  Batteries meet the requirements of the following voluntary program/s:						
P8.3	Energy consum		lollowing voluntary program/s.				
9.1			els or energy consumptions have been measured:				
Mode	Power level at * 230v Volts	Time (s) to <mode></mode>	Mode description	Reference		n.a.	
On-max	W		*	*	_	$\boxtimes$	
On- normal	* <b>700</b> W	to	* Printing	*ESTAR			
On-idle	<b>190</b> W	to	* Ready	*ESTAR			
Save 1	* 44 W	to	* Power Saver Mode / Sleep	*ESTAR		$\forall$	
Save 2	W	•		*		X	
Off 1	* <b>0.95</b> W	to	* Plugged in Off Mode	*ESTAR			
Off 2	W	to	*	*			
No load	* W		External power supplies/charger plugged in but disconnected from the product	*			
TEC	* <b>686.4</b> kWh/y T	ı ypical Energy Consum		*ESTAR			
P9.2*			tion is provided with the product.		$\sqcap$	Ħ	
P9.3	The product meets the energy requirements of the following voluntary program/s:						
	ENERGY STAR® MOU Others specify:						

Issue dat	te *	4/16/07			Logo	LEXM	<b>∖</b> RK		
		ntal attributes - Market requi							
P10	*=mandate	ory to fill in. Additional informa	tion regarding each	item may be found	d under P14.	Yes	No	n.a.	
PIU	Emission	5							
	Noise em	ission – Declared according t	n ISO 9296						
	NOISC CIT	1331011 Deciared according to	0 100 3230						
P10.1	Mode	Mode description		Declared	Declared	d A-weighted		1	
				A-weighted		re level L <sub>pAm</sub> (dB)	)		
				sound power	Operator position	Bystander po			
				level L <sub>WAd</sub> (B)			$\boxtimes$		
					Desktop	(only if produc	t is not		
					or Deskside	operator atte	ended)		
	Idle	* Ready		* 4.6		29			
								1	
	Operation	* Simplex mono prin	ting	* 6.8		50		Ш	
	Other mod	de la						-	
	Outlot mod								
	Measured	according to: X ISO 7779	ECMA-74						
		Other		d by ECMA-74 wit	h L <sub>pAm</sub> measurement	distance m	າ)		
P10.2	The produ	ct meets the acoustic noise re					Ή		
	Chemical	emissions from printing pr	oducts						
P10.3*		rmed according to ECMA-328		specify: RAL-UZ-	122	$\boxtimes$			
	The test c					_			
P10.4		ct meets the chemical emission						П	
	Electromagnetic emissions								
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary								
	program/s:								
P11	Consumable materials for printing products  A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required								
P11.1*	(see P4.3)		avaliable for the link	vioner preparation	i, even ii not legaliy to	equired		Ш	
P11.2*		taining recycled fibres that me	eets the requirement	s of EN12281 can	be used.	$\boxtimes$			
P11.3*	2-sided (d	uplex) printing/copying is an in	ntegrated product fur	nction.		$\boxtimes$			
P12		ics for computing products							
P12.1*	and EN-IS	uter system meets the ergond O13406-2 for flat panel displa	iys.		8 for CRT displays				
P12.2*		ct keyboard meets the require						$\boxtimes$	
P12.3*	The comp	uter input device meets the re	quirements of ISO 9	241-9.				$\boxtimes$	
P13		g and documentation							
P13.1*		ackaging material type(s): pol		weight (kg): 1		$\boxtimes$			
		ackaging material type(s): <i>cor</i> ackaging material type(s): <i>pol</i>		weight (kg): 13		· (ka)·			
		; <b>24.26; 0.281</b>	ypropylene, polyst	yrene, wood pan	et, PET weight	. (kg).			
P13.2*		astic packaging is halogen fre	e (including PVC)			$\square$			
P13.3*	User and product documentation do not contain chlorine bleached paper						Ħ		
P13.4*		product documentation contai		1 1 7		$\overline{\Box}$	$\boxtimes$	$\forall$	
P14		Il information							
. 17		nl company information and	company environn	nental policy may	/ be found at http://	environment.lex	mark.c	om	
		printer and supply item recy							
	Lexmark Sweden is connected to REPA and El-kretsen								

## NOTE

Model number \* X782e

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.