

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	I DYZNA A DIZ
Contact information *	Nadia Martin (USA)	LEXMARK.
Internet site *	www.lexmark.se / www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Iti Function Color Laser Printer					
Commercial name *	Lexmark X792e					
Model number *	X792e					
Issue date *	10/13/2010					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	X792e		
Issue date *	10/13/2010	Logo	LEXMARK.

Product	Requirement m					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)					
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.					
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager, H0D9237, 740 W. New Circle Rd., Lexington, KY 40550					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)					
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3	Safety, EMC connection to the telephone network and labeling					
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes				
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).					
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square				
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	I 🔀				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	I 🔀				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	umber *	X792e				
Issue dat	te *	10/13/2010	Logo	LEXM	ARK	
				,	TW.	
Product		mental attributes - Market requirements - Environmental conscious of	lesign	Require	ment	met
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		
P7	Design					
D7.4*		mbly, recycling				
P7.1*		at have to be treated separately are easily separable			<u>Ц</u>	Щ.
P7.2*		naterials in covers/housing have no surface coating.		\boxtimes	<u> </u>	
P7.3*		arts >100g consist of one material or of easily separable materials.		\boxtimes		
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes		
P7.9.	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type:				
D7.40			I type: PC/ABS			
P7.12		I cable insulation materials of power cables are PVC free.				Щ.
P7.13		I cable insulation materials of signal cables are PVC free			\boxtimes	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.		\boxtimes		
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC6	1249-2-21. (See			
P7.16	Flame re Marking:	etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)				
P7.17	Alt. 1 Chemica TBBPA (al specifications of flame retardants in printed circuit boards >25g (without compone (additive), TBBPA (reactive), Other; chemical name:, CAS #:	nts):			
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) > 3-4: FR(16)	25g according	\boxtimes		
P7.18	Alt. 1 Flame r	etarded plastic parts >25g contain the following flame retardant substances	/preparations ir	n 🔲		

Note B2: IE	C61249-221	has	maximum	limits	for	chlorine	and	bromine	but	does	not	address	fluorine,	iodine	and	astatine
which are in	cluded in the	grou	p of halogo	ens.												

concentrations above 0.1%:

FR(40), FR(17), FR(16), FR(50)

Light sources are free from mercury If mercury is used specify: Number of lamps:

1. Chemical name:

2. Chemical name:3. Chemical name:

Alt. 2

Batteries

P7.19

P7.20

P7.21

P7.22

P8

P8.2

Comment: No legal limits exist, this is a market requirement.

Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:

R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)

Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,

%.

and max. mercury content per lamp:

mg

, CAS #:

, CAS #:

, CAS #:

Of total plastic parts' weight >25g, recycled material content is

Of total plastic parts' weight >25g, biobased material content is

Battery chemical composition: Lithium Manganese Dioxide, LiMnO2

Batteries meet the requirements of the following voluntary program/s:

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	X792e		
Issue date *	10/13/2010	Logo	EXMARK.

Product environmental a	t environmental attributes - Market requirements (continued) Requirement me						
Item						Yes N	o n.a.
P9 Energy consump	otion						
9.1 For the product the	e following power levels	or energy consump	otions are reporte	ed:			
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / St modes and test m	andard for energethod *	ЭУ 🗌
Printing	862.8 W	840.4 W	820.7 W		Corporate Standa	ard	
Сору	994 W	862.9 W	925.1 W		Corporate Standa	ard	
Scan	106.4 W	98.3 W	99.6 W		Corporate Standa	ard	
Ready Mode	65.3 W	70.7 W	67 W		Energy Star TEC	Test Procedure	
Sleep Mode	16.09 W	16.13 W	16.48 W		Energy Star TEC	Test Procedure	
Off Mode	0.003 W	0.003 W	0.016 W		IEC 62301		
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W				
PTEC * Typical Energy Consumption	W	W	W				
TEC * Typical Energy Consumption	5.25 kWh/week	5.14 kWh/week	5.17 kWh/week	(Energy Star TEC	Test Procedure	
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/yea	ar			
Display resolution* : N	/legapixels						
Print Speed * : 48 Imag	es per minute				Corporate Standa	ard	
Default time to enter energy s	ave mode: 30 minutes						
P9.2* Information about	the energy save function	n is provided with th	ne product.	u			
ENERGY STAR® Others specify:	s the energy requirement version: Tier: P	nts of the following v roduct category:	oluntary program	n/s:			
P10 Emissions	5 1 1 "	100 0000					
	 Declared according to Mode description 	ISO 9296	Declared A-weighted sound power		Declared A- sound pressure le	•	
			level $L_{W\!Ad}^{\cdot}(B)$		Desktop or Desk side	Bystander positio (only if product is roperator attende	ot
Idle	* Ready		* 4.3		27	,	
Operation	* Simplex Mono Printi	ng, Normal	* 6.8		51		
Other mode							
Measured accord	· = -	ECMA-74 (only if not covered	by ECMA-74 with	h L _{pAn}	n measurement dist	tance m)	
P10.2 The product meet	s the acoustic noise req	· •	•	•		<u>, </u>	

Model number *	X792e		
Issue date *	10/13/2010	Logo	LEXMARK

Product	environmental attributes - Market requirements (continued)	equire	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: RAL-UZ-122	\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust 0.6 Ozone <0.05 Styrene 0.36 Benzene <0.02 TVOC 15.6			
P10.5	Chemical emission requirements of the following voluntary program/s RAL-UZ-122 are met for :	\boxtimes		
	Dust ☑ Ozone ☑ Styrene ☑ Benzene ☑ TVOC ☑		_	
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).		П	П
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of	X	H	H
	EN12281.		ш	ш
P11.3*	2-sided (duplex) printing/copying is an integrated product function.		X	
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\square
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	T	$\overline{\Box}$	
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Wood weight (kg): 6.282			
	Product packaging material type(s): Corrugated weight (kg): 6.633			
	Product packaging material type(s): Low Density Polyethylene (LDPE) weight (kg): 1.629			
	High Density Polyethylene (HDPE) = 0.346 kg			
	Paper = 0.604 kg Metal (Steel or tinplate) = 0.064 kg			
P13.2*	Product plastic packaging is free from PVC.	\boxtimes	$\overline{}$	$\overline{}$
P13.3*	Specify media for user and product documentation (tick box):			+
P13.3"	Electronic , Paper , Other .			Ш
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			$\overline{}$
P13.4	fiber: 0%			Ш
P14	Additional information (See Note B4)			
P1.1	This product uses RoHS exemptions for lead used in small amounts for specific applications.			
P2.1	The battery contained within this product should be disposed of properly with the product. The product	t is pro	perly	
	labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User			
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to be	remov	ed by	the
	customer; however, is designed for easy removal by recyclers and service providers.			
	Note: The data reported in P10.4 is for the color print test.			
P10.4	Mono print test results: Ozone – <0.05 mg/h; Styrene - 0.14 mg/h; Benzene – <0.02 mg/h; Dust – 0.3 mg/	h : and	TVO	2-
	7.68 mg/h	,		
	Additional company information and company environmental policy may be found at http://lexmark.com			nt
	Specific printer and supply item recycling information for your area may be found at http://lexmark.com	1/recyc	le	
	Lexmark Sweden is connected to REPA and El-kretsen			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19