

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	IDVALADIZ
Contact information *	Nadia Martin (USA)	LEXM \ ARK _™
Internet site *	www.lexmark.se / www.lexmark.com	•
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	ultifunction Color Laser Printer				
Commercial name *	Lexmark X925de				
Model number *	X925de				
Issue date *	11-23-2010				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🛛	

Model number *	X925de		
Issue date *	11-23-2010	Logo	EXMARK.

Product	uct environmental attributes - Legal requirements			Requirement met		
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	\square				
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See		_			
	legal reference and Note B1)					
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes				
	Comment: Legal reference has no maximum concentration value.		_			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		_			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum					
	concentration values.					
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\square				
	terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	\square				
	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		_			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\boxtimes		
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).		_			
	Comment: Legal reference has no maximum concentration values.					
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\boxtimes		
	aromatic amines. (See legal reference and Note B1)		_	_		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes		
	pentachlorophenol and derivatives (see legal reference).		_	_		
	Comment: Legal reference has no maximum concentration values.					
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\boxtimes				
	microgram/cm ² /week (see legal reference).		_			
	Comment: Max limit in legal reference when tested according to EN1811:1998.					
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes				
	REACH Program Manager, H0D9237, 740 W. New Circle Rd., Lexington, KY 40550	_	_	_		
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains		$\overline{\Box}$			
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be		ш			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is					
	provided in user manual. (See legal reference)					
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	\boxtimes				
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		_			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the					
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medica		_			
	or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3	Safety, EMC connection to the telephone network and labeling					
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes				
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal		$\overline{\Box}$	$\overline{\Box}$		
	reference).		ш	ш		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies					
	with legally required standards for radio and telecommunication devices (see legal reference).			ш		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square				
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see		$\overline{}$			
F4.1	legal reference and Note B1).		Ш	Ш		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).					
			<u> </u>	-		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	\boxtimes				
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these					
25	requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and	d 🔀				
Dr. o.t	hexavalent chromium by weight of these together.					
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	ıl 🔀				
	Protocol (see legal reference).	_				
	Comment: Legal reference has no maximum concentration values.					

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu		X925de					
Issue dat	te *	11-23-2010	Logo	LEXMARK			
						IM	
Product	environ	mental attributes - Market requirements - Environmental conscious d	lesign	Require	ment	met	
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P6	Treatme	nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes			
P7	Design						
		mbly, recycling					
P7.1*	Parts that have to be treated separately are easily separable						
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		\boxtimes			
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		\boxtimes			
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		\boxtimes			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Ħ	Ħ	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	\overline{H}	
	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives			$\overline{\Box}$		
P7.8*		ng can be done using commonly available tools			∺		
P7.9.						\vdash	
P7.10		arts are available after end of production for: 5 years					
P7.10		s available after end of production for: 5 years					
P7.11*		and substance requirements					
P7.11"	Material	cover/housing material type: type: <i>PC+ABS</i> Material type: <i>ABS</i> Materia	I type:				
P7.12	Electrica	I cable insulation materials of power cables are PVC free.			\boxtimes		
P7.13	Electrica	cable insulation materials of signal cables are PVC free			\boxtimes		
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.			$\overline{\Box}$		
P7.15	All printed circuit boards (without components) >25g are halogen free .as defined in IEC61249-2-21. (See						
D7.40	Note B2)				_		
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)			Ш	Ш	
P7.17	7 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:						
	ISO 1043	Il specifications of flame retardants in printed circuit boards (without components) > 3-4:	25g according				
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	/preparations ir	n 🔲			
	1. Chem 2. Chem 3. Chem Alt. 2	ent: No legal limits exist, this is a market requirement. ical name: , CAS #: ical name: , CAS #: ical name: , CAS #: il specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% class 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	sified as R45,				
P7.20	Of total p	plastic parts' weight >25g, recycled material content is %.					
P7.21	Of total p	plastic parts' weight >25g, biobased material content is %.					
P7.22	Light sou	irces are free from mercury		\boxtimes			

and max. mercury content per lamp:

mg

If mercury is used specify: Number of lamps:

Battery chemical composition: Lithium Manganese Dioxide, LiMnO2

Batteries meet the requirements of the following voluntary program/s:

P8

P8.1

P8.2

Batteries

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	X925de		
Issue date *	11-23-2010	Logo	EXMARK.

Product environmental	ironmental attributes - Market requirements (continued) Requirement me					met		
Item						Yes	No	n.a.
P9 Energy consum	•							
9.1 For the product the following power levels or energy consumptions are reported:								
Energy mode *	Power level a	Power level at 115 V AC	Power level 230 V AC	at	Reference / S modes and test n		nergy	
Printing	W	640.2 W	612.1 W		Corporate Stand	dard		
Сору	W	715.5 W	640.8 W		Corporate Stand	dard		
Scan	W	138.8 W	144.1 W		Corporate Stand	dard		
Ready Mode	W	127.2 W	119.8 W		Energy Star TEC	C Test Procedure	9	
Sleep Mode	W	25.5 W	26.4 W		Energy Star TEC	C Test Procedure	9	
Off Mode	W	0.002 W	0.015 W		IEC 62301			
EPS No-load	W	W	W					\boxtimes
(External power supply / charger plugged in the wall outlet but disconnected from the product.)								
PTEC * Typical Energy Consumption	W	W	W					
TEC * Typical Energy Consumption	kWh/week	7.803 kWh/week	7.758 kWh/we	ek	Energy Star TEC	C Test Procedure	9	
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/ye	ear				
Display resolution* :	olay resolution* : Megapixels				\boxtimes			
Print Speed * : 31 Ima	int Speed * : 31 Images per minute							
Default time to enter energy	save mode: 5 minutes							
P9.2* Information about	it the energy save func	tion is provided with t	he product.			\boxtimes		
ENERGY STAR	ets the energy requirem® version: 1.1 Tier: Blue Angel (RAL UZ 1:	Product category		m/s:				
P10 Emissions						7 4		
	- Declared according	to ISO 9296						ı
P10.1 Mode	Mode description		Declared A-weighted sound power		Declared A-weighted sound pressure level $L_{p m Am}$ (dB)			
				Ope	rator position	Bystander pos	itions	
			level L_{WAd} (B)	'	Desktop or Desk side	(only if product operator atter		
Idle	* Ready		* 3.3	ļ	1			
Operation	* Duplex Mono Print	_	* 7.1		5			
Other mode	Simplex Mono Prin Mode	nting, Normal	7.0		5.	5		
Measured accor	ding to: ISO7779 Other	ECMA-74 (only if not covered	I by ECMA-74 wit	th Lnan	n measurement dis	stance m)		
P10.2 The product me	ets the acoustic noise re							

Model number *	X925de		
Issue date *	11-23-2010	Logo	LEXMARK

Product	Product environmental attributes - Market requirements (continued)			met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: RAL-UZ-122	\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust 1.4 Ozone BQL Styrene 1.4 Benzene BQL TVOC 13			
P10.5	Chemical emission requirements of the following voluntary program/s RAL-UZ-122 are met for:	\boxtimes		
	Dust ☑ Ozone ☑ Styrene ☑ Benzene ☑ TVOC ☑			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			\boxtimes
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	X		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\square
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	一百	$\overline{\Box}$	
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Wood weight (kg): 12.453			
	Product packaging material type(s): Corrugated weight (kg): 9.529			
	Product packaging material type(s): Polystyrene (PS) weight (kg): 1.984			
	Paper = 0.576 kg			
P13.2*	Low Density Polyethylene (LDPE) = 0.129 kg Product plastic packaging is free from PVC.			$\overline{}$
				井
P13.3*	Specify media for user and product documentation (tick box):			Ш
D40.4*	Electronic , Paper , Other			_
P13.4*	fiber: 0%			Ш
P14	Additional information (See Note B4)			
P1.1	This product uses RoHS exemptions for lead used in small amounts for specific applications.			
P2.1	The battery contained within this product should be disposed of properly with the product. The product	ict is pro	perly	
	labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product Use	r's Guid	e.	
D 0.0				
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to b	e remove	ed by	the
	customer; however, is designed for easy removal by recyclers and service providers.			
P9.1	31 pages per minute A4; 30 pages per minute Letter			
P10.4	BQL = Below Quantifiable Limits - Note: The data reported in P10.4 is for the color print test.			
	Mono print test results: Ozone - BQL; Styrene - 0.52 mg/hr; Benzene - BQL; Dust - BQL; and TVOC -	7.4 mg/l	ır	
	BQL = Below Quantifiable Limits (Benzene < 0.03, Ozone < 0.06, Dust < 0.7)	_		
	Additional company information and company environmental policy may be found at http://lexmark.c			nt
	Specific printer and supply item recycling information for your area may be found at http://lexmark.co	m/recyc	le	
	Lexmark Sweden is connected to REPA and El-kretsen			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19