



Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	ITSTATABLE
Contact information *	Nadia Martin (USA)	LEXMARK
		TM TM
Internet site *	www.lexmark.se/	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Multi-Function Color Laser Printer			
Commercial name *	Lexmark X945e			
Model number *	X945e			
Issue date *	7/22/2008			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	X945e		
Issue date *	4/23/07	Logo	LEXMARK

Product	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>		Ш	
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (EU: Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\square		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	X		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	X945e		
Issue date *	4/23/07	Logo	LEXMARK

Product	t environmental a	attributes - Market red Requiren	quirements - Environmental conscious design				
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, re		,				
P7.1*	Parts that have to be treated separately are easily separable				\Box		
P7.2*	Plastic materials in covers/housing have no surface coating.				Ħ		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.				Ħ		
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.		Ħ		
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.		Ħ		
P7.6*	Labels are easily	separable. (This requi	irement does not apply to safety/regulatory labels).		Ħ		
	Product lifetime						
P7.7*	Upgrading can b	e done e.g. with proces	ssor, memory, cards or drives				
P7.8*	Upgrading can b	e done using commonl	y available tools	X	T		
P7.9.	Spare parts are a	available after end of p	roduction for: 4 years				
P7.10	Service is availal	ble after end of product	tion for: years				
	Material and su	bstance requirements	S				
P7.11*		ousing material type:					
	Material type: Al		Material type: HIPS Material type: PC/ABS				
P7.12*			ower cables are halogen free (including PVC)		\boxtimes		
P7.13*			gnal cables are halogen free (including PVC)		\boxtimes		
P7.14	· · · · · · · · · · · · · · · · · · ·	g plastic parts >25g are	•	\boxtimes			
P7.15			onents) >25g are halogen free		\boxtimes		
P7.16	FR(40)		ants in cover / housing plastic parts >25g according ISO 1043-4:				
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16)						
P7.18	Weight of recycled material in plastic parts is						
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46 R50/51/53 and R60/61 (67/548/EEC)						
P7.20		e free from mercury d specify: Number of la	amps: 1 and max. mercury content per lamp: 3.2 mg				
P8	Batteries						
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC						
P8.2*	Battery chemical composition: Lithium Manganese Dioxide -						
P8.3			following voluntary program/s:	<u>.</u>		Ш	
P9	Energy consum		de la companya de la				
9.1 Mode	Power level at	Time (s) to <mode></mode>	els or energy consumptions have been measured:	Reference	20/	n o	
	* 230 Volts	Time (s) to <mode></mode>	Mode description	Standard		n.a.	
On-max	W			* 50745			
On- normal	* 720 W	to	* Printing	*ESTAR			
On-idle	190 W	to	* Ready	*ESTAR			
Save 1	* 90 W	to	* Low Power Mode	*ESTAR			
Save 2	21 W	to	* Power Saver / Sleep Mode	*ESTAR			
Off 1	* 0.5 W	to	* Plugged in Off Mode	*ESTAR			
Off 2	W	to	*	*		\boxtimes	
No load	* W		External power supplies/charger plugged in but disconnected from the product	*			
TEC	* 610.48 kWh/y	Typical Energy Consu		*ESTAR	!		
P9.2*	Information abou	it the energy save func	tion is provided with the product.		\Box	Ħ	
P9.3	The product meets the energy requirements of the following voluntary program/s:						
	ENERGY STAR® MOU Others specify:						

Model number *	X945e			
Issue date *	4/23/07		Logo	LEXMARK.
Dun desat americana		Montret requirements (continued) Descripement met		

Product environmental attributes - Market requirements (continued) Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a						
P10	Emissions						
	Noise emission	 Declared according to ISO 9296 					
P10.1	Mode Mode description Declared Declared A-weighted						
	A-weighted sound pressure level L _{pAn} sound power Operator position Bystand				L _{pAm} (dB) ander positions	-	
			level L _{WAd} (B)	Operator position Bysta	ander positions		
			= WAu (=)	only i	if product is not		
				Desktop	erator attended)		
	Lalla	* Doods	* 4.0	or Deskside		l	
	Idle	* Ready	* 4.9	33		Ш	
	Operation	* Printing	* 6.9	52			
		-					
	Other mode						
	Measured accord	ding to: X ISO 7779 ECMA-74					
	Wicasarca accord		hy FCMA-74 with	L _{pAm} measurement distance	m)		
P10.2	The product mee	ets the acoustic noise requirements of the fo			\square	\Box	
		sions from printing products					
P10.3*		according to ECMA-328 standard , other	specify: RAI -IIZ-	122		\Box	
	The test covers:						
P10.4		ets the chemical emission requirements of the				$\overline{}$	
1 10.4		<u>'</u>	ie following volunt	ary program/s.			
P10.5	Electromagnetic emissions Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary						
1 10.0	program/s:						
P11	Consumable materials for printing products						
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).						
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.						
P11.3*	2-sided (duplex) printing/copying is an integrated product function.						
P12		computing products					
P12.1*	and EN-ISO1340	rstem meets the ergonomic requirements of 06-2 for flat panel displays.		8 for CRT displays			
P12.2*		board meets the requirements of ISO 9995 a				\boxtimes	
P12.3*		put device meets the requirements of ISO 93	241-9.				
P13	Packaging and						
P13.1*	Product packagii	ng material type(s): Corrugated ng material type(s): Expanded polystyrene ng material type(s): Wood Pallet	weight (kg): weight (kg): 0 weight (kg): 1	.318			
P13.2*	Product plastic p	ackaging is halogen free (including PVC)		*** *	\square	\Box	
P13.3*		t documentation do not contain chlorine blea	ached paper			\forall	
P13.4*	User and product documentation contain recycled paper						
P14	Additional infor	mation					
	Additional company information and company environmental policy may be found at http://environment.lexmark.com					om	
		and supply item recycling information f	or your area may	be found at http://lexmark.o	com/recycle		
	Lexmark Sweden is connected to REPA and El-kretsen						
	*P.2.3 - Batteries used within this product are non-hazardous and are exempted from including removal instructions in user's manuals per Article 11 of the 2006/66/EC Battery Directive.						

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.