

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information *	Nadia Martin (USA)	
Internet site *	www.lexmark.se / www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * Multifunction Color Laser Printer			
Commercial name *	exmark X954dhe			
Model number *	(954dhe			
Issue date *	sue date * 6-9-2011			
Intended market *	ntended market * 🛛 🔀 Global 🗌 Europe 🗌 Asia, Pacific & Japan 📄 Americas 🗌 Other			
Additional information	Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	X954dhe		
Issue date *	6- 9- 2011	Logo	LEXM ARK

Product	Requirement met			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\mathbb{X}
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
P1.7*	Comment: Legal reference has no maximum concentration values. Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			
	aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).			<u> </u>
D4 at	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference).			\boxtimes
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	REACH Program Manager, HOD9237, 740 W. New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\boxtimes		
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\square		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medic	al		
P3	or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal		⊢⊢	
	reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	id 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre	al 🔀		
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *		X954dhe					
Issue date *		6-9-2011	Logo	EXM	ARK		
Product	Product environmental attributes - Market requirements - Environmental conscious design Requirement me						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.				No	n.a.	
P6		nt information		Yes		ma.	
P6.1*			\square				
P7	Information for recyclers/treatment facilities is available (see legal reference).						
• *	Disassembly, recycling						
P7.1*		at have to be treated separately are easily separable		\square			
P7.2*		naterials in covers/housing have no surface coating.			H		
P7.3*		arts >100g consist of one material or of easily separable materials.			H		
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.				H	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools				
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).					
F7.0							
P7.7*	Product	ing can be done e.g. with processor, memory, cards or drives					
P7.8*					<u> </u>		
		ng can be done using commonly available tools		\boxtimes			
P7.9. P7.10		arts are available after end of production for: 5 years					
P7.10		s available after end of production for: 5 years					
		and substance requirements					
P7.11*		cover/housing material type:					
D7 10			I type: PC ABS P				
P7.12		I cable insulation materials of power cables are PVC free.			<u> </u>		
P7.13		I cable insulation materials of signal cables are PVC free					
P7.14		/housing plastic parts >25g are free from chlorine and bromine.		\boxtimes			
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC6	1249-2-21. (See	\square			
P7.16		<pre>atarded plastic parts >25g in covers / housings are marked according ISO 1043-4: >PC+ABS-FR(40)<, >PC+ABS-TD10 FR(40)<, PC-FR(40)<, >PC+ABS+PS-HI</pre>	FR(40)<	\boxtimes			
P7.17	Alt. 1 Chemica	additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) > 3-4:	25g according				
P7.18		etarded plastic parts >25g contain the following flame retardant substances, ations above 0.1%:	/preparations in				
	Comm 1. Chem 2. Chem 3. Chem Alt. 2	ent: No legal limits exist, this is a market requirement. ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:					
D7 40		Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	R40, R4	arts >25g are free from flame retardant substances/ preparations above 0.1% class 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	Sified as R45,				
P7.20	Of total plastic parts' weight >25g, recycled material content is %.						
P7.21							
P7.22	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg						
P8	Batterie						
P8.1*		hemical composition:					
P8.2	Batteries (LiMnO2	meet the requirements of the following voluntary program/s: <i>Lithium Manganese</i>	Dioxide				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model numb	er * X954d	he					
Issue date *	e* 6-9-2011 Logo LEXMARK					TM	
Product on	vironmental	attributos - Markot ro	quirements (con	tinued)		Paquiramar	t mot
Item	pduct environmental attributes - Market requirements (continued) Requirement met Yes No n.a.						
	nergy consum	ption					indi
		he following power levels	or energy consump	otions are report	ed:		
Energy mode) *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard for energy modes and test method *	/
Printing		735.4 W	737.5 W	720.2 W		Corporate Standard	
Сору		728.4 W	844.7 W	824.4 W		Corporate Standard	
Scan		126.6 W	127.2 W	133.5 W		Corporate Standard	
Ready Mode)	108.0 W	117.4 W	108.4 W		Energy Star TEC Test Procedure	
Sleep Mode		21.29 W	21.15 W	16.95 W		Energy Star TEC Test Procedure	
Off Mode		0.06 W	0.08 W	0.35 W		IEC 62301	
		W	W	W			
PTEC *	gy Consumption	W	W	W			
TEC * Typical Energy Consumption		9.462 kWh/week	9.400 kWh/week	8.580 kWh/week		Energy Star TEC Test Procedure	
ETEC * Annual Energy Consumption		kWh/year	kWh/year	kWh/year			
Display resolu	ution* : I	Vegapixels					
Print Speed *	: 55 Imag	ges per minute				Corporate Standard	
Default time t		save mode: 30 minutes					
		t the energy save functio	n is provided with th	ne product.			
E C	NERGY STAR® Others specify:	ts the energy requirements the energy requirements version: <i>1.1</i> Tier: CAL UZ 122 (Blue Angelite)	Product category:		n/s:		
	Emissions	Declared according to	180 0206				
	loise emission lode	 Declared according to Mode description 	190 9790	Declared A-weighted sound power	Declared A-weighted sound pressure level L_{pAm} (dB)		
				level L_{WAd} (B)		ator position Bystander position Desktop Image: Comparison of the standard s] t
lc	dle	* Ready	,	* 4.2		24	
	Operation	* Duplex Monochrome	-	* 7.2	55		
	Other mode	Simplex Monochrom	•	7.0	53		_
	leasured accord		ECMA-74 (only if not covered	by ECMA-74 wit	h LpAm	measurement distance m)	
	⁻ he product mee A <i>ngel)</i>	ts the acoustic noise req	uirements of the fol	lowing voluntary	progra	am/s: RAL UZ 122 (Blue 🛛 🗌	

Model number * X954dhe						
Issue date	e *	6-9-2011	Logo	LEXM	RĶ	
						-
	environr	nental attributes - Market requirements (continued)		Require		
Item				Yes	No	n.a.
		al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard 🔯, other specify: RAL	UZ122	\square		
P10.4	• •	emission rate (print phase) is (mg/h):				
D40.5		Dust 0.37 Ozone 0.29 Styrene 0.053 Benzene 0.008 TVOC 5.4				
P10.5		al emission requirements of the following voluntary program/s are met for :	T) (00	\boxtimes		
		Dust 🛛 Ozone 🖾 Styrene 🖾 Benzene 🖂	TVOC 🔀			
P10.6		nagnetic emissions er display meets the requirement for low frequency electromagnetic fields of the fo	llowing voluntary	/		\square
1 10.0	program		lowing voluntary			
P11		nable materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally req	uired (see P4.3)			
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the	he requirements	s of 🔀		
P11.3*		(duplex) printing/copying is an integrated product function.		\square		
P12		nics for computing products				
P12.1*		lay meets the ergonomic requirements of ISO 9241-307 for visual display technological section of the section of	ogies			
P12.2*		sical input device meets the requirements of ISO 9241-307 for Visual display technological size of the second size of the secon	3.00.		+	
P13 P13.1*		ng and documentation packaging material type(s): paper weight (kg): 11.632				
F 13.1		packaging material type(s): <i>PE</i> weight (kg): 0.242				
		packaging material type(s): wood weight (kg): 11				
		t packaging material type(s):PP weight(kg):0.359				
		t packaging material type(s):PS weight(kg):0.193				
P13.2*	Product	t packaging material type(s):Metal weight(kg):0.024 plastic packaging is free from PVC.		\square		
P13.3*		media for user and product documentation (tick box):				+
	Electron	ic 🔀, Paper 🔀, Other 🗌				
P13.4*	fiber: 0		onsumer recycle	ea		
Rev. P13.5	User and	d product documentation do not contain chlorine bleached paper				
P14	Addition	nal information (See Note B4)				
P1.1		oduct uses RoHS exemptions for lead used in small amounts for specific				
P2.1		tery contained within this product should be disposed of properly with				
		y labeled with the WEEE disposal symbol and instructions for such disp	posal is liste	ed in the p	roduc	t
	User's	Guide.				
P. 2. 3	m 1 1 1					
		tery contained within this product meets the exception listed. The b by the customer; however, is designed for easy removal by recyclers a			to be	
	гешочец	by the customer, however, is designed for easy removal by recyclers a	and service pi	oviders.		
P. 7. 4		note that all parts greater than 25g and 200mm2 have material are mar. g ISO 1043.	ked according	to ISO 114	69	
P. 7. 5	Please	note that all large case parts are free from metal inlays.				
P. 9. 1	Print sp	eed list is for Mono Letter speed. Color Letter speed is 50 ppm.				
P10. 4	 Note: The data reported in P10.4 is for the color print test. Mono print test results: Ozone – <0.29 mg/h; Styrene - 0.020 mg/h; Benzene – 0.008 mg/h; Dust – <0.37 mg/h ; and TVOC – 3.2 mg/h 					
		nal company information and company environmental policy may be found	at			
		lexmark.com/environment				
	-	c printer and supply item recycling information for your area may be	found at			
		lexmark.com/recycle				
<u> </u>	Lexmark	Sweden is connected to REPA and El-kretsen				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19