



Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	IDVALADIZ
Contact information *	Nadia Martin (USA)	LEXIVIARE
		TIME THE TIME
Internet site *	www.lexmark.se/	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Type of product * Multifunction Mono Laser Printer				
Commercial name *	Lexmark XS652de				
Model number *	XS652de				
Issue date *	12/16/2011				
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control	\boxtimes	
	such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	XS652de		
Issue date *	12/16/2011	Logo	LEXMARK.

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>		Ш	
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (EU: Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	\boxtimes		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043. (97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	XS652de		
Issue date *	12/16/2011	Logo	LEXMARK

Product environmental attributes - Market requirements - Environmental conscious design Requirement met								
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design		The state of the s					
	Disassembly, re							
P7.1*	Parts that have to be treated separately are easily separable				Ц			
P7.2*		in covers/housing have		\boxtimes				
P7.3*		-	rial or of easily separable materials.	\boxtimes				
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.							
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.							
P7.6*	Labels are easily	separable. (This requi	rement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives							
P7.8*	Upgrading can be	e done using commonl	y available tools	\boxtimes				
P7.9.	Spare parts are a	available after end of p	roduction for: 5 years					
P7.10	Service is availal	ole after end of product	tion for: 5 years					
		ostance requirements	3					
P7.11*		using material type:						
P7.12*	Material type: AE	soulation motorial of na	Material type: <i>PC/ABS</i> wer cables are halogen free (including PVC)					
		·	· · · · · · · · · · · · · · · · · · ·					
P7.13*			gnal cables are halogen free (including PVC)					
P7.14		plastic parts >25g are						
P7.15			onents) >25g are halogen free					
P7.16	FR(40)		ants in cover / housing plastic parts >25g according ISO 1043-4:			Ш		
P7.17	ISO 1043-4: FR(16)	ants in printed circuit boards (without components) >25g according					
P7.18		ed material in plastic pa						
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46,							
P7.20		free from mercury			$\overline{}$			
1 7.20		d specify: Number of la	amps: and max. mercury content per lamp: mg		Ш	Ш		
P8	Batteries Control of the land							
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC							
P8.2*	Battery chemical composition: LiMnO2, Lithium Manganese							
P8.3	Dioxide Batteries meet the requirements of the following voluntary program/s:							
P9	Energy consum							
9.1			els or energy consumptions have been measured:					
Mode	Power level at	Time (s) to <mode></mode>	Mode description	Referen	ce/	n.a.		
	* 230 Volts			Standar	d			
On-max	W		*	*				
On- normal	* 765 W	to	* Copying	*Compa Standar	rď			
On-idle	95 ₩	to	* Ready Mode	*Energy STAR T				
Save 1	* 24 W	to	* Power Saver (Sleep)	*Energy STAR TEC				
Save 2	W	to	*	*		\boxtimes		
Off 1	* 0 W	to	* Plugged in Off Mode	*Energy STAR T				
Off 2	W	to	*	*		\boxtimes		
No load	* W		External power supplies/charger plugged in but disconnected from the product	*				
TEC	* 418 kWh/y Typical Energy Consumption per year							
P9.2*	Information about the energy save function is provided with the product.							
P9.3	The product mee ENERGY STARG Others specify:		ents of the following voluntary program/s:					

Model number *	XS652de		
Issue date *	12/16/2011	Logo	LEXMARK.
Product onvironm	ontal attributes - Market requirements (continued) Pequirement met		

Product 6	Product environmental attributes - Market requirements (continued) Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a								
P10	Emissions								
	Noise emission	 Declared according to ISO 9296 							
P10.1	Mode	Mode description	Declared	Declared A-weighte					
			A-weighted	sound pressure level L _p	_{Am} (dB)				
	ļ		sound power level L _{WAd} (B)	Operator position Bystar	nder pos				
	ļ		ICVCI LWAd (D)	- (only if	product	io pot			
				onera	ator atte				
	Lalla	* Doods	* 4.5	or Deskside					
	Idle	* Ready	* 4.5	29					
	Operation	* Simplex Monochrome Printing	* 6.9	54					
	Other mode	ADF Monochrome Copying	7.0	55					
	Measured accord	ding to: SISO 7779 ECMA-74	= 0.14 = 4						
P10.2	The product mas	Other (only if not covered ets the acoustic noise requirements of the fo		h L _{pAm} measurement distance	m)	<u> </u>			
P10.2	•	•	ollowing voluntary	program/s. RAL-UZ-122		<u> Ц</u>			
P10.3*		sions from printing products		100		$\overline{}$			
1 10.5		according to ECMA-328 standard, other				Ш	ш		
P10.4	The test covers:	Dust Ozone Styrene				_			
P10.4		ets the chemical emission requirements of the	ne following voluni	ary program/s. RAL-02 122		<u> </u>			
P10.5	Computer display		electromagnetic fie	alds of the following voluntary		_			
1 10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:								
P11	Consumable materials for printing products								
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).								
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.								
P11.3*	2-sided (duplex) printing/copying is an integrated product function.								
P12	Ergonomics for computing products								
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays.								
P12.2*		board meets the requirements of ISO 9995					\boxtimes		
P12.3*	The computer in	put device meets the requirements of ISO 9)241-9.				\boxtimes		
P13	Packaging and								
P13.1*		ng material type(s): Wood	weight (kg): 9		\boxtimes				
		ng material type(s): Corrugated ng material type(s): Expanded Polystyrene	weight (kg): 4 weight (kg): 1						
	Polypropylene :		woight (hg).						
	Polyurethane Fo	oam = 0.154 kg							
D40.0*		olyethylene = 0.069 kg				_			
P13.2*		ackaging is halogen free (including PVC)					<u> </u>		
P13.3*	User and product documentation do not contain chlorine bleached paper					Щ			
P13.4*	User and product documentation contain recycled paper								
P14	Additional infor		nontal nelles re-	the found of http://environme	ont lov-	nort -	om.		
		pany information and company environn and supply item recycling information t					UIII		
		en is connected to REPA and El-kretsen	.c. your arou may	20 . Juliu ut intpi//ioxindi Niot					
	*P.2.3 - Batterie	s used within this product are non-hazar		empted from including remov	al instru	uction	s in		
	user's manuals per Article 11 of the 2006/66/EC Battery Directive.								

NOTE
Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.