



Product environmental attributes – THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	IDVALADIZ
Contact information *	Nadia Martin (USA)	LEXMARK
		TM
Internet site *	www.lexmark.se/	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Multifunction Mono Laser Printer				
Commercial name *	Lexmark XS658dfe, Lexmark XS658dme				
Model number *	XS658dfe, XS658dme				
Issue date *	12/16/2011				
Intended market *	🛛 Global 📃 Europe 📃 Japan 📃 U.S. 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square	

I	Nodel number *	XS658dfe, XS658dme		
I	ssue date *	12/16/2011	Logo	LEXMARK

	nvironmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (<i>EU</i> : <i>Regulation (EC) No.</i> 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (<i>EU 76/769/EEC</i>)			\boxtimes
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in <i>EU</i> 76/769/ <i>EEC</i> , amendment 2003/3/ <i>EC</i>			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>EU</i> 76/769/ <i>EEC</i>)			\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			\square
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			\boxtimes
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC	\square		
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)		\boxtimes	
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007	\square		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	\boxtimes		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\bowtie		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	\square		
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.	\square		
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043. (97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.	\boxtimes		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	XS658dfe, XS658dme		
Issue date *	12/16/2011	Logo	LEXMARK

Produc	t environmental		quirements - Environmental conscious design ment met				
Item	*=mandatory to	fill in. Additional inform	ation regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, re						
P7.1*	Parts that have t	to be treated separately	y are easily separable	\boxtimes			
P7.2*	Plastic materials	in covers/housing hav	e no surface coating.	\square			
P7.3*	Plastic parts >10	00g consist of one mate	erial or of easily separable materials.	\boxtimes			
P7.4*	Plastic parts >25	5g have material codes	according to ISO 11469 referring ISO 1043.		Π	$\overline{\Box}$	
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.		Π		
P7.6*			irement does not apply to safety/regulatory labels).				
P7.7*	Product lifetime		anor memory cords or drives				
			essor, memory, cards or drives		⊢⊢	<u> </u>	
P7.8*		e done using common	•	\boxtimes		<u> </u>	
P7.9.		available after end of p					
P7.10		ble after end of produc	-				
D7 44		bstance requirement	S				
P7.11*	Material type: A	ousing material type:	Material type: HIPS Material type: PC/ABS				
P7.12*			Material type: HIPS Material type: PC/ABS ower cables are halogen free (including PVC)	<u> </u>	\square		
P7.13*			ignal cables are halogen free (including PVC)	<u> </u>		┢	
P7.13		g plastic parts >25g are				⊢⊢	
P7.14						<u> </u>	
			onents) >25g are halogen free			<u> </u>	
P7.16	FR(40)		ants in cover / housing plastic parts >25g according ISO 1043-4:				
P7.17	ISO 1043-4: FR	(16)	lants in printed circuit boards (without components) >25g according				
P7.18		ed material in plastic p					
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)						
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg						
P8	Batteries						
P8.1*	Product does no	t contain batteries defi	ned as hazardous according to 91/157/EEC	\square			
P8.2*	Dioxide		Battery chemical composition: <i>LiMnO2, Lithium Manganese</i>				
P8.3	Batteries meet th	he requirements of the	following voluntary program/s:				
P9	Energy consun						
9.1			els or energy consumptions have been measured:	1			
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	Mode description	Reference Standard		n.a.	
On-max	W		*	*		\boxtimes	
On- normal	* 875 W	to	* Copying	*Compa Standar			
On-idle	105 W	to	* Ready Mode	*Energy Star TE			
Save 1	* 30 W	to	* Power Saver (Sleep Mode)	*Energy Star TE	,		
Save 2	W	to	*	*		\boxtimes	
Off 1	* 0 W	to	* Plugged in Off Mode	*Energy Star TEC			
Off 2	W	to	*	*	-	\boxtimes	
No load	* W	W External power supplies/charger plugged in but disconnected from the product					
TEC	* 505.4 kWh/y	*Energy Star TE					
P9.2*	Information about	ut the energy save fund	ction is provided with the product.				
P9.3		ets the energy requiren	nents of the following voluntary program/s:				
	Others specify:						

Model nu	Model number *		XS658dfe, XS658dme								
Issue dat	ie *	12/16/2	/2011				Logo	L	EXM	ARK	
								_		V 14	
Product e	oduct environmental attributes - Market requirements (continued) Requirement met										
Item									n.a.		
P10	Emissions										
	Noise emission – Declared according to ISO 9296										
P10.1	Mode Mode description Declared Declared A-weighted							T			
	A-weighted sound pressure level L _{pAm} (dB)					,					
					sound power	Operator pe		Bystand			1
					level L _{WAd} (B)					\bowtie	
						Deskt	ор 🗌	(only if pr			
						or Desksi	de 🗌	operato	or atte	inded)	
	Idle		* Ready		* 4.5		28				
	Operatio	n	* Simplex Monochrome Printin	ng	* 7.1			55			
	Other m	ode	ADF Monochrome Copying		7.2			55			-
		ouc	Abi monocinonie oopying		7.2						
	Measure	d accord	ling to: 🔀 ISO 7779 📃 ECMA-	74		•					
					by ECMA-74 wit	h L _{nam} measu	irement o	listance	m	1)	
P10.2	The proc	duct mee	ts the acoustic noise requirement						\boxtimes	Π	
	Chemic	al emiss	ions from printing products								
P10.3*	Test per	formed a	ccording to ECMA-328 standard	, other	specify: RAL-UZ -	·122			\boxtimes		
	•		Dust 🛛 🛛 Ozone 🖂	Styrene			oc 🖂		_		_
P10.4	The proc	duct mee	ts the chemical emission requirer					JZ-122	\boxtimes		
			emissions		-						
P10.5	Compute		meets the requirement for low fi	requency e	lectromagnetic fie	elds of the foll	owing vo	luntary			\boxtimes
P11	Consum	nable ma	terials for printing products								
P11.1*	(see P4.	3).	Data Sheet (MSDS) is available				egally re	quired	\boxtimes		
P11.2*	Paper co	ontaining	recycled fibres that meets the re	equirements	s of EN12281 can	be used.			\boxtimes		
P11.3*	2-sided	(duplex)	printing/copying is an integrated p	product fun	ction.				\boxtimes		
P12	Ergonomics for computing products										
P12.1*	and EN-	ISO1340	stem meets the ergonomic requir 6-2 for flat panel displays.			8 for CRT dis	plays				
P12.2*	•		poard meets the requirements of								\square
P12.3*			out device meets the requirement	ts of ISO 92	241-9.						\square
P13			documentation		unight (lig).	200					
P13.1*			ng material type(s): <i>Wood</i> ng material type(s): <i>Corrugated</i>		weight (kg): 9 weight (kg): 5				\boxtimes		
			ig material type(s): Expanded Po	olystyrene							
			= 0.933 kg								
			pam = 0.154 kg								
	High De	ensity Po	olyethylene = 0.069 kg								
P13.2*	Product	plastic p	ackaging is halogen free (includir	ng PVC)					\boxtimes		
P13.3*	User and product documentation do not contain chlorine bleached paper					Ē					
P13.4*	User and product documentation contain recycled paper						Ē				
P14	Addition									لا ــــــــــــــــــــــــــــــــــــ	
			pany information and company								om
	Specific	; printer	and supply item recycling info	ormation fo							
	Lexmark Sweden is connected to REPA and El-kretsen *P.2.3 - Batteries used within this product are non-hazardous and are exempted from including removal instructions in										
						empted from	includir	ıg removal	instr	uction	s in
L	user's n	Idiiuais	per Article 11 of the 2006/66/E0	o Dattery I	Jilecuve.						

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.