

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	IDVALADIZ
Contact information *	Nadia Martin (USA)	LEXM \ ARK _™
Internet site *	www.lexmark.se / www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	ulti Function Color Laser Printer				
Commercial name *	exmark XS795de				
Model number *	XS795de				
Issue date *	Rev. 2/28/2014				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🔀	

Model number *	XS795de		
Issue date *	Rev. 2/28/2014	Logo	LEXMARK.

Product	luct environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	\square			
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See		_		
	legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes			
	Comment: Legal reference has no maximum concentration value.		_		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		_		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum				
	concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\square			
	terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	\square			
	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		_		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\boxtimes	
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).		_		
	Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\boxtimes	
	aromatic amines. (See legal reference and Note B1)		_	_	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes	
	pentachlorophenol and derivatives (see legal reference).		_	_	
	Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\boxtimes			
	microgram/cm ² /week (see legal reference).		_		
	Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):				
	REACH Program Manager, H0D9237, 740 W. New Circle Rd., Lexington, KY 40550	_	_	_	
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\square	$\overline{\Box}$		
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be		ш		
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is				
	provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	\boxtimes			
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		_		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	· 🔀			
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medica		_		
	or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal		$\overline{}$	$\overline{\Box}$	
. 0.2	reference).		ш	ш	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies				
1 0.0	with legally required standards for radio and telecommunication devices (see legal reference).		ш	ш	
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square			
			<u> </u>		
P4	Consumable materials		_		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see	\boxtimes	Ш		
DAOt	legal reference and Note B1).		$\overline{}$		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		<u>Ц</u>		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	\boxtimes			
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these				
	requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and	d 🔀			
	hexavalent chromium by weight of these together.				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀			
	Protocol (see legal reference).		_		
	Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	XS795de	
Issue date *	Rev. 2/28/2014 Logo	LEXMARK.
Product environ	mental attributes - Market requirements - Environmental conscious design	Requirement met
Item *=mand	atory to fill in. Additional information regarding each item may be found under P14.	Yes No n.a.

Product	duct environmental attributes - Market requirements - Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				
P7	Design					
D7.4*	Disassembly, recycling		_			
P7.1*	Parts that have to be treated separately are easily separable		<u> </u>	Щ.		
P7.2*	Plastic materials in covers/housing have no surface coating.		<u> </u>			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes	<u>Ц</u>			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes				
P7.8*	Upgrading can be done using commonly available tools	\boxtimes				
P7.9.	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 5 years			Ħ		
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: ABS Material type: HIPS Material type: PC/ABS					
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes			
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		$\overline{\sqcap}$			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	Ħ		Ħ		
	Note B2)					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	\boxtimes				
P7.17	Alt. 1					
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):	Ш	Ш			
	TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:					
	Alt. 2					
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according					
	ISO 1043-4: <i>FR(16)</i>					
P7.18	Alt. 1					
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in					
	concentrations above 0.1%:					
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #:					
	2. Chemical name: , CAS #:					
	3. Chemical name: , CAS #:					
	Alt. 2					
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
D7 40	FR(40), FR(17), FR(16), FR(50)	<u> </u>	井	<u> </u>		
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		Ш			
P7.20	Of total plastic parts' weight >25g, recycled material content is %.					
P7.21	Of total plastic parts' weight >25g, biobased material content is %.		_			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg					
P8.1*	Battery chemical composition: Lithium Manganese Dioxide, LiMnO2					
P8.2	Batteries meet the requirements of the following voluntary program/s:			\dashv		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	XS795de		
Issue date *	Rev. 2/28/2014	Logo	EXMARK.

Product environmental	luct environmental attributes - Market requirements (continued) Requirement met						met	
Item	Yes No					No No	n.a.	
P9 Energy consum	-							
9.1 For the product the following power levels or energy consumptions are reported:								
Energy mode *	Power level at 100 V AC	Power level a	t Power level 230 V AC	at	Reference / Sta modes and test me		energy	
Printing	W	639 W	614 W		Corporate Standar	rd		
Сору	W	616 W	632 W		Corporate Standar	rd		
Ready Mode	W	59.8 W	60.6 W		Energy Star I E V2	2.0		
Sleep Mode	W	13.0 W	13.3 W		Energy Star I E V2	2.0		
Hibernate Mode	W	0.35 W	0.54 W		IEC 62301			
Off Mode	W	0.0 W	0.0 W		IEC 62301			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W					
PTEC * Typical Energy Consumption	W	W	W					
TEC * Typical Energy Consumption	kWh/week	4.6 kWh/week	4.5 kWh/week		Energy Star I E V2	2.0		
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/yea	ar				
Display resolution* :	Megapixels	l .						
Print Speed * : 35 Imag	ges per minute				ISO 24734 (A4)			
Default time to enter energy	save mode: 5 minutes				Energy Star I E V2	2.0		
P9.2* Information about	t the energy save function	n is provided with	the product.					
ENERGY STARO Others specify:	ts the energy requirements the energy requirements the transfer that the transfer th		voluntary prograr y: <i>Imaging Equip</i>		!			
P10 Emissions	Declared according to	150 0306						
P10.1 Mode	Noise emission – Declared according to ISO 9296 P10.1 Mode Mode description		Declared A-weighted sound power	Declared A-weighted sound pressure level $L_{p m Am}$ (dB)				
			level L_{WAd} (B)		Desktop	Bystander po only if product operator att	t is not	
Idle	* Ready		* 4.3		25			
Operation	* Duplex Mono Printin	•	* 6.7	50				
Other mode	Duplex Mono Printin	•	6.3		47			
Measured accord	· = -	ECMA-74						
Dia a					measurement dista		<u>)</u>	Ц
P10.2 The product mee	.2 The product meets the acoustic noise requirements of the following voluntary program/s: RAL-UZ 122/171							

Model number *	XS795de		
Issue date *	Rev. 2/28/2014	Logo	LEXMARK.

Product (environmental attributes - Market requirements (continued)	equire	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: RAL-UZ 122/ RAL-UZ 1	71	\boxtimes	
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust <0.22 Ozone 0.29 Styrene 0.180 Benzene <0.012 TVOC 7.9			
P10.5	Chemical emission requirements of the following voluntary program/s RAL-UZ 122/ RAL-UZ 171 are met for:			
	Dust X Ozone X Styrene X Benzene X TVOC X	_		
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\square		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	X		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\overline{}$		\square
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	一片	Ħ	
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Wood Product packaging material type(s): Corrugated Product packaging material type(s): Low Density Polyethylene (LDPE) High Density Polyethylene (HDPE) = 0.346 kg Paper = 0.604 kg Metal (Steel or tinplate) = 0.064 kg			
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box): Electronic , Paper , Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
P14	Additional information (See Note B4)			
P1.1	This product uses RoHS exemptions for lead used in small amounts for specific applications.			
P2.1	The battery contained within this product should be disposed of properly with the product. The product labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User			
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to be customer; however, is designed for easy removal by recyclers and service providers.	remov	red by	the
	Additional company information and company environmental policy may be found at http://lexmark.co Specific printer and supply item recycling information for your area may be found at http://lexmark.cor Lexmark Sweden is connected to REPA and El-kretsen			ent

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19