



## Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	IEVMADE
Contact information *	Nadia Martin (USA)	<b>LEXMARK</b> <sub>™</sub>
Internet site *	www.lexmark.	
	se/	
	www.lexmark.	
	com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Single Function Color Inkjet Printer			
Commercial name *	Lexmark Z2400 Series			
Model number *	<b>Z24</b> 00			
Issue date *	22 Jan 2008, Revised 6-15-2011			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	<b>Z</b> 2400		
Issue date *	22 Jan 2008, Revised 6-15-2011	Logo	<b>LEXMARK</b>

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB)	$\boxtimes$		
D	and polybrominated diphenyl ether (PBDE) as specified in EU 2002/95/EC and its amendments			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (EU: Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\boxtimes$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing	$\boxtimes$		
	at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i>			
D	on the use of certain dangerous chemicals 20.12.2002		_	<u> </u>
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			$\boxtimes$
P1.7*	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)  Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as		_	
P1.7	specified in EU 76/769/EEC, amendment 2003/3/EC			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$
1 1.0	pentachlorophenol and derivatives ( <i>EU 76/769/EEC</i> )	ш	ш	
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in			X
	76/769/EEC, amendment 94/27/EEC	ш		
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and	$\boxtimes$		
	labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in	$\boxtimes$		
D0.0*	91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)		$\overline{}$	
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC		+	-
F3.2	after June, 20 <sup>th</sup> 2007	$\boxtimes$	Ш	Ш
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the	$\boxtimes$		
. 0.0	EU R&TTE Directive (1999/5/EC)		ш	
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations		$\overline{}$	$\boxtimes$
	higher than specified in (76/769/EEC and 91/338/EEC)	ш		
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in	$\boxtimes$		
	(76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC,	$\boxtimes$		
	and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in			
P5	accordance with (99/45/EC & 2001/58/EC) is available.			
P5.1*	Product packaging  The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in		_	
1-0.1	packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	$\boxtimes$	Ш	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	$\square$		
P5.3*			$\dashv$	<del>-  -</del>
	The product packaging material is free from CFC/HCFC.		Ш	
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$		

Model number *	<b>Z2400</b>		
Issue date *	22 Jan 2008, Revised 6-15-2011	Logo	LEXMARK

Product		Requiren				
Item		ill in. Additional informa	ation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, re	ecycling				
P7.1*	Parts that have to	o be treated separately	are easily separable	$\boxtimes$		
P7.2*	Plastic materials	in covers/housing have	e no surface coating.		$\overline{\boxtimes}$	$\overline{\Box}$
P7.3*	Plastic parts >10	Og consist of one mate	erial or of easily separable materials.	X	币	Ħ
P7.4*	Plastic parts >25	ig have material codes	according to ISO 11469 referring ISO 1043.		Ħ	
P7.5			or have inlays that can be removed with commonly available tools.		Ħ	$\overline{\Box}$
P7.6*			irement does not apply to safety/regulatory labels).		H	$\overline{H}$
	Product lifetime		and the second cappy to carety, regulatory tables.			
P7.7*			ssor, memory, cards or drives		П	$\square$
P7.8*		e done using commonl	<u> </u>		Ħ	
P7.9.		available after end of p	•			
P7.10		ble after end of product	·			$^{+}$
1 7.10		bstance requirements	· · · · · · · · · · · · · · · · · · ·			
P7.11*		ousing material type:	•			
	Material type: HI		Material type: ABS Material type:			
P7.12*			ower cables are halogen free (including PVC)		$\boxtimes$	
P7.13*	Electrical cable in	nsulation material of sig	gnal cables are halogen free (including PVC)			一一
P7.14		g plastic parts >25g are		M		П
P7.15			onents) >25g are halogen free			$\overline{H}$
P7.16			ants in cover / housing plastic parts >25g according ISO 1043-4:			
1 7.10	Orientical specific	cations of hame retaids	ants in cover / nousing plastic parts >25g according 150 1045-4.		ш	
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16) and/or FR(17)					
P7.18	Weight of recycled material in plastic parts is					
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, S50/51/53 and R60/61 (67/548/EEC)					
P7.20		e free from mercury d specify: Number of la	amps: and max. mercury content per lamp: mg			
P8	Batteries					
P8.1*	Product does not	t contain batteries defir	ned as hazardous according to 91/157/EEC			$\boxtimes$
P8.2*			Battery chemical composition:			
P8.3	Batteries meet th	ne requirements of the f	following voluntary program/s:			
P9	Energy consum					
9.1			els or energy consumptions have been measured:			
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	Mode description	Referen Standar		n.a.
On-max	W		*	*		$\boxtimes$
On- normal	* 15 W	to	* Printing	*ESTAR	?	
On-idle	<b>6.8</b> W	to	* Ready Mode	*ESTAR	?	
Save 1	* <b>5.6</b> W	to	* Power Saver / Sleep Mode	*ESTAR	?	F
Save 2	W	to	*	*		X
Off 1	* <b>0.9</b> W	to	* Plugged in Off Mode	*ESTAR	?	
Off 2	W	to	*	*		
No load	* 0.2022 W		External power supplies/charger plugged in but disconnected from the product	*ESTAR	?	
TEC	* k\\\/h\\\ '	<u>l</u> Typical Energy Consun		*		
P9.2*			tion is provided with the product.			
					Ш	
P9.3	ENERGY STAR Others specify:	0, 1	nents of the following voluntary program/s:			

Model number *	<b>Z</b> 2400		
Issue date *	22 Jan 2008, Revised 6-15-2011	Logo	LEXMARK

Product	environmental at	tributes - Market requirements (continue	d) Requirement r	net			
Item	*=mandatory to	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No i					
P10	Emissions						
	Noise emission	n – Declared according to ISO 9296					
P10.1	Mode	Mode description	Declared	Declared A-wei			
	A-weighted sound pressure level L <sub>pAm</sub> (dB)						
	sound power level L <sub>WAd</sub> (B) Operator position Bystander position						
			ICVCI LWAd (B)	(only	v if product ic	Not l	
	Desktop Only if product is operator atten						
		* D	* 1	or Deskside			_
	Idle	* Ready	* Inaudible	Inaudible	9		┙
	Operation	* Simplex Mono Print	* 6.4	51			٦
		,					_
	Other mode	Simplex Color Print	5.7	43			
	Managered again	Iding to: X ISO 7779 ECMA-74					
	Measured accor	· =	d by ECMA 74 wit	h L <sub>pAm</sub> measurement distanc	e m)		
P10.2	The product mea	ets the acoustic noise requirements of the fo			,e III)	<del></del>	_
1 10.2		sions from printing products	onowing voluntary	program, o.			╧
P10.3*			enecify:				1
	Test performed according to ECMA-328 standard, other specify:					7	
P10.4	The test covers: Dust Ozone Styrene Benzene TVOC  The product meets the chemical emission requirements of the following voluntary program/s:						_
F 10.4	Electromagneti	· · · · · · · · · · · · · · · · · · ·	ne following volum	tary program/s.			_
P10.5		ny meets the requirement for low frequency	electromagnetic fie	elds of the following voluntary	v 🗖		1
	program/s:	y moote are requirement for four mequency t	oroon om agriono m	orac or and renorming renaman.	,		4
P11	Consumable materials for printing products						
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).						
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.						]
P11.3*	2-sided (duplex)	printing/copying is an integrated product fu	nction.			$\boxtimes$	
P12	Ergonomics for computing products						
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays.						1
P12.2*	The product key	The product keyboard meets the requirements of ISO 9995 and EN 29241-4.					1
P12.3*	The computer in	The computer input device meets the requirements of ISO 9241-9.					1
P13		documentation					
P13.1*		ng material type(s): Expanded polystyrene					
		ing material type(s): Corrugated ing material type(s):	weight (kg): 6 weight (kg):	0.866			
P13.2*		packaging is halogen free (including PVC)	weight (kg).				Τ
P13.3*	<u> </u>	ct documentation do not contain chlorine ble	ached paper				÷
P13.4*		ct documentation contain recycled paper	re-per-				Ť
P14	Additional info						
	Additional com	pany information and company environr					
	Specific printer	r and supply item recycling information					
	Lexmark Swed	en is connected to REPA and El-kretsen		<u> </u>			
l	P.3. refers to Energy Star V 1.0						

## NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.