

Color Multifunction Products								
Features / Models	MC3224dwe	MC3224adwe	MC3326adwe	MC3426adw	MC2535adwe	MC2640adwe	CX727de	CX827de
A4 paper size	•	•	•	•	•	•	•	•
A3 paper size								
Secure remote management								
Audit logging					•	•	•	•
Backup password					•	•	•	•
Certificate management	•	•	•	•	•	•	•	•
Digitally signed firmware	•	•	•	•	•	•	•	•
HTTPS	•	•	•	•	•	•	•	•
HTTPS redirect	•	•	•	•	•	•	•	•
IPv6	•	•	•	•	•	•	•	•
Secure EWS	•	•	•	•	•	•	•	•
Secure password reset	•	•	•	•	•	•	•	•
SNMPv3	•	•	•	•	•	•	•	•
SSL/TLS 1.2	•	•	•	•	•	•	•	•
Secure network interfaces								
802.1x	•	•	•	•	•	•	•	•
AES-128/256 bit encryption	•	•	•	•	•	•	•	•
IPSec	•	•	•	•	•	•	•	•
Port management/filtering	•	•	•	•	•	•	•	•
Secure NTP	•	•	•	•	•	•	•	•
SHA-1/2					•	•	•	•
SMBv3					•	•	•	•
TCP connection filtering	•	•	•	•	•	•	•	•
Secure data								
FIPS 140-2					•	•	•	•
Hard disk encryption ¹					•	•	•	•
Hard disk wiping ¹					•	•	•	•
Lexmark Secure Element (optional)						•	•	•
Non volatile memory wipe	•	•	•	•	•	•	•	•
Out of service disk wipe ¹					•	•	•	•
Physical lock support	•	•	•	•	•	•	•	•
Secure access								
Access controls	•	•	•	•	•	•	•	•
Active directory					•	•	•	•
Authentication	•	•	•	•	•	•	•	•
Authorization	•	•	•	•	•	•	•	•
Common Access Card (CAC/PIV) ²						•	•	•
Confidential print	•	•	•	•	•	•	•	•
LDAP address book lookup					•	•	•	•
Lexmark Contact/Contactless Authentication Device					•	•	•	•
Login restrictions	•	•	•	•	•	•	•	•
Operator panel lock ¹					•	•	•	•
PIN and/or password authentication	•	•	•	•	•	•	•	•
Printcrypton card (optional) ²					•	•	•	•
Protected USB ports (Schedule USB devices)	•	•	•	•	•	•	•	•
Secure LDAP					•	•	•	•
Security templates	•	•	•	•	•	•	•	•

¹ If hard disk is installed, this feature is supported. ² Available as an option on a selected list of devices or on special request.

Not all models are available in all countries.

Color Printers							
Features / Models	C3224dw	C3326dw	C3426dw	C2535dw	CS727de	CS728de	CS827de
A4 paper size	•	•	•	•	•	•	•
A3 paper size							
Secure remote management							
Audit logging				•	•	•	•
Backup password				•	•	•	•
Certificate management	•	•	•	•	•	•	•
Digitally signed firmware	•	•	•	•	•	•	•
HTTPS	•	•	•	•	•	•	•
HTTPS redirect	•	•	•	•	•	•	•
IPv6	•	•	•	•	•	•	•
Secure EWS	•	•	•	•	•	•	•
Secure password reset	•	•	•	•	•	•	•
SNMPv3	•	•	•	•	•	•	•
SSL/TLS 1.2	•	•	•	•	•	•	•
Secure network interfaces							
802.1x	•	•	•	•	•	•	•
AES-128/256 bit encryption	•	•	•	•	•	•	•
IPSec	•	•	•	•	•	•	•
Port management/filtering	•	•	•	•	•	•	•
Secure NTP	•	•	•	•	•	•	•
SHA-1/2				•	•	•	•
SMBv3				•	•	•	•
TCP connection filtering	•	•	•	•	•	•	•
Secure data							
FIPS 140-2				•	•	•	•
Hard disk encryption ¹					•	•	•
Hard disk wiping ¹					•	•	•
Lexmark Secure Element (optional)					•	•	•
Non volatile memory wipe	•	•	•	•	•	•	•
Out of service disk wipe ¹					•	•	•
Physical lock support	•	•	•	•	•	•	•
Secure access							
Access controls	•	•	•	•	•	•	•
Active directory				•	•	•	•
Authentication	•	•	•	•	•	•	•
Authorization	•	•	•	•	•	•	•
Common Access Card (CAC/PIV) ²					•	•	•
Confidential print	•	•	•	•	•	•	•
LDAP address book lookup				•	•	•	•
Lexmark Contact/Contactless Authentication Device					•	•	•
Login restrictions	•	•	•	•	•	•	•
Operator panel lock ¹					•	•	•
PIN and/or password authentication	•	•	•	•	•	•	•
Printcryption card (optional) ²				•	•	•	•
Protected USB ports (Schedule USB devices)	•	•	•	•	•	•	•
Secure LDAP				•	•	•	•
Security templates	•	•	•	•	•	•	•

¹ If hard disk is installed, this feature is supported. ² Available as an option on a selected list of devices or on special request.

Not all models are available in all countries.

Mono Multifunction Products						
Features / Models	MB2236adw	MB2236adwe	MB3442adw	MB2546adwe	MB2650adwe	MB2770adwhe
A4 paper size	•	•	•	•	•	•
A3 paper size						
Secure remote management						
Audit logging				•	•	•
Backup password				•	•	•
Certificate management	•	•	•	•	•	•
Digitally signed firmware	•	•	•	•	•	•
HTTPS	•	•	•	•	•	•
HTTPS redirect	•	•	•	•	•	•
IPv6	•	•	•	•	•	•
Secure EWS	•	•	•	•	•	•
Secure password reset	•	•	•	•	•	•
SNMPv3	•	•	•	•	•	•
SSL/TLS 1.2	•	•	•	•	•	•
Secure network interfaces						
802.1x	•	•	•	•	•	•
AES-128/256 bit encryption	•	•	•	•	•	•
IPSec	•	•	•	•	•	•
Port management/filtering	•	•	•	•	•	•
Secure NTP	•	•	•	•	•	•
SHA-1/2				•	•	•
SMBv3				•	•	•
TCP connection filtering	•	•	•	•	•	•
Secure data						
FIPS 140-2				•	•	•
Hard disk encryption ¹					•	•
Hard disk wiping ¹					•	•
Lexmark Secure Element (optional)				•	•	•
Non volatile memory wipe	•	•	•	•	•	•
Out of service disk wipe ¹					•	•
Physical lock support	•	•	•	•	•	•
Secure access						
Access controls	•	•	•	•	•	•
Active directory				•	•	•
Authentication	•	•	•	•	•	•
Authorization	•	•	•	•	•	•
Common Access Card (CAC/PIV) ²					•	•
Confidential print	•	•	•	•	•	•
LDAP address book lookup				•	•	•
Lexmark Contact/Contactless Authentication Device				•	•	•
Login restrictions	•	•	•	•	•	•
Operator panel lock ¹					•	•
PIN and/or password authentication	•	•	•	•	•	•
Printcryption card (optional) ²				•	•	•
Protected USB ports (Schedule USB devices)	•	•	•	•	•	•
Secure LDAP				•	•	•
Security templates	•	•	•	•	•	•

¹ If hard disk is installed, this feature is supported. ² Available as an option on a selected list of devices or on special request.

Not all models are available in all countries.

Mono Printers						
Features / Models	B2236dw	B3340dw	B3442dw	B2546dw	B2650dw	B2865dw
A4 paper size	•	•	•	•	•	•
A3 paper size						
Secure remote management						
Audit logging				•	•	•
Backup password				•	•	•
Certificate management	•	•	•	•	•	•
Digitally signed firmware	•	•	•	•	•	•
HTTPS	•	•	•	•	•	•
HTTPS redirect	•	•	•	•	•	•
IPv6	•	•	•	•	•	•
Secure EWS	•	•	•	•	•	•
Secure password reset	•	•	•	•	•	•
SNMPv3	•	•	•	•	•	•
SSL/TLS 1.2	•	•	•	•	•	•
Secure network interfaces						
802.1x	•	•	•	•	•	•
AES-128/256 bit encryption	•	•	•	•	•	•
IPSec	•	•	•	•	•	•
Port management/filtering	•	•	•	•	•	•
Secure NTP	•	•	•	•	•	•
SHA-1/2				•	•	•
SMBv3				•	•	•
TCP connection filtering	•	•	•	•	•	•
Secure data						
FIPS 140-2				•	•	•
Hard disk encryption ¹						•
Hard disk wiping ¹						•
Lexmark Secure Element (optional)						•
Non volatile memory wipe	•	•	•	•	•	•
Out of service disk wipe ¹						•
Physical lock support	•	•	•	•	•	•
Secure access						
Access controls	•	•	•	•	•	•
Active directory						•
Authentication	•	•	•	•	•	•
Authorization	•	•	•	•	•	•
Common Access Card (CAC/PIV) ²						•
Confidential print	•	•	•	•	•	•
LDAP address book lookup						•
Lexmark Contact/Contactless Authentication Device						•
Login restrictions	•	•	•	•	•	•
Operator panel lock ¹						•
PIN and/or password authentication	•	•	•	•	•	•
Printcryption card (optional) ²						•
Protected USB ports (Schedule USB devices)	•	•	•	•	•	•
Secure LDAP				•	•	•
Security templates	•	•	•	•	•	•

¹ If hard disk is installed, this feature is supported. ² Available as an option on a selected list of devices or on special request.

Not all models are available in all countries.