

Printing

Paper handling

Maintenance

Troubleshooting

Administration

Index

Use the PostScript Menu to change printer settings that only affect jobs using the PostScript emulation printer language.

Select a menu item for more details:

- **Font Priority**
- **Print PS Error**

Note: Values marked by an asterisk are the factory default settings.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
Menus



Printing

Paper handling

Maintenance

Troubleshooting

Administration

Index

Font Priority

Purpose:

To establish the font search order.

Values:

- Resident*** Printer searches printer memory for the requested font before searching flash memory or hard disk.
- Flash/Disk** Printer searches the hard disk and flash memory for the requested font before searching printer memory.

Note: Font Priority is only displayed when a formatted flash or hard disk is installed, is neither defective nor Read/Write or Write protected, and Job Buffer Size is not set to 100%.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
 Menus



Printing

Paper handling

Maintenance

Troubleshooting

Administration

Index

Print PS Error

Purpose:

To print a page defining the PostScript emulation error when an error occurs.

Values:

- Off*** Discards the print job without printing an error message.
- On** Prints an error message before it discards the job. ▲

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)

Menus

