

Lexmark C524n



- Quick color output of up to 20 ppm
- Advanced spherical chemically processed toner and automatic calibration for consistently stunning results
- Easy access 100-sheet Multi-purpose tray provides additional media support
- Available models offer automatic 2-sided printing
- 1-year OnSite Warranty

LEXMARK[™]

Lexmark C524n

- Brilliant photo-realistic color printing at sharp 1200 x 1200 dpi
- Control the cost of color with Lexmark's Color Care technology
- Compact design optimized for users with limited space
- Easy front access to all supplies and paper path
- PostScript 3 and PCL 6 emulations provide industry-standard application support



Lexmark C524n, C524dn, C524dtn


Product Specifications

Part Number	US/Canada: 22B0050 (C524n), 22B0150 (C524dn), 22B0200 (C524dtn)
Product Class	Small to medium workgroup color laser printer; calibrated for PANTONE™ solid color simulation
Speed	Black and Color: Up to 20 ppm
Print Quality	1200 x 1200 dpi resolution, 4800 Color Quality printing
Time to First Page	As fast as 13 seconds
Processor	500 MHz
Memory (std./max.)	128MB/640MB
Connectivity	Standard: USB, Ethernet, 1 ISP Optional: Token-Ring, Parallel, Serial, Wireless, Gigabit Ethernet, Fiber Ethernet, Coax/Twinax
Operating Systems	Windows, Linux, UNIX, Mac, NetWare, and O/S 400 For a complete list, visit www.lexmark.com.
Printer Languages	PostScript 3 and PCL 6 emulations, PPDS Migration Tool
Direct Print Formats	PDF 1.5
Fonts	PCL: 89 scalable, 2 bitmapped (includes OCR-A, OCR-B and code 3 of 9 bar codes); PostScript: 91; PPDS: 39 scalable, 5 bitmapped.
Size (WxDxH)	C524n, C524dn: 17.3 in. x 16.1 in. x 19 in. (440 mm x 408 mm x 484 mm) C524dtn: 17.3 in. x 22 in. x 24 in. (440 mm x 558 mm x 610 mm)
Weight	C524n, C524dn: 57 lb. (25.9 kg); C524dtn: 64 lb. (29 kg)
Acoustics	51 dBA printing, 32 dBA idle
Duty Cycle	Up to 65,000 pages per month
Warranty	1-year OnSite Repair

Media Specifications

Paper Capacity (sheets)	C524n, C524dn	C524dtn
Standard Input	250 + 100-sheet MPF	850 (250 + 100 + 500)
Maximum Input	250 + 100-sheet MPF + 500	850 (250 + 100 + 500)
Output	250	250
Paper Sources	C524n, C524dn	C524dtn
Standard Input	2	3
Maximum Input	3	3
Output	1	1
Media Types	Plain paper, recycled paper, soft gloss paper, paper labels, card stock, transparencies, envelopes	
Media Sizes	Letter, legal, A4, A5, JIS B5, executive, statement, folio, universal (5.83 in. x 8.27 in. to 8.5 in. x 14 in.), envelopes (7 ³ / ₄ , 9, com 10, DL, C5, B5, other).	
Media Weights	Plain paper: 16 to 47 lb. (60 to 176 g/m ²); recycled paper: 20 to 47 lb. (75 to 176 g/m ²); card stock: up to 90 lb. Index (163 g/m ²)	

In the Box



Lexmark C524n

- Lexmark C524n printer
- 1,500-page Cyan, Magenta, Yellow, & Black Return Program Starter Toner Cartridges¹
- Photoconductor Unit
- Power Cord
- Publications CD
- Drivers and Utilities CD
- Setup Sheet
- User's Guide
- Supplies Program Flyer

Lexmark C524dn

- Lexmark C524n printer **PLUS**
- Duplex

Lexmark C524dtn

- Lexmark C524dn printer **PLUS**
- 500-sheet drawer

**COLOR
CARE**
Technology

Lexmark C524n

Supplies & Accessories


Part Number

Supplies	Part Number
3,000-page Cyan Return Program Toner Cartridge ¹	C5220CS
3,000-page Magenta Return Program Toner Cartridge ¹	C5220MS
3,000-page Yellow Return Program Toner Cartridge ¹	C5220YS
4,000-page Black Return Program Toner Cartridge ¹	C5220KS
3,000-page Cyan Toner Cartridge ¹	C5222CS
3,000-page Magenta Toner Cartridge ¹	C5222MS
3,000-page Yellow Toner Cartridge ¹	C5222YS
4,000-page Black Toner Cartridge ¹	C5222KS
5,000-page High Yield Cyan Return Program Toner Cartridge ¹	C5240CH
5,000-page High Yield Magenta Return Program Toner Cartridge ¹	C5240MH
5,000-page High Yield Yellow Return Program Toner Cartridge ¹	C5240YH
8,000-page High Yield Black Return Program Toner Cartridge ¹	C5240KH
5,000-page High Yield Cyan Toner Cartridge ¹	C5242CH
5,000-page High Yield Magenta Toner Cartridge ¹	C5242MH
5,000-page High Yield Yellow Toner Cartridge ¹	C5242YH
8,000-page High Yield Black Toner Cartridge ¹	C5242KH
Photoconductor Unit (up to 20,000 pages)	C52030X
Photoconductor Unit Multi-Pack	C52034X
Waste Toner Box (up to 30,000 pages)	C52025X
Transfer Belt Maintenance Kit (up to 120,000 pages)	40X1401
Fuser Maintenance Kit (up to 120,000 pages)	40X1400

Memory/Flash Options

128MB SDRAM	13N1523
256MB SDRAM	13N1524
512MB SDRAM	13N1526
32MB Flash Card	1021208
64MB Flash Card	1021209
20GB Hard Disk with Adapter	12N1262

Paper Handling Options²



Additional Information

¹ Yield is based on approximately 5% coverage per color with printer set at factory defaults.

² Displays all available options for **base** model.

Lexmark C524n

Additional Accessories

Connectivity	Wireless	
	MarkNet N4050e 802.11g Wireless Print Adapter ¹	14T0145
	802.11g Wireless Print Adapter	1010042
	MarkNet N8050 802.11g Wireless	14S0165
	Internal Print Servers ²	
	MarkNet N8000 Fast Ethernet	14S0230
MarkNet N8020 Gigabit Ethernet	14S0200	
MarkNet N8030 Fiber Ethernet 100/BaseFX	14S0220	
Application Solutions	Bar Code Card	18B0140
	Forms Card	18B0144
	Korean Font Card	1021240
	Traditional Chinese Font Card	1021242
	Simplified Chinese Font Card	1021241
	Japanese Font Card	1021243
Attachment Options	Parallel 1284-B Interface Card	11K4601
	RS-232C Serial Interface Card	11K4602
Cable Options	10-foot Parallel Cable	1329605
	6-foot USB Cable	12A2405
	50-foot Serial Cable	1038693
Print Media	Professional Color Laser Transparencies – letter (50 sheets)	12A8240
	Soft Gloss paper – letter (200 sheets)	12A5950

¹ Uses USB connection

² Uses 1 ISP

Lexmark and Lexmark with diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. Pantone is a trademark of Pantone, Inc. PCL is a registered trademark of Hewlett-Packard Company. The USB-IF logo is a trademark of Universal Serial Bus Implementers Forum, Inc. All other trademarks are the property of their respective owners. © 2005 Lexmark International, Inc. All rights reserved.

71K1170



Printed on recycled paper.

