Lexmark

Color and monochrome multifunction printers TAA compliant part numbers



CAC/PIV Printers





Color and monochrome multifunction printers TAA compliant part numbers





CAC/DIV/ MEDS

CAC/PIV MFPs						
A3						
CX860dtfe	CX942adse	CX943adtse	CX943adxse	CX944adtse	CX944adxse	CX950g
▶ Up to 60 ppm ▶ 10 inch touch screen	▶ Up to 45 ppm ▶ 10 inch touch screen	➤ Up to 55 ppm ➤ 10 inch touch screen	▶ Up to 55 ppm ▶ 10 inch touch screen	➤ Up to 65 ppm ➤ 10 inch touch screen	▶ Up to 65 ppm ▶ 10 inch touch screen	▶ Up to 25 ppm▶ 10 inch touch screen▶ Includes HDD and OCR
42KT172 N/A (110V) (220V)	32DT025 32DT035 (110V) (220V)	32DT026 32DT036 (110V) (220V)	32DT027 32DT037 (110V) (220V)	32DT028 32DT038 (110V) (220V)	32DT029 32DT039 (110V) (220V)	20LT201 20LT301 (110V) (220V)
A3						
CX951g	CX961g	CX961tg	CX962g	CX962tg	CX963g	CX963xg
▶ Up to 35 ppm▶ 10 inch touch screen▶ Includes HDD and OCR	▶ Up to 35 ppm▶ 10 inch touch screen▶ Includes HDD and OCR	▶ Up to 35 ppm▶ 10 inch touch screen▶ Includes HDD and OCR	▶ Up to 45 ppm▶ 10 inch touch screen▶ Includes HDD and OCR	▶ Up to 45 ppm▶ 10 inch touch screen▶ Includes HDD and OCR	▶ Up to 55 ppm▶ 10 inch touch screen▶ Includes HDD and OCR	▶ Up to 55 ppm▶ 10 inch touch screen▶ Includes HDD and OCR
20LT202 20LT302 (110V) (220V)	20LT203 20LT303 (110V) (220V)	20LT208 20LT308 (110V) (220V)	20LT204 20LT304 (110V) (220V)	20LT209 20LT309 (110V) (220V)	20LT205 20LT305 (110V) (220V)	20LT210 20LT310 (110V) (220V)
Color	ppm: Pages per minu	ute e = emb	edded solutions framework			





A3 Tabloid / 11x17 media support

Wireless is not present on TAA models.

N/A: Not Available (Part number)

a = analog fax

d = duplex

t = additional tray included

x = high capacity feeder tray included

f = finisher

g = Government


Lexmark




Non-CAC Printers

Color and monochrome multifunction printers TAA compliant part numbers

	-	102 a	2002 2	8-	
CS531dw	CS632dwe	CS730de	CS735de	CS963g	
 ▶ Up to 35 ppm ▶ 2.8 inch touch screen ▶ 4.3 inch touch screen 		▶ Up to 42 ppm ▶ 4.3 inch touch screen	▶ Up to 52 ppm ▶ 4.3 inch touch screen	▶ Up to 55 ppm ▶ 4.3 inch touch screen	
50MT020 (110V) 50MT030 (220V)	50MT060 (110V) N/A (220V)	47CT000 (110V) 47CT020 (220V)	47CT100 (110V) 47CT120 (220V)	20LT000 (110V) 20LT100 (220V)	







A3 Tabloid / 11x17 media support

ppm: Pages per minute

N/A: Not Available (Part number) Wireless is not present on TAA models. a = analog fax

d = duplex

n = network

t = additional tray included

e = embedded solutions framework

f = finisher

g = Government

h or s = h ard disk



Color and monochrome multifunction printers TAA compliant part numbers



Non-CAC MEPs

Non-CAC MFPS							
	A3	A3	A3	A3	A3	A3	A3
CX943adtse	CX943adxse	CX944adtse	CX944adxse	CX950g	CX951g	CX961g	CX961tg
▶ Up to 55 ppm ▶ 10 inch touch screen	▶ Up to 55 ppm ▶ 10 inch touch screen	▶ Up to 65 ppm▶ 10 inch touch screen	▶ Up to 65 ppm ▶ 10 inch touch screen	▶ Up to 25 ppm▶ 10 inch touch screen▶ Includes HDD and OCR	Up to 35 ppm10 inch touch screenIncludes HDD and OCR	▶ Up to 35 ppm▶ 10 inch touch screen▶ Includes HDD and OCR	Up to 35 ppm10 inch touch screenIncludes HDD and OCR
32DT006 32DT016 (110V) (220V)	32DT007 32DT017 (110V) (220V)	32DT008 32DT018 (110V) (220V)	32DT009 32DT019 (110V) (220V)	20LT001 20LT101 (110V) (220V)	20LT002 20LT102 (110V) (220V)	20LT003 20LT103 (110V) (220V)	20LT008 20LT108 (110V) (220V)
	A3	A3	A3	Color Solutions-Enabled Tabloid / 11x17 media ppm: Pages per minute	support	 a = analog fax d = duplex t = additional tray included x = high capacity feeder trate e = embedded solutions frag 	•
CX962g	CX962tg	CX963g	CX963xg	N/A: Not Available (Part n		f = finisher	nework
Up to 45 ppm10 inch touch screenIncludes HDD and OCR	Up to 45 ppm10 inch touch screenIncludes HDD and OCF	▶ Up to 55 ppm▶ 10 inch touch screen▶ Includes HDD and OCR	Up to 55 ppm10 inch touch screenIncludes HDD and OCR	Wireless is not present on TAA models. g = Government			
20LT004 20LT104 (110V) (220V)	20LT009 20LT109 (110V) (220V)	20LT005 20LT105 (110V) (220V)	20LT010 20LT110 (110V) (220V)				

Color and monochrome multifunction printers TAA compliant part numbers





CAC/PIV Printers

PATE .	g and	g sent	
MS632dwe	MS822de	MS826de	
▶ Up to 50 ppm ▶ 4.3 in touch screen	▶ Up to 55 ppm▶ 4.3 inch touch screen	▶ Up to 70 ppm ▶ 4.3 inch touch screen	
38ST505 (110V) N/A (220V)	50GT155 (110V) 50GT165 (220V)	50GT355 (110V) 50GT365 (220V)	

CAC/PIF MFPs					
1	110		1-	1-	
MX432adwe	MX532adwe	MX632adwe	MX721adhe	MX722ade	MX822ade
▶ Up to 42 ppm ▶ 4.3 inch touch screen	Up to 46 ppm4.3 in touch screenIncludes HDD and OCR	 Up to 50 ppm 7 in touch screen Includes HDD and OCR 	▶ Up to 65 ppm ▶ 7 inch touch screen	▶ Up to 70 ppm▶ 7 inch touch screen	➤ Up to 55 ppm ➤ 10 inch touch screen
29ST022 (110V) 29ST023 (220V)	38ST825 (110V) 38ST835 (220V)	38ST905 (110V) 38ST915 (220V)	25BT016 (110V) 25BT021 (220V)	25BT017 (110V) 25BT022 (220V)	25BT636 (110V) 25BT654 (220V)
				A3	
MX822adxe	MX826ade	MX826adtfe	MX826adxe	MX953g	
▶ Up to 55 ppm ▶ 10 inch touch screen	▶ Up to 70 ppm ▶ 10 inch touch screen	➤ Up to 70 ppm ➤ 10 inch touch screen	▶ Up to 70 ppm ▶ 10 inch touch screen	 Up to 55 ppm 10 inch touch screen Includes HDD and OCR 	
25BT637 (110V) N/A (220V)	25BT646 (110V) 25BT664 (220V)	25BT649 (110V) 25BT667 (220V)	25BT647 (110V) N/A (220V)	20LT206 (110V) 20LT306 (220V)	
Monochrome Solutions-Enabled Tabloid / 11x17 media support Wireless is not present on TAA models.	ppm: Pages per minute CAC/PIV: PKI Authentication N/A: Not Available (Part number)	a=analog fax d=duplex t=additional tray included x=high capacity feeder tray include e=embedded solutions framework			

Lexmark


Color and monochrome multifunction printers TAA compliant part numbers



Mono

Non-CAC Printers

1 1			1000		
MS431dn	MS531dw	MS631dw	MS632dwe	MS821dn	
▶ Up to 42 ppm▶ 2-line APA mono LCD display	▶ Up to 46 ppm ▶ 2.8 in touch screen	▶ Up to 50 ppm ▶ 2.8 in touch screen	▶ Up to 50 ppm ▶ 4.3 in touch screen	▶ Up to 55 ppm ▶ 2.4 inch touch screen	
29ST001 (110V) 29ST003 (220V)	38ST300 (110V) 38ST310 (220V)	38ST400 (110V) 38ST410 (220V)	N/A (110V) 38ST510 (220V)	50GT100 (110V) 50GT120 (220V)	
			g-re-		
MS822de	MS823dn	MS825dn	MS826de		
▶ Up to 55 ppm ▶ 4.3 inch touch screen	▶ Up to 65 ppm ▶ 2.4 inch touch screen	▶ Up to 70 ppm ▶ 2.4 inch touch screen	▶ Up to 70 ppm ▶ 4.3 inch touch screen		
50GT110 (110V) 50GT130 (220V)	50GT200 (110V) 50GT220 (220V)	50GT300 (110V) 50GT320 (220V)	50GT310 (110V) 50GT330 (220V)		



Monochrome

Calatiana Factor

Solutions-Enabled

A3 Tabloid / 11x17 media support

Wireless is not present on TAA models.

ppm: Pages per minute CAC/PIV: PKI Authentication N/A: Not Available (Part number) a=analog fax
d=duplex
n=network
t=additional tray included
e=embedded solutions framework

g = Government h or s = hard disk

25AM13360


Color and monochrome multifunction printers TAA compliant part numbers





Non-CAC MFPs

				A3
MX822adxe	MX826ade	MX826adtfe	MX826adxe	MX953g
▶ Up to 55 ppm ▶ 10 inch touch screen	▶ Up to 70 ppm ▶ 10 inch touch screen	▶ Up to 70 ppm ▶ 10 inch touch screen	➤ Up to 70 ppm ➤ 10 inch touch screen	▶ Up to 55 ppm ▶ 10 inch touch screen ▶ Includes HDD and OCR
25BT601 (110V) N/A (220V)	25BT610 (110V) 25BT628 (220V)	25BT613 (110V) 25BT631 (220V)	25BT611 (110V) N/A (220V)	20LT006 (110V) 20LT106 (220V)
Monochrome Solutions-Enabled Tabloid / 11x17 media support ppm: Pages per minute CAC/PIV: PKI Authentication N/A: Not Available (Part number) Wireless is not present on TAA mode	els.	a=analog fax d=duplex t=additional tray included x=high capacity feeder tray include e=embedded solutions framework f=finisher g = Government w = Wi-Fi standard		



Lexmark for government

Lexmark's comprehensive lineup of imaging products covers a full spectrum of budgets, business objectives, performance goals and workloads, from individual users to large workgroups. Lexmark is one vendor that truly has it all, offering government buyers a wide range of choices.

To meet our customers' varied needs, every Lexmark printer and MFP model has a unique combination of print speed, color modes, paper formats, processing capabilities, inputs/outputs and network connection types. But they all share a set of high-level goals

that drive Lexmark product design, a combination of attributes that form the DNA of every Lexmark product. For example, ease of use is woven into every Lexmark product, including mobility support to help your staff get their work completed in the easiest and quickest way possible.

Lexmark's emphasis on performance means not just fast printing and scanning, but long maintenance intervals and ingenious ways to enhance efficiency. And our drive for quality is obvious in the clarity of our imaging technology and proven by million-page testing.

Designed-in flexibility gives every Lexmark product the ability to adapt to your needs as your business and its objectives evolve, while our manageability features let you monitor and control just a handful of devices or a fleet of thousands.

And across the line is Lexmark's long-standing commitment to security, which creates not just a safer but a more productive environment for users of Lexmark products.