



Lexmark CX431adw

Produktivnost. Pouzdanost. Sigurnost.



Lexmark CX431adw

Višefunkcijski kapacitet za ispis u boji za male radne skupine jednostavan je za implementaciju i zajedničko korištenje uz kompaktni, lagani višenamjenski uređaj Lexmark CX431adw. Kombinira ispis do 24 stranice u minuti* uz automatsko skeniranje do 90 slika u minuti plus kopiranje i faksiranje. Preuzmite nadzor dodirnim zaslonom od 7,2 cm i povežite se putem mreže Wi-Fi i drugih.

Kompaktnost i svestranost u boji

- ▶ Nabavite bogate, živopisne izlazne boje ili kopije do 24 stranice u minuti*, uz automatsko obostrano skeniranje do 90 slika u minuti.
- ▶ Izađite na kraj s radnim opterećenjem uz dvojezgreni procesor snage 1 GHz i 1 GB memorije.
- ▶ Kompaktne dimenzije od 344,4 mm visine x 411,2 mm širine x 394,1 mm dubine omogućavaju postavljanje na bilo kojem mjestu.
- ▶ Analogno faksiranje pruža dodatne mogućnosti slanja i primanja dokumenata.



Povezivanje i naredbe

- ▶ Povežite se dvopojasnom mrežom Wi-Fi, Ethernetom od jednog gigabita, ili USB-om.
- ▶ Pojednostavite mobilni ispis pomoću aplikacija Lexmark Mobile Print, Google Cloud Print, Mopria®, i AirPrint.
- ▶ Pomoću naredbe postavki uređaja pratite vitalne funkcije sustava na dodirnom zaslonu u boji od 7,2 cm.
- ▶ Ugrađeni priključci u oblaku omogućuju sigurno spremanje

skenova i dohvaćanje datoteka iz popularnih usluga u oblaku Box, DropBox, Google Drive i Microsoft OneDrive.

Održiv kapacitet, trajna kvaliteta

- ▶ Originalni Unison™ zamjenski toner nudi bogate, jarke boje u dostupnim spremnicima povećanog kapaciteta za više ispisivanja i manje zastoja.
- ▶ Jednodijelni spremnik pojednostavljuje zamjenu za manje prekida.
- ▶ Dodatne ulazne ladice povećavaju ukupni ulazni kapacitet na 751 list za podršku duljem ispisu i poboljšanoj fleksibilnosti medija.
- ▶ Čelični okvir i dugotrajne slikovne komponente znače dugovječnost uz minimalno održavanje.

Robusna, ugrađena sigurnost

- ▶ Lexmarkova arhitektura s punim spektrom sigurnosti pomaže vam u očuvanju sigurnosti informacija u dokumentu, na uređaju, na mreži i u svim međutočkama.


Štedite papir, štedite energiju

- ▶ Automatski dvostrani ispis je standard.
- ▶ Ugrađeni načini uštede energije omogućuju podršku ocjenama EPEAT® Silver i ENERGY STAR®.
- ▶ Program prikupljanja spremnika tvrtke Lexmark (LCCP) i Program prikupljanja opreme tvrtke Lexmark (LECP) minimiziraju otpad i podržavaju recikliranje (dostupnost ovisi o zemlji).

* Brzine ispisa i kopiranja mjerene u skladu s ISO/IEC 24734, odnosno ISO/IEC 24735 (ESAT). Za više informacija posjetite: www.lexmark.com/ISOspeeds.

** Prosječni deklarirani kapacitet spremnika za neprekinuti crno-bijeli ili neprekinuti kompozitni ispis u boji (CMY) u jednostranom (simplex) načinu rada do navedenog broja standardnih stranica u skladu s ISO/IEC 19798. Stvarni kapacitet znatno odstupa u ovisnosti o brojnim čimbenicima. Posjetite www.lexmark.com/yields za više informacija.

Lexmark CX431adw



1 Višefunkcijski proizvod s
dodirnim zaslonom od 7,2
cm
344.4 x 411.2 x 394.1 mm

2 Ladica za 250 listova
Dimensions included as part of
base model

3 250-Sheet Tray
103.9 x 411.2 x 381.0 mm

4 250-Sheet Tray
103.9 x 411.2 x 381.0 mm

Standard
Optional

Podržava do dvije dodatne ladice za 250 listova.

Sve mjere navedene su kao visina x širina x dubina. Dodatne informacije o podržanim konfiguracijama potražite u Vodiču za pisač, opcije i kompatibilnost pri postavljanju na http://www.lexmark.com/publications/furniture_safety/

Product Specifications		Lexmark CX431adw
Printing		
Display	2.8 inch (7.2 cm) LCD touch panel	
Print Speed	Up to: Black: 24.7 ppm ¹ (A4) / Colour: 24.7 ppm ¹ (A4)	
Time to First Page	As fast as: Black: 10.8 seconds / Colour: 11 seconds	
Print Resolution	Black: 4800 CQ (2400 x 600 dpi) / Colour: 4800 CQ (2400 x 600 dpi)	
Memory	Standard: 1 GB / Maximum: 1 GB / Standard: 1024 MB / Maximum: 1024 MB	
Hard Disk	Not Available	
Recommended Monthly Page Volume	750 - 5000 pages ²	
Maximum Monthly Duty Cycle	Up to: 75000 pages per month ³	
Copying		
Copy Speed	Up to: Black: 24.7 cpm ¹ (A4) / Colour: 24.7 cpm ¹ (A4)	
Time to First Copy	as fast as: Black: 12.1 seconds / Colour: 13.3 seconds	
Scanning		
Scanner Type / ADF Scan	Flatbed scanner with ADF / DADF (single pass Duplex)	
A4/Ltr Duplex Scan Speed	Up to: Black: 90 / 96 sides per minute / Colour: 40 / 42 sides per minute	
A4/Ltr Simplex Scan Speed	Up to: Black: 45 / 48 sides per minute / Colour: 20 / 21 sides per minute	
ADF Paper Input Capacity	Up to: 50 pages 75 gsm bond	
Faxing		
Modem Speed	Max is 33,600 bps, V.34 Half-Duplex Kbps	
Supplies ⁴		
Laser Cartridge Yields	up to: 6,700 ⁵ -page Colour (CMY) Extra High Yield Cartridges / up to: 6,000 ⁵ -page Black Extra High Yield Cartridge / up to: 1,500 ⁵ -page Black and Colour (CMYK) Cartridges	
Cartridge(s) Shipping with Product	1,500 ⁵ -page Black Return Programme Toner Cartridge ⁵ , 1,500 ⁵ -page Colour (CMY) Return Programme Toner Cartridges ⁵	
Paper Handling		
Included Paper Handling	100-Sheet Output Bin, Integrated Duplex, Single-Sheet Manual Feed, 250-Sheet Input	
Optional Paper Handling	250-Sheet Tray	
Paper Input Capacity	Up to: Standard: 250+1 pages 75 gsm bond / Maximum: 750+1 pages 75 gsm bond	
Paper Output Capacity	Up to: Standard: 100 pages 75 gsm bond / Maximum: 100 pages 75 gsm bond	
Media Types Supported	Hagaki Card, Paper Labels, Card Stock, Plain Paper, Envelopes, Glossy paper, Refer to the Paper & Specialty Media Guide	
Media Sizes Supported	A6, Oficio, 7 3/4 Envelope, 9 Envelope, JIS-B5, A4, Legal, A5, Hagaki Card, Letter, B5 Envelope, Statement, C5 Envelope, Executive, Universal, DL Envelope, Folio, 10 Envelope	
General Information ⁶		
Standard Connectivity	Gigabit Ethernet (10/100/1000), 802.11ac Wireless, Front Hi-Speed USB port Compatible with USB 2.0 Specification (Type A), USB 2.0 Specification Hi-Speed Certified (Type B)	
Noise Level	Operating: 51/52 dBA (Print)	
Specified Operating Environment	Humidity: 8 to 80% Relative Humidity / Altitude: 0 - 3048 Metres (10,000 Feet) / Temperature: 10 to 32°C (50 to 90°F)	
Product Guarantee	1-Year Onsite Service	
Size / Weight	H x W x D: 344.4 x 411.2 x 394.1 mm / 19.4 kg	
ENERGY STAR Typical Electricity Consumption	TEC: 0.37 kilowatt-hours per week	

All information is subject to change without notice. Lexmark is not liable for any errors or omissions.

¹ Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds.

² "Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ³ "Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁴ Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/regions for more details. ⁵ Average continuous cartridge yield is stated number of standard pages as listed. Declared yield value in accordance with ISO/IEC 19798. ⁶ Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details.

© 2020. Lexmark. Sva prava pridržana.

Lexmark, logotip Lexmark i Unison žigovi su tvrtke Lexmark International, Inc., zaštićeni u Sjedinjenim Državama i/ili drugim zemljama.

Apple i AirPrint žigovi su tvrtke Apple Inc., registrirani u SAD-u i drugim zemljama. Google Cloud Print žig je tvrtke . LLC. MOPRIA®, logotipi Mopria® Logo™ i Mopria® Alliance su registrirani žigovi i servisne oznake tvrtke Mopria Alliance, Inc. u Sjedinjenim Državama i drugim zemljama. Neovlaštena uporaba strogo je zabranjena. ENERGY STAR i oznaka ENERGY STAR registrirani su žigovi u vlasništvu Agencije za zaštitu okoliša SAD-a. EPEAT® je žig Vijeca za zelenu elektroniku u Sjedinjenim Državama i drugim zemljama. Svi drugi žigovi vlasništvo su odgovarajućih vlasnika.

Ovaj proizvod uključuje softver koji je OpenSSL Project razvio za uporabu u Open SSL kompletu alata (<http://www.openssl.org/>).

