



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc.	
Contact information * e-mail address	Reyjoseph Ocaba Lexmark International Inc. 740 New Circle Road, Building 001 Lexington, KY 40550 sustainability@lexmark.com	∑ Lexmark
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	Single-function color Laser Device
Commercial name *	Lexmark CS730de, Lexmark C4342
Model number *	CS730de, C4342
Issue date *	21 March 2022 (revised on May 11th, 2023)
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	CS730de, C4342	Logo	1×
Issue date *	21 March 2022 (revised on May 11th, 2023)		Lexmark

Produc	t environmental attributes - Legal requirements	Require	ement	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
D4.0*	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.		Ш	
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager (Sustainability@lexmark.com); Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	\boxtimes		
	Required information is; given in item P15 or added to this document,			
	available at (add URL): https://csr.lexmark.com/product-certifications.php			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			Ш
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

Model number *	CS730de, C4342	Logo	1 1 2
Issue date *	21 March 2022 (revised on May 11th, 2023)		Lexmark

	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Regu	irem	ent met
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.		No	
7	Design			
	Disassembly, recycling			
P7.1 *	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2 *	Plastic materials in covers/housing have no surface coating.	\boxtimes		
⁹ 7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4 *	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7 *	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8 *	Upgrading can be done using commonly available tools	\boxtimes		
⊃ 7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
27.40	Material type: ABS Material type: PC+ABS Material type: HIPS			a
27.12	Insulation materials of external electrical cables are PVC free.		<u> </u>	
27.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.		L	
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		×	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40	X		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR16			
7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR16, FR17, FR30+40			
7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	CS730de, C4342	Logo	P*
Issue date *	21 March 2022 (revised on May 11th, 2023)		Lexmark

Product	environmental att	ributes - Market re	quirements (contin	ued)	R	equire	ment	met
Item			•	•		Yes	No	n.a.
	Material and subst	ance requirements (d	continued)					
P7.20*	Postconsumer recyc	cled plastic material co	ontent is used in the pro	oduct (See NOTE B6):				
			below shall be answer he postconsumer recyc		ntent (calculated as a			
		total plastic by weight)		noa piaono materiar co	mem (saisaiaisa as a			
	b) The weight of r	ecycled material is	g.					
P7.21*	Biobased plastic ma	terial content is used	in the product (See NO	TE B7):				
		parts' weight > 25 g,	below shall be answer the biobased plastic ma		ated as a percentage of			
		he biobased plastic m	aterial is g.					
P7.22*		ee from mercury, i.e. le pecify: Number of lam	ess than 0,1 mg/lamp. ps: and maximu	m mercury content pe	r lamp: mg			
P8	Batteries							
P8.1*	Battery chemical co	mposition: <i>Lithium Ma</i>	anganese Dioxide (Lil	MnO2)				
P9	Energy consumpti	on (See NOTE B8)						
P9.1	For the product the	following power levels	or energy consumption	ns are reported:				
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test method		nergy	
•	e for ENERGY perational Mode ucts	W	W	W				
Standby/of ENERGY S Mode (OM	STAR Operational	W	W	W				\boxtimes
TEC produ	for ENERGY STAR cts (TEC= Typical nsumption)	0.53 kWh/week	0.52 kWh/week	0.53 kWh/week	Energy Star V3.2			
Printing		595 W	604 W	556 W	Corporate Standard			
Ready Mo		47 W	56 W	45 W	Energy Star V3.2			
Ready Mo	de 2	22 W	24 W	27 W	Energy Star V3.2			
Sleep		0.99 W	0.99 W	1.00 W	Energy Star V3.2			
Hibernate		0.08 W	0.09 W	0.09 W	IEC 62301			
Off		0.08 W	0.09 W	0.09 W	IEC 62301			
		y Level (International	Efficiency Marking Prot	tocol) * :				
Print/Scan	Speed *	42 images per minute			ISO 24734			
	e to enter energy sav				Energy Star V3.2			
P9.2*	Information about th	e energy save functio	n is provided with the p	roduct.		\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CS730de, C4342	Logo	I M
Issue date *	21 March 2022 (revised on May 11th, 2023)		Lexmark

Product 6	environmental a	attributes	- Market requireme	ents (co	ntinued)	F	Require	ment	met
Item							Yes	No	n.a.
P10	Emissions								
			according to ISO 9296	3 (See NC					
P10.1	Mode	Mode desc	ription	ļ	Statistical upper lim L _{WA,c} (B)	it A-weighted sound power le	∕el,		
	Idle	* Idle / Rea	idy		* 3.1				
	Operation	* Duplex N	Monochrome Printing	,	* 6.8				\blacksquare
	Other mode	Simple N	Ionochrome Printing	1	6.6				
	Measured accord	l 🔀 :ot gnib	SO 7779 X ECMA-7		only if not covered b	v ECMA-74)			
	Chemical emiss	ions from r	orinting products (Se			,			
P10.2*			ECMA-328 Determina			tes from Electronic	\boxtimes	П	
	Equipment (ISO/	IEC 28360)	, other specify: DE	-UZ 219					
P10.3	Typical emission	rate (operat	ion phase) is (mg/h):						
[Electrophotograp Ink devices:	ohic devices:	Ozone <0.3(LOQ) Dust			ne <0.012 TVOC 6.173(LOQ) zene TVOC			
			mum emission rates i	n eco labe	els to be declared in	P14.			
P11			printing products						
P11.1*	<u> </u>	. ,				egally required (see P4.3).	\boxtimes		
P11.2*	EN 12281.		<u> </u>		.,	ets the requirements of			
P11.3*	2-sided (duplex)	printing/copy	ying is an integrated p	roduct fur	nction.		\boxtimes		
P11.4*	The product is de	elivered to en	nd-user with default au	uto-duple	c enabled.		\boxtimes		
P13	Packaging and								
P13.1*	Product packagir Product packagir Product packagir Product packagir Product packagir Product packagir	ng material t ng material t ng material t ng material t ng material t	ype(s): HDPE ype(s): Corrugate ype(s): PP ype(s): PET ype(s): Rubber	weight (kg weight (kg weight (kg	g): 0.212 g): 4.5268 g): 0.02 g): 0.0012				
P13.2*			aging is free from PVC				\boxtimes		
P13.3*	consumer recove	ered fiber co	ntent: 0 %			entage of minimum post-			
P13.4*	Specify media for Electronic , P.		roduct documentation her	(tick box)	í:				
P13.5	(Please only com	nplete this ite	em if paper documenta ition on paper media is						
	Totally chlorine-fit Elemental chlorin Processed chlorin	ne-free							
P14	Voluntary progr								
P14.1	The product mee	ets the requir	ements of the following	ıg volunta	ry program(s):				
	ENERGY STAR® Eco-label: <i>Blue</i>		Criteria version: 3.2 Criteria version: RAL	L UZ-219	Date: <i>Nov.</i> 2021 Date: <i>Jan.</i> 2021	Product category: Imaging Product category: Office Eq			
Ì	Eco-label:		Criteria version:		Date [.]	Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CS730de, C4342	Logo	I M
Issue date *	21 March 2022 (revised on May 11th, 2023)		Lexmark

Produc	et environmental attributes - Market requirements (concluded)	Requirement met
P15	Additional information (See NOTE B11)	
P2.1	The battery contained within this product should be disposed of properly with the product. The product properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product.	uct is oduct User's Guide
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to b the customer; however, is designed for easy removal by recyclers and service providers	e removed by
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the mathey are >25g	terial(s) used when
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled content intentionally added in the processing of these parts.	nt. No bromine was
P7.20	Per IEEE 1680.2 PCR calculation	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
•	•

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	