

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc.	
Contact information * e-mail address	Reyjoseph Ocaba Lexmark International Inc. 740 New Circle Road, Building 001 Lexington, KY 40550 sustainability@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Single-function color Laser Device			
Commercial name *	Lexmark CS735de, Lexmark C4352			
Model number *	CS735de, C4352			
Issue date *	21 March 2022 (revised on May 11th, 2023)			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	CS735de, C4352	Logo	
Issue date *	21 March 2022 (revised on May 11th, 2023)		Lexmark

Product	oduct environmental attributes - Legal requirements					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\square				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	\square				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager (<u>Sustainability@Jexmark.com</u>); Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY 40550	\square				
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\square				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\square				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes				
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html					
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	\boxtimes				
	Required information is; given in item P15 or added to this document, available at (add URL): <u>https://csr.lexmark.com/product-certifications.php</u>	\square				
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).	\boxtimes				
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	\square				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).)				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				

Model number *	CS735de, C4352	Logo	
Issue date *	21 March 2022 (revised on May 11th, 2023)		Lexmark

	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Requ	irem	ent i	net
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design				
D7 4*	Disassembly, recycling			_	
P7.1*	Parts that have to be treated separately are easily separable				<u>Ц</u>
P7.2*	Plastic materials in covers/housing have no surface coating.				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\square			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes			
P7.9	Spare parts are available after end of production for: 5 years				Π
P7.10	Service is available after end of production for: 5 years				Ē
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):				
	Material type: ABS Material type: PC+ABS Material type: HIPS			_	
P7.12	Insulation materials of external electrical cables are PVC free.		\geq		
P7.13	Insulation materials of internal electrical cables are PVC free.		\triangleright	\langle	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.]	
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		\geq	3	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: <i>FR40</i>	\boxtimes			
P7.17	<u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:				
D7 40	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: <i>FR16</i>				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: "		C		
	3. Chemical name: , CAS #: " <u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: <u>FR16, FR17, FR30+40</u>				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

Model number *	CS735de, C4352	Logo	
Issue date *	21 March 2022 (revised on May 11th, 2023)		Lexmark

	environmental att	ributes - Market re	equirements (conti	nued)	R	equire		
Item						Yes	No	n.a.
		ance requirements					_	_
P7.20*	Postconsumer recyc	cled plastic material c	content is used in the p	roduct (See NOTE B6)):	\boxtimes		
	'		s below shall be answe the postconsumer recy	ered; vcled plastic material co	ontent (calculated as a			
		total plastic by weight		, F				
	b) The weight of r	ecycled material is	g.					
P7.21*	Biobased plastic ma	aterial content is used	I in the product (See N	OTE B7):			\boxtimes	
		parts' weight > 25 g,	es below shall be answe , the biobased plastic r		ated as a percentage of			
	or	he biobased plastic r	naterial is g.					
P7.22*			less than 0,1 mg/lamp.			\mathbf{X}		
	If mercury is used s	pecify: Number of lan		um mercury content pe	er lamp: mg	<u>K</u> N		
P8	Batteries							
P8.1*	Battery chemical co	mposition: <i>Lithium N</i>	langanese Dioxide (L	iMnO2)				
P9	Energy consumption							
P9.1	For the product the	following power level	s or energy consumption	ons are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test method		nergy	
	de for ENERGY perational Mode lucts	W	W	W				\square
Standby/o ENERGY	ff mode for STAR Operational 1) products	W	W	W				\boxtimes
TEC value	or ENERGY STAR ucts (TEC= Typical onsumption)	0.66 kWh/week	0.63 kWh/week	0.64 kWh/week	Energy Star V3.2			
Printing		726 W	719 W	693 W	Corporate Standard			
Ready Mo	ode 1	51 W	39 W	37 W	Energy Star V3.2			
Ready Mo	ode 2	23 W	25 W	24 W	Energy Star V3.2			
Sleep		0.97 W	0.95 W	0.933 W	Energy Star V3.2			
Hibernate		0.08 W	0.08 W	0.07 W	IEC 62301			
Off		0.08 W	0.08 W	0.07 W	IEC 62301			
External P	Power Supply Efficience	y Level (Internationa	Efficiency Marking Pr	otocol) * :				\boxtimes
Print/Scan	n Speed *	52 images per minute	e		ISO 24734			
Default tin	Default time to enter energy save mode: 15 minutes Energy Star V3.2							
P9.2*	Information about th	e energy save function	on is provided with the	product.		\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CS735de, C4352	Logo	
Issue date *	21 March 2022 (revised on May 11th, 2023)		Lexmark

Flouuci	environmental at	ttributes - Market requiremen	ts (continued)	Requi	ement	t met
Item			· · ·	Yes	No	n.a.
P10	Emissions					
		- Declared according to ISO 9296 (
P10.1	Mode I	Mode description	Statistical upper lin L _{WA,c} (B)	nit A-weighted sound power level,		
	Idle '	* Idle / Ready	* 3.1			
	Operation '	* Duplex Monochrome Printing	* 7.0			
	Other mode	Simple Monochrome Printing	6.8			
	Measured according	ng to: 🔀 ISO 7779 🔀 ECMA-74				
		Othe r	(only if not covered b	by ECMA-74)		
		ons from printing products (See		•		
P10.2*	•	cording to ECMA-328 Determination		ates from Electronic		
P10.3		ate (operation phase) is (mg/h):				
	Electrophotograph Ink devices:	nic devices: Ozone 5.202 Dust <mark>0.28</mark> Dust		ene <0.012 TVOC 5.202(LOQ) nzene TVOC		
	NOTE: compliance	e with maximum emission rates in e	eco labels to be declared in	P14.		
P11	Consumable mat	terials for printing products				
P11.1*	A Safety Data She	eet (SDS) is available for the ink/tor	er preparation, even if not	legally required (see P4.3).		
P11.2*	Paper containing p EN 12281.	post-consumer recycled fibers can l	be used, provided that it m	eets the requirements of		
P11.3*	2-sided (duplex) p	rinting/copying is an integrated pro	duct function.	\square		
P11.4*	The product is deli	ivered to end-user with default auto	-duplex enabled.	\square		
P13	Packaging and de	ocumentation				
P13.1*	Product packaging	g material type(s): HDPE we g material type(s): Corrugate we g material type(s): PP we g material type(s): PET we	eight (kg): 1.07 eight (kg): 0.212 eight (kg): 4.5268 eight (kg): 0.02 eight (kg): 0.0012 eight (kg): 0.002			
P13.2*	Product plastic pri	mary packaging is free from PVC.		\square		
P13.3*	For product primar consumer recover	ry corrugated fiberboard packaging ed fiber content: 0 %	, specify the contained per	centage of minimum post-		
P13.4*	Specify media for Electronic 🔀, Pa	user and product documentation (ti per \square . Other \square	ck box):			
P13.5	(Please only comp	blete this item if paper documentation on paper media is c				
	Totally chlorine-fre	e				
	Elemental chlorine					
	Processed chlorine	e-free		H		
P14	Voluntary progra					
P14.1		s the requirements of the following	voluntary program(s):			
	ENERGY STAR®		Date: Nov. 2021	Product category: Imaging Equip		,
	Eco-label: Blue A	ngel Criteria version: RAL U	IZ-219 Date: Jan. 2021	Product category: Office Equipme Printing Function		'

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CS735de, C4352	Logo	
Issue date *	21 March 2022 (revised on May 11th, 2023)		Lexmark

Produc	t environmental attributes - Market requirements (concluded) Requirement met
P15	Additional information (See NOTE B11)
P2.1	The battery contained within this product should be disposed of properly with the product. The product is properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guide
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used when they are >25g
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was intentionally added in the processing of these parts.
P7.20	Per IEEE 1680.2 PCR calculation

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	